







PROFESSIONAL TOOLS, WORLD-CLASS INNOVATION

Cutting, drilling, scraping, and sawing are hard work, but they don't have to be. There's a smarter way to tackle these time-consuming, labor-intensive, sweat-inducing jobs. ***Spyder's innovative power tool attachments are engineered to work harder, complete the job faster and last longer – up to 40x faster and 100x longer tool life!*** Using quality materials and innovative designs, our power tool accessories stand up to the punishment that is dished out every day – working as long and hard as the pros who depend on them.

Since our inception in 2008, when the Spyder Scraper® won *New Product of the Year* at the *National Hardware Show*, we continue to win awards for our innovation and quality. From the versatility of a 3-way cut reciprocating saw blade to effortless hole boring to the ingenious design of an arbor system that removes hole saw cores with a push of a button, every tool is meticulously engineered and constructed to provide significant advantages over the standard way of doing things. ***The result is an entire line of high-quality, high-performance tools that save time, effort and money.***

We make the tools that professionals use to power through the toughest jobs without the downtime and frustration of conventional tools. **Spyder is the go-to source when looking for quality, ease of use, leading-edge performance and value.**



**RAPID CORE
EJECT™ ARBOR
SYSTEM**
Page 6



**DIAMOND EDGE
HOLE SAWS
CARBIDE TIPPED
PILOT BIT/ARBOR**
Page 20



**TUNGSTEN
CARBIDE TIPPED
(TCT)
HOLE SAWS**
Page 8



**DIAMOND EDGE
HOLE SAW BITS**
Page 22



**TUNGSTEN
CARBIDE TIPPED
(TCT)
DEEP CUT
HOLE SAWS**
Page 10



**STINGER™
SPADE BITS**
Page 24



**TARANTULA™
HOLE SAWS**
Page 12



**STINGER™
AUGER BITS**
Page 26



**BI-METAL
HOLE SAWS**
Page 14



**STINGER™
POWER BITS™**
Page 28



**EXTENSIONS AND
Hex11 SYSTEM**
Page 17

*Cutting Comparison
Chart on page 16.*



**STINGER™
BRAD POINT
DRILL BITS**
Page 30



HOLE SAW KITS
Page 18

*Nominal Hole Size
Chart on page 70.*



**STINGER™
MACH-BLUE™
HIGH SPEED STEEL
(HSS) DRILL BITS**
Page 32



**STINGER™
MACH-BLUE™
STEP DRILL BITS**
Page 34



JIG SAW BLADES
Page 48 - 51



**RECIPROCATING
SANDER**
Page 63



**TARANTULA™
CIRCULAR SAW
BLADES**
Page 36




**3X3™
DOUBLE-SIDED
RECIPROCATING
SAW BLADES**
Page 52



SHOP STOOL
Page 64



**TARANTULA™
LARGE DIAMETER
CIRCULAR SAW
BLADES**
Page 38



**BLACK SERIES™
RECIPROCATING
SAW BLADES**
Page 54



**TARANTULA™
DEMOLITION
CIRCULAR
SAW BLADES**
Page 40



**TUNGSTEN
CARBIDE
TIPPED (TCT)
RECIPROCATING
SAW BLADES**
Page 56



**TARANTULA™
DADO
CIRCULAR
SAW BLADES**
Page 42



**SPYDER®
SCRAPER™
RECIPROCATING
BLADES**
Page 58



**TARANTULA™
PCD CIRCULAR
SAW BLADE**
Page 44



**RECIPROCATING
BRUSHES**
Page 60




**DIAMOND EDGE
UNIVERSAL
CUT-OFF WHEELS**
Page 46



**GROUT-OUT™
RECIPROCATING
BLADES**
Page 62



EJECT CORES WITH A PUSH OF A BUTTON



1

DRILL HOLE



2

PRESS BUTTON AND
PULL BACK CUP




3

EJECT CORE

CUT AT AN ANGLE AND ENLARGE EXISTING HOLES



EASILY
START AND...



...CUT AT
AN ANGLE




ENLARGE AN
EXISTING HOLE

SPYDER® RAPID CORE EJECT™ ARBOR SYSTEM

The Most Efficient Hole Saw System Ever Made!

- Ejects cores with a push of a button, screwdriver not required.
 - Up to 5x faster than the competition.
 - Use with Spyder® TCT, Bi-Metal and Tarantula™ Hole Saws or with any threaded hole saw.
 - Hex8 and Hex10 Arbor Adapters.
 - Hex8 and Hex10 Pilot Bits available with either Tungsten Carbide Tipped (TCT) or High Speed Steel (HSS).
- Hex10 arbor adapter torque pins prevent the saw from becoming wedged onto the arbor, making saw changes quick and easy.





CARBIDE TIPPED

TUNGSTEN CARBIDE TIPPED (TCT) RAPID CORE EJECT™ HOLE SAWS

Extreme Material Versatility and Faster Cuts

- Up to 10x more cuts than bi-metal hole saws.
- Up to 5x faster than standard hole saws.
- Tungsten Carbide Tipped for extended life and clean cuts.
- Cuts wood, concrete block, brick, fiber cement board, ceramic wall tile, PVC, and more, with a *Mohs* hardness of less than 6. Some materials including floor tile, porcelains and poured concrete may have a Mohs hardness of 6 or greater. These hole saws are not recommended for harder, abrasive materials. [Consult page 16 for a list of commonly used materials.](#)
- Up to 2-3/8" Depth of Cut.
- Utilizes Rapid Core Eject™ Arbor System – rapidly eject the core, quickly change diameter, cut at an angle, and enlarge existing holes ([see page 6](#)).
- For use in standard rotary drills, **not for use in hammer drill mode.**

Up to 10x More Cuts than Bi-Metal Hole Saws.

UP TO 10x MORE

CARBIDE TIPPED

Tungsten Carbide Tipped for Extended Life and Clean Cuts.





































Up to 5x Faster than Standard Hole Saws.


UP TO 5x FASTER


Up to 2-3/8" Depth of Cut.

Utilizes Spyder® Patented Rapid Core Eject™ Arbor System ([see page 6](#)).

WOOD PLASTIC/PVC FIBER CEMENT BOARD CONCRETE BLOCK BRICK CERAMIC WALL TILE

Arbor Hex8 Diameters:			Arbor Hex10 Diameters:						
• 3/4" 	• 1-1/4" 	• 1-3/4" 	• 2-1/4" 	• 2-5/8" 	• 3-1/2" 	• 4-1/8" 	• 4-3/4" 	• 6" 	
• 7/8" 	• 1-3/8" 	• 1-7/8" 	• 2-3/8" 	• 2-3/4" 	• 3-5/8" 	• 4-1/4" 	• 5" 	• 6-1/4" 	
• 1" 	• 1-1/2" 	• 2" 	• 2-1/2" 	• 3" 	• 3-3/4" 	• 4-1/2" 	• 5-1/2" 	• 6-3/8" 	
• 1-1/8" 	• 1-5/8" 	• 2-1/8" 	• 2-9/16" 	• 3-1/4" 	• 4" 	• 4-5/8" 	• 5-3/4" 	• 6-5/8" 	

 Also Available in Kits ([see page 18](#))



CARBIDE TIPPED

TUNGSTEN CARBIDE TIPPED (TCT) DEEP CUT HOLE SAWS

Extreme Material Versatility and Faster Cuts

- Up to 10x more cuts than bi-metal hole saws.
- Up to 5x faster than standard hole saws.
- Tungsten Carbide Tipped for extended life and clean cuts.
- Cuts wood, concrete block, brick, fiber cement board, ceramic wall tile, PVC, and more, with a Mohs hardness of less than 6. Some materials including floor tile, porcelains and poured concrete may have a Mohs hardness of 6 or greater. These hole saws are not recommended for harder, abrasive materials. [Consult page 16 for a list of commonly used materials.](#)
- Up to 6-1/4" Depth of Cut.
- Deep Cut Hole Saws use Hex11 deep cut arbor and pilot bit. They do not use the Rapid Core Eject™ Arbor System.
- For use in standard rotary drills, **not for use in hammer drill mode.**



Up to 10x More
Cuts than
Bi-Metal Hole
Saws.

**UP TO
10x
MORE**




CARBIDE TIPPED

Tungsten Carbide Tipped for
Extended Life and Clean Cuts.




Up to 5x Faster
than Standard Hole
Saws.

**UP TO
5x
FASTER**



Up to 6-1/4" Depth of Cut.



Arbor Hex11 Diameters:

- | | | | |
|----------|-----------|----------|----------|
| • 1-1/4" | • 2-9/16" | • 4" | • 5-1/4" |
| • 1-3/4" | • 3" | • 4-1/8" | • 6" |
| • 2" | • 3-3/8" | • 4-3/8" | |
| • 2-3/8" | • 3-5/8" | • 4-3/4" | |



TARANTULA™
CARBIDE TIPPED

TARANTULA™ RAPID CORE EJECT™ HOLE SAWS

Cut the Toughest Materials

- Up to 50x more cuts than bi-metal hole saws.
- Up to 10x faster than standard hole saws.
- Carbide tipped for extended life in tough materials.
- Cuts nail-embedded wood, steel, stainless steel, plastics, non-ferrous metals and fiber cement board. Please note, these hole saws are not recommended for harder, abrasive materials. *Consult page 16 for a list of commonly used materials.*
- Up to 2-3/8" Depth of Cut.
- Utilizes Rapid Core Eject™ Arbor System – rapidly eject the core, quickly change diameter, cut at an angle, and enlarge existing holes *(see page 6)*.
- For use in standard rotary drills, **not for use in hammer drill mode.**

TARANTULA™
CARBIDE TIPPED

Carbide Tipped for Extended Life in Tough Materials.



Up to 50x More
Cuts than
Bi-Metal Hole
Saws.



UP TO
50x
MORE

Up to
2-3/8"
Depth
of Cut.

Up to 10x Faster
than Standard Hole
Saws.

UP TO
10x
FASTER

Utilizes Spyder®
Patented Rapid
Core Eject™
Arbor System
(see page 6).



Arbor Hex8 Diameters:

- 7/8"
- 1"
- 1-1/16"
- 1-1/8"

Arbor Hex10 Diameters:

- | | | | | |
|----------|----------|-----------|----------|----------|
| • 1-1/4" | • 1-3/4" | • 2-1/4" | • 2-5/8" | • 3-5/8" |
| • 1-3/8" | • 1-7/8" | • 2-3/8" | • 2-3/4" | • 4" |
| • 1-1/2" | • 2" | • 2-1/2" | • 3" | • 4-1/4" |
| • 1-5/8" | • 2-1/8" | • 2-9/16" | • 3-1/2" | • 4-1/2" |

Also Available in Kits *(see page 18)*



BI-METAL

BI-METAL RAPID CORE EJECT™ HOLE SAWS

Tough Bi-Metal Steel for Long Life

- Variable tooth pitch guarantees a fast and clean cut through all thicknesses.
- Creates smooth cuts in steel, stainless steel, aluminum, nail-embedded wood, non-ferrous metal, plastics/PVC and more.
Consult page 16 for a list of commonly used materials.
- Up to 1-7/8" Depth of Cut.
- Utilizes Rapid Core Eject™ Arbor System – rapidly eject the core, quickly change diameter, cut at an angle, and enlarge existing holes (*see page 6*).





BI-METAL
Variable Tooth Pitch
Guarantees a Fast and
Clean Cut.




































Up to
1-7/8"
Depth
of Cut.


Utilizes Spyder®
Patented Rapid
Core Eject™
Arbor System
(*see page 6*).





WOOD/NAILS PLASTIC/PVC STEEL/METAL NON-FERROUS METAL

Arbor Hex8 Diameters:				Arbor Hex10 Diameters:				
• 3/4" 	• 1-1/4" 	• 1-3/4" 	• 2-1/4" 	• 2-3/4" 	• 3-5/8" 	• 4-1/2" 	• 5-1/2" 	• 6-5/8" 
• 7/8" 	• 1-3/8" 	• 1-7/8" 	• 2-3/8" 	• 3" 	• 4" 	• 4-5/8" 	• 5-3/4" 	
• 1" 	• 1-1/2" 	• 2" 	• 2-1/2" 	• 3-1/4" 	• 4-1/8" 	• 4-3/4" 	• 6" 	
• 1-1/8" 	• 1-5/8" 	• 2-1/8" 	• 2-5/8" 	• 3-1/2" 	• 4-1/4" 	• 5" 	• 6-3/8" 	

 Also Available in Kits (*see page 18*)

CUTTING COMPARISON CHART – BEST BETTER GOOD

	Material	TCT	Tarantula™	Bi-Metal	Diamond
WOOD	Soft Wood	●	●	●	
	Hard Wood	●	●	●	
	Wood & Nails		●	●	
	Chipboard	●	●	●	
	Plywood	●	●	●	
	MDF	●	●	●	
	Sandwich	●	●		
	Pallet	●	●	●	
	Window Frame		●	●	
	Laminate	●	●	●	
	Steel		●	●	
STEEL	Carbon Steel		●	●	
	Stainless Steel		●		
	Thin Sheet Metal		●		
	Metal Pipe		●	●	
	Copper / Brass		●	●	
	Aluminum		●	●	
ABRASIVE	Masonry	●			●
	Plasterboard	●	●		●
	Fiber Cement	●	●		●
	Soft Stone	●	●		●
	Gypsum	●	●		●
	Soft Tiles	●			●
	Concrete Blocks	●			●
	Brick	●			●
	Aerated Concrete	●			●
	Floor Tile				●
	Hard Porcelains				●
	Poured Concrete				●
	Glass Tile				●
PLASTIC	PVC Plastic	●	●	●	
	Acrylic	●	●	●	
	Fiberglass	●	●	●	
	Carbon Fiber	●	●		
	Reinforced Plastic	●	●		


LEGEND ● Best ● Better ● Good

Some materials including Floor Tile, Porcelains and Poured Concrete may have a Mohs hardness of 6 or greater. Spyder® Hole Saws are not recommended for harder, abrasive materials.

EXTENSIONS AND Hex11 SYSTEM

Full Systems Available for All Spyder® Hole Saws

Tungsten Carbide Tip (TCT) Provides Extended Life in Masonry, Concrete, Brick, and Fiber Cement Board.
High Speed Steel (HSS) is Excellent for Use in Wood and Metals.



24" Extension
• Hex10

12" Extension
• Hex8
• Hex10

Hex11 Arbor Complete
• TCT
• HSS

Hex11 Pilot Bit
• TCT
• HSS



HOLE SAW KITS FEATURING RAPID CORE EJECT™

Carbide Tipped (TCT), Bi-Metal, and Tarantula Kits

- Speed through tough jobs with Spyder's patented Rapid Core Eject™ Arbor System (see page 6).
- Completes the job 5x faster than your competition and makes your time more valuable.
- Rugged, hard plastic carry case keeps your tools organized.


Kits, in a carry case, available in multiple configurations:

- TCT Kits includes 14 or 18 pieces (see page 66)
- Tarantula Kit includes 9 pieces (see page 67)
- Bi-Metal Kits includes 11 or 13 pieces (see page 68)
- Pro Pack includes 14 piece TCT Kit and 13 piece Bi-Metal Kit (see page 67)



Rugged, Hard Plastic Carry Case

Utilizes Spyder®
Patented Rapid
Core Eject™
Arbor System
(see page 6).





DIAMOND EDGE HOLE SAWS

Premium Diamond Abrasive Provides Long Tool Life and Clean Cuts

- Up to 20x more holes than standard diamond hole saws.
- Up to 10x faster than standard glass and tile hole saws.
- Premium boron-coated, industrial diamond abrasive self-sharpenes for quick cuts and long life in tough tile/masonry materials.
- High-temperature, nickel braze adheres at temperatures up to 1.5x the braze of standard diamond hole saws, for increased diamond abrasive retention.
- Segmented cutting edge enhances cut material evacuation and increases cutting performance.
- Oversized and staggered pry holes enable easy core ejection.
- Heavy-duty, single-piece construction and vacuum-furnace heat-treated, high-alloy steel provides a reliable cut and consistent, round holes.
- Black oxide finish reduces cutting friction and prevents corrosion.
- Can be used wet or dry – water spray or immersion will increase tool life, reduce dust and debris, and create a more quiet cut.
- For use on ceramic, porcelain, granite, slate, marble, glass, fiber cement board, laminates and more.
- 1-1/2" depth of cut.
- Made in the USA.

CARBIDE TIPPED PILOT BIT/ARBOR

Auto-Guide Carbide Tipped Pilot Bit/Arbor for Use in 3-Jaw Chuck.


- Carbide pilot drill is spring tensioned to ensure a safer, more consistent cut.
- Retractable pin eliminates the need to pre-drill pilot holes.
- Accurate hole location and center drilling.
- 5/8"-18 Thread, 3/16" carbide pilot drill, 3/8" arbor
- Made in the USA.

Up to 20x More Holes
than Standard Diamond
Hole Saws.

**UP TO
20x
MORE**



Diamond Abrasive Provides
Long Tool Life and Clean Cuts



Up to 10x Faster than
Standard Glass and Tile
Hole Saws.

**UP TO
10x
FASTER**



3/8" Arbor
for Use
in 3-Jaw
Chuck

Up to
1-1/2"
Depth
of Cut.

Diameters:
• 1-1/4"
• 1-3/8"
• 1-1/2"
• 2"
• 2-1/2"



CARBIDE TIPPED

Auto-Guide Carbide Tipped Pilot Bit



DIAMOND EDGE HOLE SAW BITS

Premium Diamond Abrasive Provides Long Tool Life and Clean Cuts

- Up to 20x more holes than standard hole saw bits.
- Up to 10x faster than standard glass and tile bits.
- Premium boron-coated, industrial diamond abrasive self-sharpenes for quick cuts and long life in tough masonry/stone materials.
- High-temperature nickel braze adheres at temperatures up to 1.5x the braze of standard diamond hole saws, for increased diamond abrasive retention.
- Segmented cutting edge enhances cut material evacuation and increases cutting performance.
- Oversized core removal slot enables easy side evacuation of the core, without tools or prying (for materials up to 5/8" in depth).
- 1/4" speed hex won't slip in the chuck.
- Heavy-duty, single-piece construction and vacuum-furnace heat-treated, high-alloy steel provides a reliable cut and consistent, round holes.
- Black oxide finish reduces cutting friction and prevents corrosion.
- Can be used wet or dry – water spray or immersion will increase tool life, reduce dust and debris, and create a more quiet cut.
- For use on ceramic, porcelain, granite, slate, marble, glass, fiber cement board, laminates and more.
- 1-1/8" depth of cut.
- Made in the USA.


Up to 20x More
Holes than Standard
Diamond Hole
Saw Bits.

**UP TO
20x
MORE**

**MADE IN
USA**

DIAMOND EDGE


Diamond Abrasive Provides
Long Tool Life and Clean Cuts



Diameters:

- 3/16"
- 1/4"
- 5/16"
- 3/8"
- 1/2"
- 5/8"
- 3/4"
- 1"
- 1-1/4"
- 1-3/8"

Also
Available
in a Set



Up to 1-1/8" Depth of Cut.

Up to 10x Faster
than Standard
Glass and
Tile Bits.

**UP TO
10x
FASTER**



SPEED HEX

1/4" Speed Hex
Won't Slip in the
Chuck



STINGER™
Non-Clogging, Auto-Feed
Tip Technology

STINGER™ SPADE BITS

Won't Clog, Won't Wander and Drills Faster than the Competition

- Up to 20x faster than conventional spade bits.
- Up to 10x more holes than conventional spade bits.
- Automatically engages the work surface for no-thrust drilling.
- Features innovative non-clogging, automatic-feeding precision tip for optimal speed and accuracy.
- Unlike other spade bits with a self-feeding thread point, this patent pending tip won't clog, won't wander, and drills faster than the competition.
- Impact rated for use in battery-powered impacting tools.
- 1/4" speed hex won't slip in the chuck and fits quick-change impact drivers.

STINGER™

**Non-Clogging, Auto-Feed
Tip Technology**



Patent Pending
Tip Won't Clog,
Won't Wander.

6" Length
Diameters:

- 1/4"
- 5/16"
- 3/8"
- 7/16"
- 1/2"
- 9/16"
- 5/8"
- 11/16"
- 3/4"
- 13/16"
- 7/8"
- 15/16"
- 1"
- 1-1/8"
- 1-1/4"
- 1-3/8"
- 1-1/2"

Also
Available
in Sets

16" Length
Diameters:

- 3/8"
- 1/2"
- 5/8"
- 3/4"
- 7/8"
- 1"



SPEED HEX


1/4" Speed Hex
Won't Slip in the
Chuck, Fits
Quick-Change
Impact Drivers.

UP TO
20x
FASTER



UP TO
10x
MORE





STINGER™ AUGER BITS

Vibrates Less, Making it Easier to Control – Even in Nail-Embedded Wood


- Up to 20x faster than conventional auger bits.
- Up to 10x more holes than conventional auger bits.
- Automatically engages the work surface for no-thrust drilling.
- Features innovative non-clogging, automatic-feeding precision tip for optimal speed and accuracy.
- Unlike other auger bits with a self-feeding thread point, this patent pending tip won't clog, won't wander, and drills faster than the competition.
- Hardened cutting edges power through nail-embedded wood.
- Impact rated for use in battery-powered impacting tools.
- Two flute design provides optimal chip flow and reduced cutting friction.
- 3/8" or 7/16" speed hex won't slip in the chuck and fits quick change tools.
- Black oxide finish provides increased durability and lubricity.

STINGER™
Non-Clogging, Auto-Feed
Tip Technology

6-1/2" and
18" Length
Diameters:

- 3/8"
- 7/16"
- 1/2"
- 5/8"
- 11/16"
- 3/4"
- 13/16"
- 7/8"
- 15/16"
- 1"
- 1-1/16"
- 1-1/8"
- 1-1/4"
- 1-3/8"
- 1-1/2"

Also
Available
in a Set



Two Flute Design Provides Optimal
Chip Flow and Reduced Friction.



Self Feeding Thread Point
Won't Clog, Won't Wander,
and Drills Faster.




SPEED HEX
Speed Hex Won't
Slip in the Chuck,
Fits Quick Change
Tools.

UP TO
20x
FASTER

Up to 20x Faster
than Conventional
Spade Bits.

UP TO
10x
MORE

Up to 10x More Holes
than Conventional
Spade Bits.





STINGER
Non-Clogging, Fast-Feed
Tip Technology

STINGER™ POWER BITS™


Bores Faster with Less Torque, Excellent for Fast, Clean, Precise Applications

- Up to 40x faster than conventional spade bits
- Up to 25x more holes per charge than conventional spade bits.
- Create extremely clean entry and exit holes.
- Up to 50% less drilling torque than other threaded wood boring bits.
- Use on high or low torque drills – drill more holes, save battery power.
- Impact ready with 1/4" speed hex.
- Ideal for use on soft and hard woods, laminated wood and particle boards.

STINGER™
*Non-Clogging, Fast-Feed
Tip Technology*



Extremely Clean
Entry and Exit Holes.



Up to 50%
Less Drilling
Torque.

**UP TO
50%
LESS**



6-1/2" Length
Diameters:

- 1/2"
- 5/8"
- 3/4"
- 7/8"
- 1"
- 1-1/4"

Also
Available
in Sets

16" Length
Diameters:

- 1/2"
- 5/8"
- 3/4"



IMPACT HEX
Impact Ready
1/4" Speed Hex.

**UP TO
40x
FASTER**

Up to 40x Faster
than Conventional
Power Bits.

**UP TO
25x
MORE**

Up to 25x More Holes
than Conventional
Power Bits.

POWER BIT FAST•CLEAN™





STINGER™ BRAD POINT DRILL BITS

Drills More Holes, Cooler and Cleaner

- Up to 10x longer life than conventional brad point bits.
- Up to 6x faster than conventional brad point bits.
- Up to 30% longer battery life of cordless tools.
- Patented tip geometry drills faster, virtually eliminates chip burn and produces cleaner entry/exit holes.
- Dual flute lands accurately guide the drill through deep holes, and greatly reduce cutting friction and heat build-up.
- Ideal for drilling precise holes in soft and hard woods.



STINGER™



Patented Tip Drills Faster,
Produces Cleaner Entry/Exit.

Diameters:

- 1/8"
- 3/16"
- 1/4"
- 5/16"
- 3/8"
- 1/2"

Available
as a Set

Dual Flute Reduces
Cutting Friction.

Up to 30% Longer
Cordless Battery
Life.

**UP TO
30%
LONGER**


Up to 10x
Longer Life than
Conventional Brad
Point Bits.

**UP TO
10x
LONGER**

Up to 6x Faster than
Conventional Brad
Point Bits.

**UP TO
6x
FASTER**





STINGER™

STINGER™ MACH-BLUE™ HIGH SPEED STEEL (HSS) DRILL BITS

High Performance Metal and Wood Drilling Bits for Demanding Applications

- Up to 100x more holes than titanium or black oxide drill bits.
- Up to 8x faster than titanium or black oxide drill bits.
- Proprietary Mach-Blue™ is a super hard surface that retains sharper cutting edges, and reduces heat build-up and cutting friction – resulting in faster cuts and exceptionally long drill life.
- Impact rated 1/4" speed hex won't slip in conventional 3-jaw chucks and ideal for use in quick change impacting power tools.
- Optimized 137° self-centering split point cutting geometry won't walk or wander – even on pre-hardened or curved surfaces.
- Advanced M-Series alloy tool steel construction and proprietary heat treatment increase drill bit durability, rigidity and breakage resistance.
- Ideal for drilling wood with nails, stainless steel, mild steel, aluminum, stacked materials and other tough to drill alloys.
- Made in the USA.



Proprietary Hard Surface
Retains Cutting Edges,
Reduces Heat and Friction.

Up to 100x More Holes
than Titanium or Black
Oxide.

UP TO
100x
MORE

STINGER™



137° Split Point
Geometry Won't
Walk or Wander.



Diameters:

- 1/16"
- 5/64"
- 3/32"
- 7/64"
- 1/8"
- 9/64"
- 5/32"
- 11/64"
- 3/16"
- 13/64"
- 7/32"
- 15/64"
- 1/4"
- 5/16"
- 3/8"
- 7/16"
- 1/2"

Also
Available
in a Set

Up to 8x Faster
than Titanium or
Black Oxide.

UP TO
8x
FASTER


MADE IN

USA



Impact Ready
1/4" Speed Hex.

M-Series Alloy Tool Steel Construction.



STINGER™

STINGER™ MACH-BLUE™ STEP DRILL BITS

Consistently Drill a Wide Range of Holes with a Single Drill Bit

- Up to 50x more holes than titanium or black oxide drill bits.
- Up to 2x faster than titanium or black oxide drill bits.
- Proprietary Mach-Blue™ is a super hard surface that retains sharper cutting edges, and reduces heat build-up and cutting friction – resulting in faster cuts and exceptionally long drill life.
- Impact rated 1/4" speed hex won't slip in conventional 3-jaw chucks and ideal for use in quick change impacting power tools.
- Optimized 135° self-centering split point cutting geometry won't walk or wander – even on pre-hardened or curved surfaces.
- Advanced M-Series alloy tool steel construction and proprietary heat treatment increase drill bit durability, rigidity and breakage resistance.
- Ideal for drilling wood with nails, stainless steel, mild steel, aluminum, stacked materials and other tough to drill alloys.
- Made in the USA.



Proprietary Hard Surface
Retains Cutting Edges,
Reduces Heat and Friction.


STINGER™



Up to 50x More Holes
than Titanium or Black
Oxide Coated Step
Drill Bits.

**UP TO
50x
MORE**

135° Split Point
Geometry Won't
Walk or Wander.



Diameters:

- 1/8 - 1/2" 13 Steps
- 3/16 - 1/2" 6 Steps
- 1/4 - 3/4" 9 Steps
- 3/16 - 7/8" 12 Steps
- 1/4 - 1" 8 Steps
- 3/16 - 1-1/8" 16 Steps
- 1/4 - 1-3/8" 10 Steps

Also Available in a Set

Up to 2x Faster than
Titanium or Black
Oxide Coated Step
Drill Bits.

**UP TO
2x
FASTER**



IMPACT HEX
Impact Ready
1/4" Speed Hex.




CARBIDE TIPPED
SPYDER
TARANTULA™

TARANTULA™ CIRCULAR SAW BLADES


NiCo (Nickel Cobalt) Teeth Provide Clean Cuts and Exceptionally Long Life

- Lasts up to 6x longer than conventional blades.
- Alternating tooth bevel (ATB) and ultra tough NiCo (nickel cobalt) cutting teeth are sharpened 3x for exceptionally clean cuts.
- Interfused anti-friction coating protects against heat, gumming and corrosion.
- Polymer stabilization vents reduce noise and vibrations.



Lasts Up to 6x
Longer than
Conventional
Blades.

UP TO
6x
LONGER



Diameters and Applications:

- 5-1/2" - 18T Framing
- 6-1/2" - 18T Fast Framing, 24T Framing, 48T Ultra Fine
- 7-1/4" - 24T Framing, 40T Fine, 44T Composite Decking, 60T Ultra Fine, 60T Laminated Wood
- 8-1/4" - 24T Framing, 40T Fine




CARBIDE TIPPED
SPYDER
TARANTULA™

TARANTULA™ LARGE DIAMETER CIRCULAR SAW BLADES

NiCo (Nickel Cobalt) Teeth Provide Clean Cuts and Exceptionally Long Life

- Lasts up to 6x longer than conventional blades.
- Alternating tooth bevel (ATB), alternating tooth bevel with raker (ATB-R) and ultra tough NiCo (nickel cobalt) cutting teeth are sharpened 3x for exceptionally clean cuts.
- Interfused anti-friction coating protects against heat, gumming and corrosion.
- Polymer stabilization vents reduce noise and vibrations.
- Framing / construction blade is up to 3x stronger for reduced blade binding.



Lasts Up to 6x Longer than Conventional Blades.

**UP TO
6x
LONGER**



WARNING: TO REDUCE THE RISK OF SERIOUS INJURY, ALWAYS WEAR PROPER EYE AND RESPIRATORY PROTECTION. CARBIDE IS A HARD BUT BRITTLE MATERIAL. FOREIGN OBJECTS IN THE WORKPIECE SUCH AS WIRE OR NAILS CAN CAUSE TEETH TO CRACK OR BREAK. ONLY OPERATE SAW MACHINE WHEN PROPER SAW BLADE GUARD IS IN PLACE. MOUNT BLADE SECURELY IN PROPER ROTATION BEFORE USING, AND ALWAYS USE A CLEAN, SHARP BLADE.

SAFETY INSTRUCTIONS: Important instructions and warnings are contained in the tool owners manual. Please refer to the manual before using tool and with this blade. Failure to heed all safety instructions and warnings regarding the use of the products could result in serious bodily injury. Visually examine blade for damage. Do not use if damage is suspected.

ADVERTENCIA: PARA REDUCIR EL RIESGO DE LESIONES, LLEVE SIEMPRE LENTES PROTECTORES Y PROTECCION RESPIRATORIA ADECUADOS. EL CARBURO ES UN MATERIAL DURO, PERO QUEBRADIZO. EL INGRESO DE OBJETOS EXTRANOS EN LA PIEZA, TALES COMO ALAMBRE O CLAVOS, PUEDE PROVOCAR QUE LAS PUNTAS SE ROMPAN O SE CUARTEN. OPERE LA SIERRA SOLO SI LA GUARDA DE LA HOJA DE SIERRA ESTA EN SU LUGAR. MONTE LA HOJA FIERMENTE EN LA ROTACION ADECUADA ANTES DE USAR Y SIEMPRE USE UNA HOJA LIMPA Y AFILADA.


INSTRUCCIONES DE SEGURIDAD: En el manual del propietario del la herramienta encontrara instrucciones y advertencias importantes. Consulte el manual antes de usar la herramienta con esta hoja. No respetar las instrucciones y advertencias respecto del uso de este producto puede ser causa de lesiones corporales graves. Compruebe que la hoja no presente danos. No use la hoja si sospecha que puede estar danada.

Ultra Tough NiCo (Nickel Cobalt) Cutting Teeth.

ULTRA TOUGH NiCo NICKEL COBALT

Diameters and Applications:

- 10" - 40T Framing, 50T Combo, 60T Fine, 80T Ultra Fine,
- 12" - 40T Fast Framing, 60T Framing, 60T Combo, 80T Fine, 100T Ultra Fine




CARBIDE TIPPED
SPYDER
TARANTULA™

TARANTULA™ DEMOLITION CIRCULAR SAW BLADES

NiCo (Nickel Cobalt) DEMO DRIVE Teeth Power Through Nail-Embedded Wood

- Lasts up to 10x longer than conventional blades.
- Blade features DEMO DRIVE teeth that are sharpened 4x to provide exceptionally clean cuts to power through nail-embedded wood.
- Interfused anti-friction coating protects against heat, gumming and corrosion.
- Alternating tooth bevel (ATB) provides exceptionally smooth cuts.
- Polymer stabilization vents reduce noise and vibrations.



Alternating tooth bevel separated with our DEMO DRIVE center point tooth for extra cutting accuracy and power.

Lasts up to 10x
Longer than
Conventional
Blades.


**UP TO
10x
LONGER**



Polymer
Stabilization
Vents

Ultra Tough NiCo
(Nickel Cobalt)
Cutting Teeth

**ULTRA
TOUGH** **NiCo** **NICKEL
COBALT**



Diameters and Applications:

- 6-1/2" - 24T Demolition
- 7-1/4" - 24T Demolition




CARBIDE TIPPED
SPYDER
TARANTULA™

TARANTULA™ DADO CIRCULAR SAW BLADES

Oversized, Ultra Tough NiCo (Nickel Cobalt) Teeth Cut Exceptionally Clean Grooves from 1/4" to 7/8"

- Lasts up to 6x longer than conventional blades.
- Alternating tooth bevel (ATB) profile on the outer scoring blades and re-sharpenable, oversized ultra tough NiCo (nickel cobalt) cutting teeth are sharpened 3x for exceptionally clean cuts.
- Flat top grind (FTG) chippers cleanly remove material for ultimate cut joints.
- Interfused anti-friction coating protects against heat, gumming and corrosion.
- Cuts grooves from 1/4" to 1" in soft and hard woods, plywood and melamine.
- Each set includes 2 blades, 3 chippers, 3 spacers and 8 width alignment shims.



Lasts Up to 6x Longer than Conventional Blades.

**UP TO
6x
LONGER**

3 Spacers



8 Width Alignment Shims



2 Outer Scoring Blades

Oversized, Re-sharpenable Cutting Teeth

3 Flat Top Grind Chippers

ULTRA TOUGH
NiCo
NICKEL COBALT

Oversized,
Ultra Tough
NiCo (Nickel Cobalt)
Cutting Teeth

Diameters and Applications:

- 6" - 10T Groove Cutting
- 8" - 12T Groove Cutting

Available in Sets




POLYCRYSTALLINE
DIAMOND TIPPED

TARANTULA™ PCD CIRCULAR SAW BLADE

PCD (Polycrystalline Diamond Tipped) Blade, the Professional's Choice for Fiber Cement Applications

- Lasts up to 60x longer than carbide blades in tough fiber cement cutting applications.
- Interfused anti-friction coating protects against heat, gumming and corrosion.
- Flat top grind (FTG) teeth reliably cut abrasive materials.
- Polymer stabilization vents reduce noise and vibrations.
- Durable blade tracks straight with reduced friction, heat and noise.
- Ideal for cutting exterior fiber cement board panels, interior cement backer board, laminate flooring and other softer, abrasive materials.

Lasts Up to
60x Longer than
Carbide
Blades.

**UP TO
60x
LONGER**

Flat Top Grind Teeth



**POLYCRYSTALLINE
DIAMOND TIPPED**



FIBER CEMENT
BOARD



FLAT TOP
GRIND
(FTG) TEETH



POLYCRYSTALLINE
DIAMOND
TIPPED



Diameter and Application:

- 7-1/4" PCD - 4T Fiber Cement Board




DIAMOND EDGE UNIVERSAL CUT-OFF WHEELS

Long Lasting Diamond Abrasive Powers Through Almost any Material

- Lasts up to 100x longer than conventional cut-off wheels.
- Cuts almost any material – steel, stainless steel, cast iron, rebar, masonry, ceramic tile, composites, and more.
- Safer, shatter-resistant steel core won't blow apart like conventional bonded abrasive wheels.
- Lowest cost per cut wheel – spend less time and cost replacing wheels, and more time working.
- Uniform wheel diameter provides a consistent cut.
- Reduced dust and debris during use.
- 4-1/2" and 5" diameter for angle grinders, and 7" diameter for angle grinders and circular saws.
- 7/8" arbor.

UP TO
100x
LONGER

Lasts Up to 100x Longer
than Conventional
Cut-Off Wheels.



Shatter
Resistant
Steel Core

Uniform
Diameter
Provides
Consistent
Cuts.



UP TO 100x
LONGER LIFE

Diameters:

- 4-1/2" Blade
- 5" Blade
- 7" Blade

7" Blade, shown at left, Includes Optional
Bushing for Use with Circular Saw.







CRV / BIM / HSS

CHROME VANADIUM (CrV) JIG SAW BLADES


Chrome Vanadium Blades for Fast and Clean Cuts Through Wood

- **Skeleton™** open framework design creates exceptionally straight cuts and blades dissipate frictional heat for extreme durability.
- **Double-Sided** blades cut forwards, cut backwards and pivot like a scroll saw to make tight curve cuts.
- Blade types include: Fast Straight, Clean Straight, Clean Straight Down, Fast Curve, and Clean Curve.
- Blade lengths include: 3, 4 and 4-1/2 inches.
- Made in Germany.



SKELETON™

Skeleton™ Open Framework Design Creates Exceptionally Straight Cuts.



DOUBLE-SIDED

Double-Sided Blades Create Precise, Small Curve Cuts.




Down Cut Creates Cleaner Top Cuts.



CHROME VANADIUM

For Fast and Clean Cuts Through Soft and Hard Wood.



Curve Wood Cutting:

- 4-1/2", 8/10 TPI, Fast, Curve, **Double-Sided**, Soft Wood
- 4", 17/19 TPI, Clean, Curve, **Double-Sided**, Hard Wood
- 3", 3 TPI, Clean, Curve, Soft Wood
- 4", 19 TPI, Clean, Curve, Hard Wood
- 4", 6TPI, Fast, Curve, Soft Wood

Straight Wood Cutting:

- 4", 10 TPI, Fast, Straight, **Skeleton™**, Soft Wood
- 4", 17 TPI, Clean, Straight, **Skeleton™**, Hard Wood
- 4", 6 TPI, Fast, Straight, Soft Wood
- 4", 10 TPI, Clean, Straight, Soft Wood
- 4", 10 TPI, Clean, Straight, Down, Soft Wood




Available in Kits and Sets



BI-METAL (BiM) JIG SAW BLADES

8% Cobalt Bi-Metal Steel Blades for Tough Cuts

- Highly heat resistant.
- Cuts hard wood, plywood, laminated wood, all plastics, steel, stainless steel, aluminum, and wood with nails.
- Blade types include: Fast Straight, Clean Straight, Double Clean Straight, and Clean Curve.
- Blade lengths include: 4 and 5-1/8 inches.
- Made in Germany.



BiM Blades are Highly Heat Resistant.

BI-METAL 8% Cobalt Blades Better for Cutting Hard Wood, Thin & Thick Metal.



Metal Cutting:

- 4", 21 TPI, Medium Metal <1/8"
- 4", 12 TPI, Thick Metal <1/4"

Laminated Wood Cutting:

- 4", 16 TPI, Clean, Curve
- 4", 17 TPI, Clean, Straight (All Plastics)
- 5-1/8", 12 TPI, Double Clean, Straight

Wood & Metal Cutting:

- 5-1/8", 6-10 TPI, Fast, Straight




Available in Kits and Sets

See page 77 and page 78 for specifications and ordering information.

HIGH SPEED STEEL (HSS) JIG SAW BLADES


High Speed Steel for Cutting Metal

- High Speed Steel, good for cutting wood with nails.
- Blade lengths include: 3 and 3-5/8 inches.
- Made in Germany.



HIGH SPEED STEEL

High Speed Steel for Cutting Metal



Metal Cutting:

- 3", 28 TPI, HSS, Thin Metal <1/16"
- 3-5/8", 18-23 TPI, HSS, Medium Metal <1/8"
- 3-5/8", 11-13 TPI, HSS, Thick Metal <1/4"

Available in Kits

See page 78 for specifications and ordering information.





3X3™ DOUBLE-SIDED RECIPROCATING SAW BLADES

Blades Cut in Any Direction

- Double-edged blade cuts in both directions without needing to flip the saw over.
- Rounded tip plunge cuts with ease – no pilot hole needed.
- Two-sided blades last up to 20x longer than conventional single sided blades.
- Shatter resistant 8% cobalt Bi-Metal blade.
- Cuts wood, pipe, sheet metal, plastic, fiberglass, and more.
- Cost effective – 2 blades for the price of one!
- Made in Germany.

3X3™
STRENGTH • VERSATILITY • DURABILITY



Plunge Cut
with Ease.

Shatter Resistant
8% Cobalt
Bi-Metal
Blade.

Two-Sided Blades Last up to 20x
Longer than Conventional
One Sided Blades.

UP TO **2x10x** LONGER

Length, TPI and Applications:

- 6" - 10/6 TPI - Wood, Drywall and Laminates
- 6" - 14/10-14 TPI - Demolition and Metal
- 6" - 18/14 TPI - Metal, Nail-Embedded Wood and Fiberglass
- 8" - 10/6 TPI - Wood, Drywall and Laminated Wood
- 8" - 10/8-12 TPI - Advanced Demolition
- 8" - 14/10 TPI - Demolition and Metal
- 8" - 14/10-14 TPI - Extreme Metal, Nail-Embedded Wood and Fiberglass
- 10" - 10/8-12 TPI - Advanced Demolition
- 10" - 14/10-14 TPI - Extreme Metal, Nail-Embedded Wood and Fiberglass

Available in Bulk and as a Set




BLACK SERIES™ RECIPROCATING SAW BLADES

Variable Tooth Pitch Guarantees Fast and Clean Cuts Through Various Material Thicknesses

- Up to 10x longer lasting than conventional bi-metal blades.
- Up to 3x faster than conventional bi-metal blades.
- 8% cobalt teeth provide exceptionally long cutting durability and heat resistance.
- Shatter resistant and durable for the toughest cutting applications.
- Cuts steel, stainless steel, aluminum, wood with nails, PVC and more.
- Made in the USA.

BLACK SERIES™
Bi-Metal Reciprocating Blades



UP TO
10x
LONGER

UP TO
3x
FASTER

Lasts Up to 10x Longer and Up to 3x Faster than Conventional Bi-Metal Blades.

8% Cobalt Teeth

Shatter Resistant and Durable

MADE IN
USA



Length, TPI and Applications:

- 6", 9" and 12" - 6 TPI - Nail Embedded Wood, Drywall and Timber, Fast and Smooth
- 6", 8", 9" and 12" - 10-14 TPI - Wood and Metals, Fast and Clean
- 6" - 18 TPI - Thin and Thick Metals, Fast and Smooth
- 8" - 14 TPI - Thin Metals, Fast and Clean

Also Available as a Set




CARBIDE TIPPED

TUNGSTEN CARBIDE TIPPED (TCT) RECIPROCATING SAW BLADES

Cuts with Significantly Less Dust & Debris than Conventional Rotary Cutting Wheels

- Quickly cuts through concrete block, brick, masonry and timber.
- Creates less dust & debris than conventional rotary wheels.
- Tungsten carbide tipped blade provides extended tool life.
- Make square & flush cuts.
- Access hard-to-reach areas.
- 9", 12" and 18" lengths.
- Made in Germany.



CARBIDE TIPPED

Tungsten Carbide Tipped Blade for Extended Tool Life.

Lengths:
9", 12" and 18"






SPYDER® SCRAPER™ RECIPROCATING BLADES

Finish the Job in a Fraction of the Time with a Fraction of the Effort

- Easily remove tile, linoleum flooring, mastics and more.
- Quenched and tempered high-carbon spring steel retains edge sharpness.
- Re-sharpenable blade extends tool life.
- Multiple applications.
- Fits all reciprocating saws.
- Made in the USA.



Fits all
Reciprocating Saws.

MADE IN
USA

Widths:
2", 4" and 6"

Re-sharpenable
High-Carbon Spring
Steel Blade.

Widths and Applications:

- 2" - Ceramic & Vinyl Tile Adhesive, Thin-Set, Linoleum, Tough Glue and Drywall Mud
- 4" - Linoleum, Tough Glue and Drywall Mud
- 6" - Paint, Rubber-Backed Carpet and Wall Paper

Also Available in Bulk or as a Set



CARBON STEEL WIRE RECIPROCATING BRUSH

Fits Where Many Rotary Brushes Cannot


- Use on metals, concrete, stone and wood surfaces.
- Tough carbon steel bristles remove the toughest contaminants.
- Removes flaking paint, rust, scratches, dirt and small imperfections.
- Fits all reciprocating saws.

NYLON RECIPROCATING BRUSH

Makes Clean-Up and Surface Prep a Snap

- Use on grout, carpet, tile, laminates, rubber, concrete, brick and more.
- Nylon bristles provide tough cleaning power without scratching surfaces.
- Makes quick work of stubborn layers of grime.
- Fits all reciprocating saws.


Fits all
Reciprocating Saws.



Carbon Steel
Bristles

Available in Bulk

Fits all
Reciprocating Saws.



Nylon Bristles



GROUT-OUT™ RECIPROCATING BLADES


Provides Both Speed and Precision to Make Your Job Easy

- Up to 10x faster than hand removal.
- Vacuum-braided tungsten carbide grit quickly removes grout.
- Power through any grout in a fraction of the time – including urethane and epoxy.
- Fits all reciprocating saws.



UP TO
10x
FASTER

Up to 10x Faster than
Removal by Hand.




SANDER

Tight Spaces, Curved Surfaces and Hard-to-Reach Corners

- Quickly sand tight spaces, curved surfaces and outside and inside corners.
- Tough insert-molded attachment blade provides maximum durability.
- Hook-and-loop sandpaper is quick and easy to replace.
- 3 piece sandpaper set included.
- Compatible with Mouse™ sandpaper.
- Fits all reciprocating saws.



3 Piece, Quick and Easy to Replace,
Hook-and-Loop Sandpaper Included.
(80, 120 and 220 Grit)





SHOP STOOL


Retro Vinyl Padded Stool

- Constructed with heavy-duty steel & high grade vinyl for durability.
- Industrial quality stool supports up to 300 lbs.
- Chrome-plated legs are equipped with anti-slip protective caps.
- Perfect for any shop, garage or home.





SPYDER® PATENTED Hex8 AND Hex10 HSS AND TCT RAPID CORE EJECT™ ARBOR SYSTEM



UP TO
5x
FASTER



Spyder® Patented Hex8 and Hex10 HSS and TCT Rapid Core Eject™ Arbor System


Description	Arbor Hex†	Arbor Thread	Pieces	RCE Pilot Bit	RCE Arbor Adapter	RCE Arbor Complete
HSS For Metal and Wood	8	1/2" - 20	1	600648	600868P	600637
	8	1/2" - 20	10	600648-10	600868-10	
	10	5/8" - 18	1	600645	600869P	600634
	10	5/8" - 18	10	600645-10	600869-10	
TCT For Masonry and Wood	8	1/2" - 20	1	600649	600868P	600638
	8	1/2" - 20	10	600649-10	600868-10	
	10	5/8" - 18	1	600646	600869P	600635
	10	5/8" - 18	10	600646-10	600869-10	

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.



TUNGSTEN CARBIDE TIPPED (TCT) RAPID CORE EJECT™ HOLE SAWS 2-3/8" DEPTH OF CUT

CARBIDE TIPPED



UP TO
10x
MORE

UP TO
5x
FASTER



Tungsten Carbide Tipped Hole Saw Kits and Set with Rapid Core Eject™ Arbor(s). Kits in Carry Case, 6 Piece Set in Blister

Item #	Pieces	Arbor Hex†	Pilots	Saw Diameters
600922	6	Hex10	Hex10 HSS, Hex10 TCT	1-1/2, 2, 2-1/2"
600880	14	Hex10	Hex10 HSS, Hex10 TCT	1-3/8, 1-1/2, 1-3/4, 2, 2-1/2, 2-3/4, 3, 3-1/2, 4, 4-1/4, 4-1/2"
600938	18	Hex8, Hex10	Hex8 HSS, Hex8 TCT, Hex10 HSS, Hex10 TCT	3/4, 7/8, 1-1/8, 1-3/8, 1-3/4, 2, 2-1/2, 2-5/8, 3, 3-5/8, 4-1/8, 4-1/2"

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.

Tungsten Carbide Tipped Hole Saws			
Item #	Diameter	Arbor Hex†	# / Pack
600002CF	3/4"	8	1 / Crimp Foil
600005CF	7/8"	8	1 / Crimp Foil
600007CF	1"	8	1 / Crimp Foil
600009CF	1-1/8"	8	1 / Crimp Foil
600011CF	1-1/4"	10	1 / Crimp Foil
600013CF	1-3/8"	10	1 / Crimp Foil
600015CF	1-1/2"	10	1 / Crimp Foil
600017CF	1-5/8"	10	1 / Crimp Foil
600019CF	1-3/4"	10	1 / Crimp Foil
600021CF	1-7/8"	10	1 / Crimp Foil
600022CF	2"	10	1 / Crimp Foil
600024CF	2-1/8"	10	1 / Crimp Foil

Tungsten Carbide Tipped Hole Saws			
Item #	Diameter	Arbor Hex†	# / Pack
600025CF	2-1/4"	10	1 / Crimp Foil
600027CF	2-3/8"	10	1 / Crimp Foil
600028CF	2-1/2"	10	1 / Crimp Foil
600029CF	2-9/16"	10	1 / Crimp Foil
600030CF	2-5/8"	10	1 / Crimp Foil
600032CF	2-3/4"	10	1 / Crimp Foil
600034CF	3"	10	1 / Crimp Foil
600036CF	3-1/4"	10	1 / Crimp Foil
600038CF	3-1/2"	10	1 / Crimp Foil
600039CF	3-5/8"	10	1 / Crimp Foil
600041CF	3-3/4"	10	1 / Crimp Foil
600042CF	4"	10	1 / Crimp Foil

Tungsten Carbide Tipped Hole Saws			
Item #	Diameter	Arbor Hex†	# / Pack
600043CF	4-1/8"	10	1 / Crimp Foil
600044CF	4-1/4"	10	1 / Crimp Foil
600046CF	4-1/2"	10	1 / Crimp Foil
600055CF	4-5/8"	10	1 / Crimp Foil
600047CF	4-3/4"	10	1 / Crimp Foil
600048CF	5"	10	1 / Crimp Foil
600050CF	5-1/2"	10	1 / Crimp Foil
600116CF	5-3/4"	10	1 / Crimp Foil
600052CF	6"	10	1 / Crimp Foil
600051CF	6-1/4"	10	1 / Crimp Foil
600117CF	6-3/8"	10	1 / Crimp Foil
600054CF	6-5/8"	10	1 / Crimp Foil


†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.



TUNGSTEN CARBIDE TIPPED (TCT) DEEP CUT HOLE SAWS

6-1/4" DEPTH OF CUT

CARBIDE TIPPED



UP TO
10x
MORE

UP TO
5x
FASTER



Tungsten Carbide Tipped Deep Hole Saws			
Item #	Diameter	Arbor Hex†	# / Pack
600825	1-1/4"	11	1 / Clam
600826	1-3/4"	11	1 / Clam
600827	2"	11	1 / Clam
600828	2-3/8"	11	1 / Clam
600829	2-9/16"	11	1 / Clam

Tungsten Carbide Tipped Deep Hole Saws			
Item #	Diameter	Arbor Hex†	# / Pack
600830	3"	11	1 / Clam
600831	3-3/8"	11	1 / Clam
600832	3-5/8"	11	1 / Clam
600833	4"	11	1 / Clam
600834	4-1/8"	11	1 / Clam

Tungsten Carbide Tipped Deep Hole Saws			
Item #	Diameter	Arbor Hex†	# / Pack
600835	4-3/8"	11	1 / Clam
600836	4-3/4"	11	1 / Clam
600837	5-1/4"	11	1 / Clam
600838	6"	11	1 / Clam


†Hex11 fits 1/2" drill chucks.



TARANTULA™ RAPID CORE EJECT™ HOLE SAWS

2-3/8" DEPTH OF CUT

CARBIDE TIPPED



UP TO
50x
MORE

UP TO
10x
FASTER



Tarantula™ Hole Saw Kit and Set with Rapid Core Eject™ Arbor(s). Kit in Carry Case, 6 Piece Set in Blister

Item #	Pieces	Arbor Hex†	Pilots	Saw Diameters
600923	6	Hex10	Hex10 HSS, Hex10 TCT	1-1/2", 2", 2-1/2"
600925	9	Hex8, Hex10	Hex10 HSS, Hex10 HSS	1", 1-1/8", 1-3/8", 1-1/2", 2"

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.

Tarantula™ Hole Saws			
Item #	Diameter	Arbor Hex†	# / Pack
600895CF	7/8"	8	1 / Crimp Foil
600896CF	1"	8	1 / Crimp Foil
600897CF	1-1/16"	8	1 / Crimp Foil
600898CF	1-1/8"	8	1 / Crimp Foil
600899CF	1-1/4"	10	1 / Crimp Foil
600900CF	1-3/8"	10	1 / Crimp Foil
600901CF	1-1/2"	10	1 / Crimp Foil
600902CF	1-5/8"	10	1 / Crimp Foil

Tarantula™ Hole Saws			
Item #	Diameter	Arbor Hex†	# / Pack
600903CF	1-3/4"	10	1 / Crimp Foil
600904CF	1-7/8"	10	1 / Crimp Foil
600905CF	2"	10	1 / Crimp Foil
600906CF	2-1/8"	10	1 / Crimp Foil
600907CF	2-1/4"	10	1 / Crimp Foil
600908CF	2-3/8"	10	1 / Crimp Foil
600909CF	2-1/2"	10	1 / Crimp Foil
600910CF	2-9/16"	10	1 / Crimp Foil


Tarantula™ Hole Saws			
Item #	Diameter	Arbor Hex†	# / Pack
600911CF	2-5/8"	10	1 / Crimp Foil
600912CF	2-3/4"	10	1 / Crimp Foil
600913CF	3"	10	1 / Crimp Foil
600914CF	3-1/2"	10	1 / Crimp Foil
600927CF	3-5/8"	10	1 / Crimp Foil
600915CF	4"	10	1 / Crimp Foil
600916CF	4-1/4"	10	1 / Crimp Foil
600917CF	4-1/2"	10	1 / Crimp Foil

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.



PRO PACK RAPID CORE EJECT™ HOLE SAW KIT BI-METAL & TCT HOLE SAWS

BI-METAL



CARBIDE TIPPED

UP TO
10x
MORE

UP TO
5x
FASTER



Pro Pack Hole Saw Kit with Rapid Core Eject™ Arbors in Two Carry Cases.

Item #	Pieces	Arbor Hex†	Pilots	Saw Diameters
600939	27	Hex8, Hex10 [2x]	Hex8 HSS, Hex10 HSS [2x], Hex10 TCT	11 TCT Saws - 2-3/8" Depth of Cut: 1-3/8", 1-1/2", 1-3/4", 2", 2-1/2", 2-3/4", 3", 3-1/2", 4", 4-1/4", 4-1/2"
				9 Bi-Metal Saws - 1-7/8" Depth of Cut: 3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 2", 2-1/8", 2-1/4", 2-1/2"

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.



BI-METAL RAPID CORE EJECT™ HOLE SAWS 1-7/8" DEPTH OF CUT

BI-METAL


Bi-Metal Hole Saw Kits and Set with Rapid Core Eject™ Arbor(s). Kits in Carry Case, 6 Piece Set in Blister

Item #	Pieces	Arbor Hex†	Pilots	Saw Diameters
600924	6	Hex10	Hex10 HSS [2x]	1-1/2, 2, 2-1/2"
600886	11	Hex8, Hex10	Hex8 HSS, Hex10 HSS	3/4, 7/8, 1-1/8, 1-1/2, 2, 2-1/8, 2-1/2"
600887	13	Hex8, Hex10	Hex8 HSS, Hex10 HSS	3/4, 7/8, 1-1/8, 1-3/8, 1-1/2, 2, 2-1/8, 2-1/4, 2-1/2"

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.

Bi-Metal Hole Saws

Item #	Diameter	Arbor Hex†	# / Pack
600061CF	3/4"	8	1 / Crimp Foil
600064CF	7/8"	8	1 / Crimp Foil
600066CF	1"	8	1 / Crimp Foil
600068CF	1-1/8"	8	1 / Crimp Foil
600070CF	1-1/4"	10	1 / Crimp Foil
600072CF	1-3/8"	10	1 / Crimp Foil
600074CF	1-1/2"	10	1 / Crimp Foil
600076CF	1-5/8"	10	1 / Crimp Foil
600078CF	1-3/4"	10	1 / Crimp Foil
600080CF	1-7/8"	10	1 / Crimp Foil
600081CF	2"	10	1 / Crimp Foil

Bi-Metal Hole Saws

Item #	Diameter	Arbor Hex†	# / Pack
600083CF	2-1/8"	10	1 / Crimp Foil
600084CF	2-1/4"	10	1 / Crimp Foil
600086CF	2-3/8"	10	1 / Crimp Foil
600087CF	2-1/2"	10	1 / Crimp Foil
600089CF	2-5/8"	10	1 / Crimp Foil
600091CF	2-3/4"	10	1 / Crimp Foil
600093CF	3"	10	1 / Crimp Foil
600095CF	3-1/4"	10	1 / Crimp Foil
600097CF	3-1/2"	10	1 / Crimp Foil
600098CF	3-5/8"	10	1 / Crimp Foil
600101CF	4"	10	1 / Crimp Foil


Bi-Metal Hole Saws

Item #	Diameter	Arbor Hex†	# / Pack
600102CF	4-1/8"	10	1 / Crimp Foil
600103CF	4-1/4"	10	1 / Crimp Foil
600105CF	4-1/2"	10	1 / Crimp Foil
600106CF	4-5/8"	10	1 / Crimp Foil
600100CF	4-3/4"	10	1 / Crimp Foil
600107CF	5"	10	1 / Crimp Foil
600109CF	5-1/2"	10	1 / Crimp Foil
600110CF	5-3/4"	10	1 / Crimp Foil
600111CF	6"	10	1 / Crimp Foil
600928CF	6-3/8"	10	1 / Crimp Foil
600113CF	6-5/8"	10	1 / Crimp Foil

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.



EXTENSIONS AND Hex11 SYSTEM



Extensions and Hex11 System


Description	Arbor Hex†	Arbor Thread	Pilot Bit	12" Extension	24" Extension	Hex11 Arbor Complete
HSS For Metal and Wood	8	1/2" - 20		600844		
	10	5/8" - 18		600843	600845	
	11	5/8" - 18	600841			600839
TCT For Masonry and Wood	8	1/2" - 20		600844		
	10	5/8" - 18		600843	600845	
	11	5/8" - 18	600842			600840

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 and Hex11 fit 1/2" drill chucks.



DIAMOND EDGE HOLE SAWS

1-1/2" DEPTH OF CUT



UP TO
20x
MORE

UP TO
10x
FASTER

Diamond Edge Hole Saws		
Item #	Diameter	# / Pack
600857	1-1/4"	1 / Clam
600858	1-3/8"	1 / Clam

Diamond Edge Hole Saws		
Item #	Diameter	# / Pack
600859	1-1/2"	1 / Clam
600860	2"	1 / Clam

Diamond Edge Hole Saws		
Item #	Diameter	# / Pack
600861	2-1/2"	1 / Clam

Carbide Pilot Bit/Arbor			
Item #	Arbor Thread	# / Pack	Description
600862	5/8" - 18	1 / Clam	3/8" auto-guide carbide tipped pilot bit/ arbor for use in 3-jaw chuck.



DIAMOND EDGE HOLE SAW BITS

1-1/8" DEPTH OF CUT



UP TO
20x
MORE

UP TO
10x
FASTER

Diamond Edge Hole Saw Bit Set		
Item #	Pieces	Saw Bit Diameters
600950	3	1/4, 3/8, 1/2"

Diamond Edge Hole Saw Bits			
Item #	Diameter	Speed Hex	# / Pack
600846	3/16"	1/4"	1 / Clam
600847	1/4"	1/4"	1 / Clam
600848	5/16"	1/4"	1 / Clam
600849	3/8"	1/4"	1 / Clam

Diamond Edge Hole Saw Bits			
Item #	Diameter	Speed Hex	# / Pack
600850	1/2"	1/4"	1 / Clam
600851	5/8"	1/4"	1 / Clam
600852	3/4"	1/4"	1 / Clam
600853	1"	1/4"	1 / Clam

Diamond Edge Hole Saw Bits			
Item #	Diameter	Speed Hex	# / Pack
600854	1-1/4"	1/4"	1 / Clam
600855	1-3/8"	1/4"	1 / Clam

NOMINAL HOLE DIMENSION CHART

Hole Saw Diameter	TCT 2-3/8" Depth of Cut	Tarantula™ 2-3/8" Depth of Cut	Bi-Metal 1-7/8" Depth of Cut	Deep TCT 6-1/4" Depth of Cut	Nominal Dimension Size†
3/4"	600002CF		600061CF		3/8" Metal Conduit, 1/2" Met Conduit, 1/2" PEX, 5/8" PEX, 3/8" Black Pipe
7/8"	600005CF	600895CF	600064CF		1/2" PVC, 5/8" PEX, 3/4" PEX, 1/2" Black Pipe
1"	600007CF	600896CF	600066CF		1/2" PVC, 3/4" Metal Conduit, 3/4" PEX, Door Lock
1-1/16"		600897CF			
1-1/8"	600009CF	600898CF	600068CF		3/4" Pipe, 3/4" PVC, 1" PEX, 3/4" Black Pipe
1-1/4"	600011CF	600899CF	600070CF	600825	3/4" Pipe, 1" PEX
1-3/8"	600013CF	600900CF	600072CF		1" Pipe, 1" PVC, 1" Black Pipe
1-1/2"	600015CF	600901CF	600074CF		
1-5/8"	600017CF	600902CF	600076CF		
1-3/4"	600019CF	600903CF	600078CF	600826	1-1/4" Pipe, 1-1/4" PVC, 1-1/2" Metal Conduit, 1-1/4" Black Pipe
1-7/8"	600021CF	600904CF	600080CF		1-1/2" Pipe
2"	600022CF	600905CF	600081CF	600827	1-1/2" Pipe, 1-1/2" PVC, 1-1/2" Black Pipe
2-1/8"	600024CF	600906CF	600083CF		Door Lock
2-1/4"	600025CF	600907CF	600084CF		2" Metal Conduit
2-3/8"	600027CF	600908CF	600086CF	600828	2" Pipe, 2" PVC, 2" Black Pipe
2-1/2"	600028CF	600909CF	600087CF		2" Pipe, 2" PVC
2-9/16"	600029CF	600910CF		600829	
2-5/8"	600030CF	600911CF	600089CF		2-1/2" clearance size
2-3/4"	600032CF	600912CF	600091CF		Recessed Lighting
3"	600034CF	600913CF	600093CF	600830	2-1/2" Metal Conduit, 2-1/2" Black Pipe
3-1/4"	600036CF		600095CF		
3-3/8"				600831	
3-1/2"	600038CF	600914CF	600097CF		3" PVC, 3" Metal Conduit, 3" Black Pipe
3-5/8"	600039CF	600927CF	600098CF	600832	3" PVC, 3" Metal Conduit, 3" Black Pipe, Old Work Electrical Box
3-3/4"	600041CF				Recessed Lighting
4"	600042CF	600915CF	600101CF	600833	3-1/2" Metal Conduit, 3-1/2" Black Pipe, 4" Ducting
4-1/8"	600043CF		600102CF	600834	3-1/2" Metal Conduit, 3-1/2" Black Pipe, 4" Ducting, Old Work Electrical Box, Dryer/Bath Vents
4-1/4"	600044CF	600916CF	600103CF		Recessed Lighting
4-3/8"				600835	
4-1/2"	600046CF	600917CF	600105CF		4" PVC, 4" Metal Conduit, 4" Black Pipe
4-5/8"	600055CF				4" PVC, 4" Metal Conduit, 4" Black Pipe
4-3/4"	600047CF			600836	
5"	600048CF		600107CF		5" Ducting
5-1/4"				600837	
5-1/2"	600050CF				
5-3/4"	600116CF				
6"	600052CF		600111CF	600838	5" PVC, 5" Black Pipe, 6" Ducting, Bag Toss
6-1/4"	600051CF				Recessed Lighting
6-3/8"	600117CF		600928CF		Recessed Lighting
6-5/8"	600054CF		600113CF		6" PVC, 6" Black Pipe

† Suggested size only, measure for true accuracy.

Spyder® Product	Best Application
Stinger™ Spade Bits	Auto-feed holes in wood
Stinger™ Auger Bits	Wood w/nails & deep hole boring
Stinger™ Power Bits	Fastest drilling, clean entrance/exit and long battery life



STINGER™ SPADE BITS



STINGER™
Non-Clogging, Auto-Feed
Tip Technology

UP TO
20x
FASTER

UP TO
10x
MORE

Stinger™ Spade Bit Sets				
Item #	Length	Speed Hex	Pieces	Contents
11001	6"	1/4"	14	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/8"; with Nylon Woven Pouch
11026	6"	1/4"	8	3/8, 1/2, 5/8, 3/4, 7/8, 1, 1-1/8"; with Flip Case
11002	6"	1/4"	6	3/8, 1/2, 5/8, 3/4, 7/8, 1" in Clamshell

Stinger™ Spade Bits			
Item #	Length & [#]	Speed Hex	Diameter
11003	6" [1]	1/4"	1/4"
11004	6" [1]	1/4"	5/16"
11005	6" [1]	1/4"	3/8"
11006	6" [1]	1/4"	7/16"
11007	6" [1]	1/4"	1/2"
11008	6" [1]	1/4"	9/16"
11009	6" [1]	1/4"	5/8"


Stinger™ Spade Bits			
Item #	Length & [#]	Speed Hex	Diameter
11010	6" [1]	1/4"	11/16"
11011	6" [1]	1/4"	3/4"
11012	6" [1]	1/4"	13/16"
11013	6" [1]	1/4"	7/8"
11014	6" [1]	1/4"	15/16"
11015	6" [1]	1/4"	1"
11016	6" [1]	1/4"	1-1/8"

Stinger™ Spade Bits			
Item #	Length & [#]	Speed Hex	Diameter
11017	6" [1]	1/4"	1-1/4"
11018	6" [1]	1/4"	1-3/8"
11019	6" [1]	1/4"	1-1/2"
11029	6" [2]	1/4"	1/2"
11030	6" [2]	1/4"	5/8"
11031	6" [2]	1/4"	3/4"
11033	6" [2]	1/4"	1"

Stinger™ Spade Bits			
Item #	Length & [#]	Speed Hex	Diameter
11020	16" [1]	1/4"	3/8"
11021	16" [1]	1/4"	1/2"
11022	16" [1]	1/4"	5/8"
11023	16" [1]	1/4"	3/4"
11024	16" [1]	1/4"	7/8"
11025	16" [1]	1/4"	1"



STINGER™ AUGER BITS



STINGER™
Non-Clogging, Auto-Feed
Tip Technology

UP TO
20x
FASTER

UP TO
10x
MORE

Stinger™ Auger Bit Set				
Item #	Length	Speed Hex	Pieces	Contents
12001	6-1/2"	1/4"	3	1/2, 3/4, 1"

Stinger™ Auger Bits			
Item #	Length	Speed Hex	Diameter
12002	6-1/2"	1/4"	3/8"
12031	6-1/2"	1/4"	7/16"
12003	6-1/2"	1/4"	1/2"
12004	6-1/2"	7/16"	5/8"
12005	6-1/2"	7/16"	11/16"
12006	6-1/2"	7/16"	3/4"
12007	6-1/2"	7/16"	13/16"
12008	6-1/2"	7/16"	7/8"

Stinger™ Auger Bits			
Item #	Length	Speed Hex	Diameter
12009	6-1/2"	7/16"	15/16"
12010	6-1/2"	7/16"	1"
12011	6-1/2"	7/16"	1-1/16"
12012	6-1/2"	7/16"	1-1/8"
12013	6-1/2"	7/16"	1-1/4"
12014	6-1/2"	7/16"	1-3/8"
12015	6-1/2"	7/16"	1-1/2"

Stinger™ Auger Bits			
Item #	Length	Speed Hex	Diameter
12016	18"	1/4"	3/8"
12024	18"	1/4"	7/16"
12017	18"	1/4"	1/2"
12018	18"	7/16"	5/8"
12025	18"	7/16"	11/16"
12019	18"	7/16"	3/4"
12026	18"	7/16"	13/16"
12020	18"	7/16"	7/8"

Stinger™ Auger Bits			
Item #	Length	Speed Hex	Diameter
12027	18"	7/16"	15/16"
12021	18"	7/16"	1"
12028	18"	7/16"	1-1/16"
12029	18"	7/16"	1-1/8"
12022	18"	7/16"	1-1/4"
12030	18"	7/16"	1-3/8"
12023	18"	7/16"	1-1/2"



STINGER™ POWER BITS™



STINGER™
Non-Clogging, Fast-Feed
Tip Technology

POWER BIT FAST & CLEAN
UP TO **40x** FASTER
UP TO **25x** MORE
UP TO **50%** LESS

Stinger™ Power Bit™ Sets

Item #	Length	Speed Hex	Pieces	Contents
15001	6-1/2"	1/4"	4	1/2, 5/8, 3/4, 1"
15003	6-1/2"	1/4"	6	1/2, 5/8, 3/4, 7/8, 1, 1-1/4"

Stinger™ Power Bits™

Item #	Length	Speed Hex	Diameter
15004	6-1/2"	1/4"	1/2"
15005	6-1/2"	1/4"	5/8"
15006	6-1/2"	1/4"	3/4"

Stinger™ Power Bits™

Item #	Length	Speed Hex	Diameter
15007	6-1/2"	1/4"	7/8"
15008	6-1/2"	1/4"	1"
15012	6-1/2"	1/4"	1-1/4"

Stinger™ Power Bits™

Item #	Length	Speed Hex	Diameter
15009	16"	1/4"	1/2"
15010	16"	1/4"	5/8"
15011	16"	1/4"	3/4"



STINGER™ BRAD POINT DRILL BITS



STINGER™


UP TO **10x** LONGER
UP TO **6x** FASTER
UP TO **30%** LONGER

Stinger™ Brad Point Drill Bit Set

Item #	Pieces	Contents
11035	6	1/8, 3/16, 1/4, 5/16, 3/8, 1/2"



STINGER™ MACH-BLUE™ HIGH SPEED STEEL (HSS) DRILL BITS



STINGER™

Mach-Blue™

MADE IN USA
UP TO **100x** MORE
UP TO **8x** FASTER

Stinger™ Mach-Blue™ HSS Drill Bit Set

Item #	Speed Hex	Pieces	Contents
19017	1/4"	10	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Stinger™ Mach-Blue™ HSS Drill Bits

Item #	Speed Hex	Diameter
19000	1/4"	1/16"
19001	1/4"	5/64"
19002	1/4"	3/32"
19003	1/4"	7/64"
19004	1/4"	1/8"
19005	1/4"	9/64"

Stinger™ Mach-Blue™ HSS Drill Bits

Item #	Speed Hex	Diameter
19006	1/4"	5/32"
19007	1/4"	11/64"
19008	1/4"	3/16"
19009	1/4"	13/64"
19010	1/4"	7/32"
19011	1/4"	15/64"

Stinger™ Mach-Blue™ HSS Drill Bits

Item #	Speed Hex	Diameter
19012	1/4"	1/4"
19013	1/4"	5/16"
19014	1/4"	3/8"
19015	1/4"	7/16"
19016	1/4"	1/2"



STINGER™ MACH-BLUE™ STEP DRILL BITS



ALL METAL



STAINLESS STEEL



135°
NO WANDER
SPLIT POINT



1/4\"/>

STINGER™



UP TO
50x
MORE

UP TO
2x
FASTER

MADE IN
USA

Stinger™ Mach-Blue™ Step Drill Bit Set

Item #	Impact Hex	Pieces	Contents
19025	1/4"	2	1/8 - 1/2" 13 Steps, 3/16 - 7/8" 12 Steps

Stinger™ Mach-Blue™ Step Drill Bits

Item #	Impact Hex	Diameter	Steps
19019	1/4"	1/8 - 1/2"	13
19020	1/4"	3/16 - 1/2"	6
19021	1/4"	1/4 - 3/4"	9

Stinger™ Mach-Blue™ Step Drill Bits

Item #	Impact Hex	Diameter	Steps
19022	1/4"	3/16 - 7/8"	12
19071	1/4"	1/4 - 1"	8
19023	1/4"	3/16 - 1-1/8"	16

Stinger™ Mach-Blue™ Step Drill Bits

Item #	Impact Hex	Diameter	Steps
19024	1/4"	1/4 - 1-3/8"	10




POWER BIT | FAST * CLEAN



TARANTULA™
CIRCULAR SAW
BLADES

CARBIDE TIPPED
SPYDER
TARANTULA™



Tarantula™ Circular Saw Blades

Item #	# / Pack	Diameter	# of Teeth	Application	Arbor Diameter	Grind†	Kerf		Hook	Plate		Max RPM
13029	1 / Ring	5-1/2"	18	Framing	5/8"	ATB	0.060"	1.5mm	15°	1mm	0.040"	10,000
13030	1 / Ring	6-1/2"	18	Fast Framing	5/8" with Diamond Knockout	ATB	0.060"	1.5mm	18°	1mm	0.040"	10,000
13004	1 / Ring	6-1/2"	24	Framing		ATB	0.060"	1.5mm	15°	1mm	0.040"	10,000
13025	1 / Ring	6-1/2"	48	Ultra Fine		ATB	0.060"	1.5mm	15°	1mm	0.040"	10,000
13001	1 / Ring	7-1/4"	24	Framing		ATB	0.060"	1.5mm	18°	1mm	0.040"	10,000
13050	3 / Ring											
13017	10 / Box											
13007	1 / Ring	7-1/4"	40	Fine Finish		ATB	0.060"	1.5mm	15°	1mm	0.040"	10,000
13018	1 / Ring	7-1/4"	60	Ultra Fine		ATB	0.060"	1.5mm	15°	1mm	0.040"	10,000
13019	1 / Ring	7-1/4"	44	Composite/Decking		TCG	0.067"	1.7mm	0°	1mm	0.050"	10,000
13020	1 / Ring	7-1/4"	60	Laminated Wood		TCG	0.110"	2.8mm	-5°	1.8mm	0.070"	10,000
13031	1 / Ring	8-1/4"	24	Framing		ATB	0.063"	1.6mm	18°	1.2mm	0.040"	10,000
13058	1 / Ring	8-1/4"	40	Fine Finish		ATB	0.063"	1.6mm	15°	1.2mm	0.040"	10,000
13044	1 / Clam											

† ATB - Alternating Tooth Bevel TCG - Triple Chip



TARANTULA™ LARGE
DIAMETER CIRCULAR
SAW BLADES

CARBIDE TIPPED
SPYDER
TARANTULA™



Tarantula™ Large Diameter Circular Saw Blades


Item #	# / Pack	Diameter	# of Teeth	Application	Arbor Diameter	Grind†	Kerf		Hook	Plate		Max RPM
13056	1 / Ring	10"	40	Framing	5/8"	ATB	0.118"	3.0mm	18°	2.2mm	0.087"	7,000
13032	1 / Clam					ATB-R	0.091"	2.3mm	10°	1.8mm	0.079"	6,000
13021	1 / Ring	10"	50	Combo		HIATB	0.091"	2.3mm	15°	1.8mm	0.070"	7,000
13053	1 / Ring	10"	60	Fine		HIATB	0.091"	2.3mm	7°	1.8mm	0.079"	7,000
13012	1 / Clam					HIATB	0.091"	2.3mm	7°	1.8mm	0.079"	7,000
13055	1 / Ring	10"	80	Ultra Fine		ATB	0.118"	3.0mm	12°	2.2mm	0.087"	7,800
13026	1 / Clam					ATB-R	0.091"	2.3mm	10°	1.8mm	0.079"	6,000
13059	1 / Ring	12"	40	Fast Framing	1"	ATB	0.118"	3.0mm	18°	2.2mm	0.087"	6,000
13049	1 / Clam					HIATB	0.090"	2.3mm	15°	1.8mm	0.079"	6,000
13022	1 / Ring	12"	60	Combo		HIATB	0.091"	2.3mm	15°	1.8mm	0.079"	6,000
13057	1 / Ring	12"	60	Framing		HIATB	0.090"	2.3mm	15°	1.8mm	0.079"	6,000
13033	1 / Clam					HIATB	0.091"	2.3mm	15°	1.8mm	0.079"	6,000
13054	1 / Ring	12"	80	Fine		HIATB	0.091"	2.3mm	15°	1.8mm	0.079"	6,000
13015	1 / Clam					HIATB	0.091"	2.3mm	15°	1.8mm	0.079"	6,000
13027	1 / Ring	12"	100	Ultra Fine		HIATB	0.091"	2.3mm	15°	1.8mm	0.079"	6,000

† ATB - Alternating Tooth Bevel HIATB - High Alternative Top Bevel ATB-R - Alternating Tooth Bevel with Raker



TARANTULA™ DEMOLITION CIRCULAR SAW BLADES

CARBIDE TIPPED
SPYDER®
TARANTULA™



ULTRA TOUGH
NiCo NICKEL COBALT

UP TO
10x
LONGER

Tarantula™ Demolition Circular Saw Blades


Item #	#/Pack	Diameter	# of Teeth	Application	Arbor Diameter	Grind†	Kerf		Hook	Plate		Max RPM
13041	1 / Ring	6-1/2"	24	Wood with Nails	5/8" with Diamond Knockout	ATB + DD	0.060"	1.5mm	15°	1mm	0.040"	10,000
13006	1 / Ring	7-1/4"	24	Wood with Nails	5/8" with Diamond Knockout	ATB + DD	0.060"	1.5mm	15°	1mm	0.040"	10,000

† ATB + DD - Alternating Tooth Bevel + Demo Drive



TARANTULA™ DADO CIRCULAR SAW BLADES

CARBIDE TIPPED
SPYDER®
TARANTULA™



ULTRA TOUGH
NiCo NICKEL COBALT

UP TO
6x
LONGER

Tarantula™ DADO Circular Saw Blades


Item #	#/Pack	Diameter	# of Teeth	Spacers	Shims	Application	Arbor Diameter	Grind†	Kerf		Hook	Plate		Max RPM
13023	1 / Ring	6"	Chipper: 3PCS x 2T	1.6mm [3]	0.1mm [5] 0.2mm [1] 0.3mm [1] 0.5mm [1]	DADO Groove Cutting	5/8"	FTG	0.276"	7.0mm	-10°	3.2mm	0.040"	9,000
			Blade: 2PCS x 10T					ATB + F	0.197"	5.0mm	-10°	2.5mm	0.098"	
13024	1 / Ring	8"	Chipper: 3PCS x 2T	1.6mm [3]	0.1mm [5] 0.2mm [1] 0.3mm [1] 0.5mm [1]	DADO Groove Cutting	5/8"	FTG	0.276"	7.0mm	-10°	3.2mm	0.040"	9,000
			Blade: 2PCS x 12T					ATB + F	0.197"	5.0mm	-10°	2.5mm	0.098"	

† FTG - Flat Top ATB + F - Alternating Tooth Bevel + Flat Top Raker



TARANTULA™ PCD CIRCULAR SAW BLADES

POLYCRYSTALLINE
DIAMOND TIPPED



UP TO
60x
LONGER

Tarantula™ PCD Circular Saw Blades


Item #	#/Pack	Diameter	# of Teeth	Application	Arbor Diameter	Grind†	Kerf		Hook	Plate		Max RPM
13028	1 / Ring	7-1/4"	4 PCD	Fiber Cement Board	5/8" w/Diamond Knockout	FTG	0.063"	1.6mm	18°	1.2mm	0.063"	10,000

† FTG - Flat Top



DIAMOND EDGE UNIVERSAL CUT-OFF WHEEL

POLYCRYSTALLINE
DIAMOND EDGE



UP TO
100x
LONGER




Diamond Edge Universal Cut-Off Wheels

Item #	Pieces	Diameter	Arbor Size	Max RPM	Application	Other
14001	1	4-1/2"	7/8"	13,000	Steel, Stainless Steel, Cast Iron, Rebar, Masonry, Ceramic Tile and Composites	
14005	1	5"	7/8"	12,000		
14007	1	7"	7/8"	8,400		5/8" Bushing Included for Use with Circular Saws




Spyder® Jig Saw Blade	Best Application
Chrome Vanadium	For Cutting Wood
Bi-Metal	For Cutting Wood and Thin / Thick Metal
High Speed Steel	For Cutting Metal

CHROME VANADIUM (CrV) JIG SAW BLADE SETS AND KITS



CHROME VANADIUM

For Fast and Clean Cuts Through Soft and Hard Wood



Chrome Vanadium Single-Sided, Double-Sided and Skeleton™ T-Shank Jig Saw Blade Sets and Kits					
Item #	Pieces	Length	TPI	Type	Application
300002 or 300099	2	4-1/2"	8 Front/Long 10 Short/Back	Double-Sided	Fast Curve, Soft Wood
300004 or 300100	2	4"	10 Front/Long 18 Short/Back	Double-Sided	Clean Curve, Hard Wood
300009	2	4-1/2" [1]	8 Front/Long 10 Short/Back	Double-Sided	Fast Curve, Soft Wood
		4" [1]	10 Front/Long 18 Short/Back	Double-Sided	Clean Curve, Hard Wood
300012 or 300101	2	4"	10	Skeleton™	Fast Straight, Soft Wood
300022 or 300102	2	4"	17	Skeleton™	Clean Straight, Hard Wood
300020	2	4" [1]	10	Skeleton™	Fast Straight, Soft Wood
		4" [1]	17	Skeleton™	Clean Straight, Hard Wood
300037	Combo Set of 8	4-1/2" [2]	8 Front/Long 10 Short/Back	Double-Sided	Fast Curve, Soft Wood
		4" [2]	17 Front/Long 19 Short/Back	Double-Sided	Clean Curve, Hard Wood
		4" [2]	10	Skeleton™	Fast Straight, Soft Wood
		4" [2]	17	Skeleton™	Clean Straight, Hard Wood
300061	Combo Kit of 5 in Pocket Case	3" [1]	3	Single-Sided	Clean Curve, Soft Wood
		4" [1]	10 Front/Long 18 Short/Back	Double-Sided	Clean Curve, Hard Wood
		4" [2]	10	Single-Sided	Clean Straight, Soft Wood
		4" [1]	6	Single-Sided	Fast Straight, Soft Wood
300097	Combo Kit of 8 in Display Case	4-1/2" [2]	8 Front/Long 10 Short/Back	Double-Sided	Fast Curve, Soft Wood
		4" [2]	17 Front/Long 19 Short/Back	Double-Sided	Clean Curve, Hard Wood
		4" [2]	10	Skeleton™	Fast Straight, Soft Wood
		4" [2]	17	Skeleton™	Clean Straight, Hard Wood

BI-METAL JIG SAW BLADE SETS AND KITS



BI-METAL

8% Cobalt Blades Better
for Cutting Hard Wood,
Thin & Thick Metal



DOUBLE CLEAN
TOP & BOTTOM

Bi-Metal Single-Sided T-Shank Jig Saw Blade Sets and Kits					
Item #	Pieces	Length	TPI	Type	Application
300098	3	5-1/8"	6-10	Single-Sided	Fast Straight, Wood with Nails, Medium Metal < 1/8", Stacked Materials
300088	Laminated Wood Cutting Set of 5	4" [1]	16	Single-Sided	Clean Curve, Laminated Wood
		4" [2]	17	Single-Sided	Clean Straight, Down, Laminated Wood, All Plastics
		5-1/8" [2]	12	Single-Sided	Double Clean, Straight, Laminated Wood
300063	Kit of 5 in Pocket Case	4" [3]	21	Single Sided	Medium Metal < 1/8"
		4" [2]	12	Single Sided	Thick Metal < 1/4"




DOUBLE-SIDED

MULTI-MATERIAL JIG SAW BLADE SET AND KITS



CHROME VANADIUM / BI-METAL / HIGH SPEED STEEL



Multi-Material Jig Saw Blade Kits and Set					
Item #	Pieces	Length	TPI	Type	Application
300062	Combo Kit of 5 in Pocket Case	4" [1]	21	Bi-Metal - Single Sided	Medium Metal <1/8"
		4" [1]	12	Bi-Metal - Single Sided	Thick Metal <1/4"
		4" [1]	6	Chrome Vanadium - Single-Sided	Fast Curve, Soft Wood
		4" [1]	6	Chrome Vanadium - Single-Sided	Fast Straight, Soft Wood
		4" [1]	10	Chrome Vanadium - Single-Sided	Clean Straight, Soft Wood
300064	Combo Kit of 10 in Pocket Case	4" [2]	21	Bi-Metal - Single Sided	Medium Metal <1/8"
		4" [1]	12	Bi-Metal - Single Sided	Thick Metal <1/4"
		4" [1]	17	CrV Skeleton™ - Single-Sided	Clean Straight, Hard Wood
		4" [1]	10 Front/Long 18 Short/Back	Chrome Vanadium - Double-Sided	Clean Curve, Hard Wood
		4" [2]	6	Chrome Vanadium - Single-Sided	Fast Curve, Soft Wood
		4" [2]	6	Chrome Vanadium - Single-Sided	Fast Straight, Soft Wood
		4" [1]	10	Chrome Vanadium - Single-Sided	Clean Straight, Soft Wood
300065	Combo Kit of 12 in Snap Case	4" [2]	21	Bi-Metal - Single Sided	Medium Metal <1/8"
		4" [1]	12	Bi-Metal - Single Sided	Thick Metal <1/4"
		4" [2]	17	CrV Skeleton™ - Single-Sided	Clean Straight, Hard Wood
		4" [2]	6	Chrome Vanadium - Single-Sided	Fast Curve, Soft Wood
		4" [2]	6	Chrome Vanadium - Single-Sided	Fast Straight, Soft Wood
		4" [1]	10 Front/Long 18 Short/Back	Chrome Vanadium - Double-Sided	Clean Curve, Hard Wood
		4-1/2" [2]	8 Front/Long 10 Short/Back	Chrome Vanadium - Double-Sided	Fast Curve, Soft Wood
300089	Combo Set of 5	4" [1]	17 Front/Long 19 Short/Back	Chrome Vanadium - Double-Sided	Clean Curve, Hard Wood
		4" [1]	10	CrV Skeleton™ - Single-Sided	Fast Straight, Soft Wood
		4" [1]	6	Chrome Vanadium - Single-Sided	Fast Straight, Soft Wood
		4" [1]	10	Chrome Vanadium - Single-Sided	Clean Straight, Down, Soft Wood
		3-5/8" [1]	18-23	High Speed Steel - Single-Sided	Medium Metal <1/8"
300090	Combo Kit of 10 in Display Case	4-1/2" [1]	8 Front/Long 10 Short/Back	Chrome Vanadium - Double-Sided	Fast Curve, Soft Wood
		4" [1]	17 Front/Long 19 Short/Back	Chrome Vanadium - Double-Sided	Clean Curve, Hard Wood
		4" [1]	19	Chrome Vanadium - Single-Sided	Clean Curve, Soft Wood
		4" [1]	10	CrV Skeleton™ - Single-Sided	Fast Straight, Soft Wood
		4" [1]	6	Chrome Vanadium - Single-Sided	Fast Straight, Soft Wood
		4" [1]	10	Chrome Vanadium - Single-Sided	Clean Straight, Soft Wood
		4" [1]	10	Chrome Vanadium - Single-Sided	Clean Straight, Down, Soft Wood
		5-1/8" [1]	6-10	Bi-Metal - Single Sided	Fast Straight, Medium Metal <1/8", Stacked Materials
		4" [1]	21	Bi-Metal - Single Sided	Medium Metal <1/8"
		4" [1]	12	Bi-Metal - Single Sided	Thick Metal <1/4"

Multi-Material Jig Saw Blade Kits and Set

Item #	Pieces	Length	TPI	Type	Application
300091	Combo Kit of 20 in Display Case	4-1/2" [1]	8 Front/Long 10 Short/Back	Chrome Vanadium - Double-Sided	Fast Curve, Soft Wood
		4" [1]	17 Front/Long 19 Short/Back	Chrome Vanadium - Double-Sided	Clean Curve, Hard Wood
		4" [2]	19	Chrome Vanadium - Single-Sided	Clean Curve, Soft Wood
		4" [1]	10	CrV Skeleton™ - Single-Sided	Fast Straight, Soft Wood
		4" [1]	17	CrV Skeleton™ - Single-Sided	Clean Straight, Hard Wood
		4" [2]	6	Chrome Vanadium - Single-Sided	Fast Straight, Soft Wood
		4" [1]	10	Chrome Vanadium - Single-Sided	Clean Straight, Down, Soft Wood
		4" [2]	10	Chrome Vanadium - Single-Sided	Clean Straight, Soft Wood
		3" [2]	28	High Speed Steel - Single-Sided	Thin Metal <1/16"
		3-5/8" [2]	18-23	High Speed Steel - Single-Sided	Medium Metal <1/8"
		3-5/8" [2]	11-13	High Speed Steel - Single-Sided	Thick Metal <1/4"
		5-1/8" [1]	12	Bi-Metal - Single Sided	Double Clean, Straight, Laminated Wood
		5-1/8" [2]	6-10	Bi-Metal - Single Sided	Fast Straight, Medium Metal <1/8", Stacked Materials





3x3™ DOUBLE-SIDED RECIPROCATING SAW BLADES



UP TO **2x10x** LONGER



3x3™ Double-Sided Reciprocating Saw Blade Set


Item #	Pieces	Contents
200228	5	200176 [1x], 200203 [2x], 200180 [1x], 200177 [1x]

3x3™ Double-Sided Reciprocating Saw Blades

Item #	#/Pack	Length	TPI			Application
			Top	Bottom	Nose	
200176	10 / Bulk with UPC	6"	10	6	10	Wood, Drywall and Laminates
200203	10 / Bulk with UPC	6"	14	10-14	10	Demolition and Metal
200180	10 / Bulk with UPC	6"	18	14	10	Metal, Nail Embedded Wood and Fiberglass
200177	10 / Bulk with UPC	8"	10	6	6	Wood, Drywall and Laminated Wood
200206	10 / Bulk with UPC	8"	10	8-12	10	Advanced Demolition
200179	10 / Bulk with UPC	8"	14	10	10	Demolition and Metal
200205	10 / Bulk with UPC	8"	14	10-14	10	Extreme Metal, Nail Embedded Wood and Fiberglass
200207	10 / Bulk with UPC	10"	10	8-12	10	Advanced Demolition
200204	10 / Bulk with UPC	10"	14	10-14	10	Extreme Metal, Nail Embedded Wood and Fiberglass



BLACK SERIES™ RECIPROCATING SAW BLADES



UP TO **10x** LONGER
UP TO **3x** FASTER




Black Series™ Reciprocating Saw Blade Sets

Item #	Pieces	Length	TPI	Application
200302	5	6"	10-14	Demolition - Fast and Clean Cut through Wood and Metal
200303	5	6"	18	Fast and Smooth Cut Through Thin and Thick Metals
200304	5	9"	6	Fast and Smooth Cut Through Nail Embedded Wood, Drywall and Timber
200305	5	9"	10-14	Demolition - Fast and Clean Cut Through Wood and Metal.
200306	3	12"	6	Fast and Smooth Cut Through Nail Embedded Wood, Drywall and Timber
200307	3	12"	10-14	Demolition - Fast and Clean Cut Through Wood and Metal
200308	14	various	various	6" [4x] 18 TPI, 6" [2x] 10/14 TPI, 6" [3x] 6 TPI, 8" [1x] 10/14 TPI, and 9" [2x] 6 TPI with Storage Tube



TUNGSTEN CARBIDE TIPPED (TCT) MASONRY RECIPROCATING SAW BLADES



CARBIDE TIPPED



Tungsten Carbide Tipped (TCT) Masonry Reciprocating Saw Blades

Item #	Length	Application
200209	9"	Concrete Block, Brick and Masonry
200210	12"	Concrete Block, Brick and Masonry
200211	18"	Concrete Block, Brick and Masonry



SPYDER® SCRAPER™ RECIPROCATING BLADES



Spyder® Scraper™ Reciprocating Blade Set

Item #	Pieces	Contents	Application
00243	3	[1] each of 2", 4" and 6"	Ceramic & Vinyl Tile Adhesive, Thin-Set, Linoleum, Tough Glue, Drywall Mud, Paint, Rubber-Backed Carpet, & Wall Paper


Spyder® Scraper™ Reciprocating Blades

Item #	Pieces	Width	Application
00138	1	2"	Ceramic & Vinyl Tile Adhesive, Thin-Set, Linoleum, Tough Glue and Drywall Mud
00108	1	4"	Linoleum, Tough Glue and Drywall Mud
00137	1	6"	Paint, Rubber-Backed Carpet and Wall Paper
00319	6 / Bulk with UPC	2"	Ceramic & Vinyl Tile Adhesive, Thin-Set, Linoleum, Tough Glue and Drywall Mud
00320	6 / Bulk with UPC	4"	Linoleum, Tough Glue and Drywall Mud
00321	6 / Bulk with UPC	6"	Paint, Rubber-Backed Carpet and Wall Paper




RECIPROCATING BRUSHES

WIRE



NYLON



Reciprocating Brushes

Item #	Pieces	Brush	Application
400005	6 / Bulk with UPC	Carbon Steel Wire	Removes Flaking Paint, Rust, Scratches, Dirt and Small Imperfections
400006	6 / Bulk with UPC	Nylon	Removes Layers of Grime



GROUT-OUT™ RECIPROCATING BLADES



UP TO
10x
FASTER



RECIPROCATING SANDER WITH SANDPAPER SET



Spyder® Grout-Out™ Reciprocating Blade Set

Item #	Pieces	Contents	Application
100234	2	[1] each of Narrow and Wide	Narrow: Joints 1/16" - 3/16" in width, Wide: Joints 3/16" - 3/4" in width

Spyder® Grout-Out™ Reciprocating Blades

Item #	Pieces	Width	Application
100263	6 / Bulk with UPC	Narrow	Narrow: Joints 1/16" - 3/16" in width
100264	6 / Bulk with UPC	Wide	Wide: Joints 3/16" - 3/4" in width

Reciprocating Sander with Sandpaper Set

Item #	Contents	Application
500010	Sander with 3pc Sandpaper Set (80, 120, 220 Grit)	Sand Tight Spaces, Curved Surfaces and the Inside and Outside of Corners.



SHOP STOOL

Shop Stool

Item #	Contents / Description
900532	Industrial Quality, Chrome-Plated Steel and High-Grade Padded Vinyl Shop Stool Supports Up to 300 lbs. - 14" x 14" x 29" Tall







The Spyder Rapid Core Eject™ Hole Saw System is patented in the US and Canada, US Patent no. 7,934,893 and Canada Patent no. 2,589,999. © 2022 SM Products, LLC. The Spyder logo, Rapid Core Eject, Skeleton, Mach-Blue, Stinger, Tarantula, Power Bits, 3x3, Spyder Scraper, Black Series, and Grout-Out are trademarks of SM Products, LLC. All rights reserved.

SM Products, LLC 1-888-471-2239 • info@spyderproducts.com

www.spyderproducts.com 