

# SPYDER<sup>®</sup>

2023 PRODUCT CATALOG









# SPYDER

## PROFESSIONAL TOOLS, WORLD-CLASS INNOVATION

Cutting, drilling, scraping and sawing are hard work, but they don't have to be. There's a smarter way to tackle these time-consuming, labor-intensive, sweat-inducing jobs. ***Spyder's innovative power tool attachments are engineered to work harder, complete the job faster and last longer – up to 40x faster and 100x longer tool life!*** Using quality materials and innovative designs, our power tool accessories stand up to the punishment that is dished out every day – working as long and hard as the pros who depend on them.

Since our inception in 2008, when the Spyder Scraper® won *New Product of the Year* at the *National Hardware Show*, we continue to win awards for our innovation and quality. From the versatility of a 3-way cut reciprocating saw blade to effortless hole boring to the ingenious design of an arbor system that removes hole saw cores with a push of a button, every tool is meticulously engineered and constructed to provide significant advantages over the standard way of doing things. ***The result is an entire line of high-quality, high-performance tools that save time, effort and money.***

We make the tools that professionals use to power through the toughest jobs without the downtime and frustration of conventional tools. ***Spyder is the go-to source when looking for quality, ease of use, leading-edge performance and value.***








**RAPID CORE EJECT™ ARBOR SYSTEM**  
Page 6



**DIAMOND EDGE HOLE SAW BITS**  
Page 20  
*Cutting Comparison Chart on page 22.*



**TUNGSTEN CARBIDE TIPPED (TCT) HOLE SAWS**  
Page 8



**STINGER™ SPADE BITS**  
Page 24




**TARANTULA™ HOLE SAWS**  
Page 10



**STINGER™ AUGER BITS**  
Page 26



**BI-METAL HOLE SAWS**  
Page 12



**STINGER™ POWER BITS™**  
Page 28



**HOLE SAW KITS**  
Page 14  
*Nominal Hole Size Chart on page 82.*



**STINGER™ BRAD POINT DRILL BITS**  
Page 30



**TUNGSTEN CARBIDE TIPPED (TCT) DEEP CUT HOLE SAW SYSTEM**  
Page 16



**STINGER™ MACH-BLUE™ HIGH SPEED STEEL (HSS) DRILL BITS**  
Page 32



**DIAMOND EDGE HOLE SAWS CARBIDE TIPPED PILOT BIT/ARBOR**  
Page 18



**STINGER™ MACH-BLUE™ STEP DRILL BITS**  
Page 34






**NEW MACH-BLUE GOO™**  
Page 36



**TARANTULA™ DADO CIRCULAR SAW BLADES**  
Page 50



**BLACK SERIES™ RECIPROCATING SAW BLADES**  
Page 66



**MACH-BLUE™ IMPACT RATED DRIVER BITS**  
Page 38



**TARANTULA™ PCD CIRCULAR SAW BLADE**  
Page 52



**TUNGSTEN CARBIDE TIPPED (TCT) RECIPROCATING SAW BLADES**  
Page 68



**BIT HOLDERS**  
Page 40



**NEW DIAMOND BITE™ CUTTING BLADES**  
Page 54



**SPYDER® SCRAPER™ RECIPROCATING BLADES**  
Page 70



**NUT DRIVERS AND SOCKET ADAPTERS**  
Page 42




**DIAMOND EDGE UNIVERSAL CUT-OFF WHEELS**  
Page 56



**RECIPROCATING BRUSHES**  
Page 72



**TARANTULA™ CIRCULAR SAW BLADES**  
Page 44



**JIG SAW BLADES**  
Page 58 - 63



**GROUT-OUT™ RECIPROCATING BLADES**  
Page 74



**TARANTULA™ LARGE DIAMETER CIRCULAR SAW BLADES**  
Page 46



**3X3™ DOUBLE-SIDED RECIPROCATING SAW BLADES**  
Page 62



**RECIPROCATING SANDER**  
Page 75



**TARANTULA™ DEMOLITION CIRCULAR SAW BLADES**  
Page 48



**NEW MACH-BLUE™ RECIPROCATING SAW BLADES**  
Page 64



**SHOP STOOL**  
Page 76



### EJECT CORES WITH A PUSH OF A BUTTON



1

DRILL HOLE



2

PRESS BUTTON AND  
PULL BACK CUP



3

EJECT CORE

### CUT AT AN ANGLE AND ENLARGE EXISTING HOLES



EASILY  
START AND...



...CUT AT  
AN ANGLE



ENLARGE AN  
EXISTING HOLE




# SPYDER® RAPID CORE EJECT™ ARBOR SYSTEM


The Most Efficient Hole Saw System Ever Made!

- Ejects cores with a push of a button, screwdriver not required.
- Up to 5x faster than the competition.
- Use with Spyder® TCT, Bi-Metal and Tarantula™ Hole Saws or with any threaded hole saw.
- Hex8 and Hex10 Arbor Adapters.
- Hex8 and Hex10 Pilot Bits available with either Tungsten Carbide Tipped (TCT) or High Speed Steel (HSS).
- Hex8 / Hex10 6" and 12" Auto-Locking Extensions make drill and extension changes easy.
- Hex10 Arbor Adapter torque pins prevent the saw from becoming wedged onto the arbor, making saw changes quick and easy.

Hex10 HSS Pilot Drill,  
Shown without Adapter.




**UP TO  
5x  
FASTER**





Ejects Cores Up to 5x Faster than the  
Competition, with a Push of a Button,  
Screwdriver Not Required.


Hex8 TCT Pilot Drill,  
Shown without Adapter.




Hex10 Arbor  
Adapter Torque  
Pins Make Saw  
Changes Quick and  
Easy. No Tools.








Hex10 TCT Pilot Drill,  
Shown with Adapter.




Hex8 HSS Pilot Drill,  
Shown with Adapter.



Hex10 Adapter

1"  
5/8"-18 Thread




Hex8 Adapter


1/2"-20 Thread

Hex Won't Slip  
in Drill Chuck.

Hex10  
(1/2" Hex Shank)



Hex8  
(3/8" Hex Shank)



Hex8/Hex10 6" RCE Extension

Hex8/Hex10 12" RCE Extension

Spring Eject Auto-Locking Collar Make Drill and Extension Changes Easy





**CARBIDE TIPPED**



# TUNGSTEN CARBIDE TIPPED (TCT) RAPID CORE EJECT™ HOLE SAWS

Extreme Material Versatility and Faster Cuts

- Up to 10x more cuts than bi-metal hole saws.
- Up to 5x faster than standard hole saws.
- Tungsten Carbide Tipped for extended life and clean cuts.
- Cuts wood, concrete block, brick, fiber cement board, PVC and more, with a Mohs hardness of less than 6. Some materials, including floor tile, porcelains and poured concrete, may have a Mohs hardness of 6 or greater. These hole saws are not recommended for harder, abrasive materials. [Consult page 22 for a list of commonly used materials.](#)
- Up to 2-3/8" Depth of Cut.
- Utilizes Rapid Core Eject™ Arbor System – rapidly eject the core, quickly change diameter, cut at an angle and enlarge existing holes ([see page 6](#)).
- For use in standard rotary drills, **not for use in hammer drill mode.**

Up to 10x More Cuts than Bi-Metal Hole Saws.

**UP TO 10x MORE**



## CARBIDE TIPPED

Tungsten Carbide Tipped for Extended Life and Clean Cuts.


Up to 5x Faster than Standard Hole Saws.

**UP TO 5x FASTER**



Up to 2-3/8" Depth of Cut.

Utilizes Spyder® Patented Rapid Core Eject™ Arbor System ([see page 6](#)).



### Arbor Hex8 Diameters:

- 3/4"
- 7/8"
- 1"
- 1-1/8"

- 1-1/4"
- 1-3/8"
- 1-1/2"
- 1-5/8"
- 1-3/4"
- 1-7/8"
- 2"
- 2-1/8"

- 2-1/4"
- 2-3/8"
- 2-1/2"
- 2-9/16"

### Arbor Hex10 Diameters:

- 2-5/8"
- 2-3/4"
- 3"
- 3-1/4"

- 3-1/2"
- 3-5/8"
- 3-3/4"
- 4"

- 4-1/8"
- 4-1/4"
- 4-1/2"
- 4-5/8"

- 4-3/4"
- 5"
- 5-1/2"
- 5-3/4"

- 6"
- 6-1/4"
- 6-3/8"
- 6-5/8"

Also Available in Kits ([see page 14](#))





**TARANTULA™**  
**CARBIDE TIPPED**



# TARANTULA™ RAPID CORE EJECT™ HOLE SAWS

Cut the Toughest Materials

- Up to 50x more cuts than bi-metal hole saws.
- Up to 10x faster than standard hole saws.
- Carbide tipped for extended life in tough materials.
- Cuts nail-embedded wood, steel, stainless steel, plastics, non-ferrous metals and fiber cement board. Please note, these hole saws are not recommended for harder, abrasive materials. [Consult page 22 for a list of commonly used materials.](#)
- Up to 2-3/8" Depth of Cut.
- Utilizes Rapid Core Eject™ Arbor System – rapidly eject the core, quickly change diameter, cut at an angle and enlarge existing holes ([see page 6](#)).
- For use in standard rotary drills, **not for use in hammer drill mode.**

## TARANTULA™ CARBIDE TIPPED

Carbide Tipped for Extended Life in Tough Materials.



Up to 50x More Cuts than Bi-Metal Hole Saws.


**UP TO  
50x  
MORE**

Up to 2-3/8" Depth of Cut.

Up to 10x Faster than Standard Hole Saws.

**UP TO  
10x  
FASTER**

Utilizes Spyder® Patented Rapid Core Eject™ Arbor System ([see page 6](#)).




### Arbor Hex8 Diameters:

- 7/8"
- 1"
- 1-1/16"
- 1-1/8"

### Arbor Hex10 Diameters:

- 1-1/4"
- 1-3/8"
- 1-1/2"
- 1-5/8"
- 1-3/4"
- 1-7/8"
- 2"
- 2-1/8"
- 2-1/4"
- 2-3/8"
- 2-1/2"
- 2-9/16"
- 2-5/8"
- 2-3/4"
- 3"
- 3-1/2"
- 3-5/8"
- 4"
- 4-1/4"
- 4-1/2"

Also Available in Kits ([see page 14](#))



**BI-METAL**



# BI-METAL RAPID CORE EJECT™ HOLE SAWS

Tough Bi-Metal Steel for Long Life

- Variable tooth pitch guarantees a fast and clean cut through all thicknesses.
- Creates smooth cuts in steel, stainless steel, aluminum, nail-embedded wood, non-ferrous metal, plastics / PVC and more  
*Consult page 22 for a list of commonly used materials.*
- Up to 1-7/8" Depth of Cut.
- Utilizes Rapid Core Eject™ Arbor System – rapidly eject the core, quickly change diameter, cut at an angle and enlarge existing holes (*see page 6*).



## Arbor Hex8 Diameters:

- 3/4"
- 7/8"
- 1"
- 1-1/8"

- 1-1/4"
- 1-3/8"
- 1-1/2"
- 1-5/8"
- 1-3/4"

- 1-7/8"
- 2"
- 2-1/8"
- 2-1/4"
- 2-3/8"

## Arbor Hex10 Diameters:


- 2-1/2"
- 2-5/8"
- 2-3/4"
- 3"
- 3-1/4"

- 3-1/2"
- 3-5/8"
- 4"
- 4-1/8"
- 4-1/4"

- 4-1/2"
- 4-5/8"
- 4-3/4"
- 5"
- 5-1/2"

- 5-3/4"
- 6"
- 6-3/8"
- 6-5/8"

Also Available in Kits (*see page 14*)





## HOLE SAW KITS FEATURING RAPID CORE EJECT™

Carbide Tipped (TCT), Bi-Metal, and Tarantula Kits

- Speed through tough jobs with Spyder's patented Rapid Core Eject™ Arbor System (see page 6).
- Completes the job 5x faster than your competition and makes your time more valuable.
- Rugged, hard plastic carry case keeps your tools organized.

Kits, in a carry case, available in multiple configurations:

- TCT Kits includes 14 or 18 pieces (see page 78)
- Tarantula Kit includes 9 pieces (see page 79)
- Bi-Metal Kits includes 11 or 13 pieces (see page 79)
- Pro Pack includes 14 piece TCT Kit and 13 piece Bi-Metal Kit (see page 80)







**CARBIDE TIPPED**



# TUNGSTEN CARBIDE TIPPED (TCT) DEEP CUT HOLE SAW SYSTEM

Extreme Material Versatility and Faster Cuts

- Up to 10x more cuts than bi-metal hole saws.
- Tungsten Carbide Tipped for extended life and clean cuts.
- Cuts wood, concrete block, brick, fiber cement board, PVC and more, with a Mohs hardness of less than 6. Some materials, including floor tile, porcelains and poured concrete, may have a Mohs hardness of 6 or greater. These hole saws are not recommended for harder, abrasive materials. [Consult page 22 for a list of commonly used materials.](#)
- Up to 6-1/4" Depth of Cut.
- Deep Cut Hole Saws use Hex11 deep cut arbor and pilot bit. They do not use the Rapid Core Eject™ Arbor System.
- For use in standard rotary drills, **not for use in hammer drill mode.**




## CARBIDE TIPPED

Tungsten Carbide Tipped for Extended Life and Clean Cuts.




Up to 10x More Cuts than Bi-Metal Hole Saws.

**UP TO 10x MORE**



Up to 6-1/4" Depth of Cut.



Arbor Hex11 Diameters:

- |          |           |          |          |
|----------|-----------|----------|----------|
| • 1-1/4" | • 2-9/16" | • 4"     | • 5-1/4" |
| • 1-3/4" | • 3"      | • 4-1/8" | • 6"     |
| • 2"     | • 3-3/8"  | • 4-3/8" |          |
| • 2-3/8" | • 3-5/8"  | • 4-3/4" |          |



## CARBIDE TIPPED

Tungsten Carbide Tipped for Extended Life.



TCT Hex11 Deep Cut Arbor Complete, also Available in HSS.



TCT Hex11 Deep Cut Pilot Bit, also Available in HSS.





## DIAMOND EDGE HOLE SAWS

Premium Diamond Abrasive Provides Long Tool Life and Clean Cuts

- Up to 20x more holes than standard diamond hole saws.
- Up to 10x faster than standard glass and tile hole saws.
- Premium boron-coated, industrial diamond abrasive self-sharpenes for quick cuts and long life in tough tile / masonry materials.
- High-temperature, nickel braze adheres at temperatures up to 1.5x the braze of standard diamond hole saws, for increased diamond abrasive retention.
- Segmented cutting edge enhances cut material evacuation and increases cutting performance.
- Oversized and staggered pry holes enable easy core ejection.
- Heavy-duty, single-piece construction and vacuum-furnace heat-treated, high-alloy steel provides a reliable cut and consistent, round holes.
- Black oxide finish reduces cutting friction and prevents corrosion.
- Can be used wet or dry – water spray or immersion will increase tool life, reduce dust and debris, and create a more quiet cut.
- For use on ceramic, porcelain, granite, slate, marble, glass, fiber cement board, laminates and more.
- 1-1/2" depth of cut.
- Made in the USA.

## CARBIDE TIPPED PILOT BIT/ARBOR

Auto-Guide Carbide Tipped Pilot Bit / Arbor for Use in 3-Jaw Chuck

- Carbide pilot drill is spring tensioned to ensure a safer, more consistent cut.
- Retractable pin eliminates the need to pre-drill pilot holes.
- Accurate hole location and center drilling.
- 5/8"-18 thread, 3/16" carbide pilot drill, 3/8" arbor
- Made in the USA.



Up to 20x More Holes than Standard Diamond Hole Saws.

**UP TO**  
**20x**  
**MORE**

Up to 10x Faster than Standard Glass and Tile Hole Saws.

**UP TO**  
**10x**  
**FASTER**

3/8" Arbor for Use in 3-Jaw Chuck

Up to 1-1/2" Depth of Cut.

Diameters:  
• 1-1/4"  
• 1-3/8"  
• 1-1/2"  
• 2"  
• 2-1/2"



**CARBIDE TIPPED**

Auto-Guide Carbide Tipped Pilot Bit





## DIAMOND EDGE HOLE SAW BITS

Premium Diamond Abrasive Provides Long Tool Life and Clean Cuts

- Up to 20x more holes than standard diamond hole saw bits.
- Up to 10x faster than standard glass and tile bits.
- Premium boron-coated, industrial diamond abrasive self-sharpenes for quick cuts and long life in tough masonry/stone materials.
- High-temperature nickel braze adheres at temperatures up to 1.5x the braze of standard diamond hole saws, for increased diamond abrasive retention.
- Segmented cutting edge enhances cut material evacuation and increases cutting performance.
- Oversized core removal slot enables easy side evacuation of the core, without tools or prying (for materials up to 5/8" in depth).
- 1/4" speed hex won't slip in the chuck.
- Heavy-duty, single-piece construction and vacuum-furnace heat-treated, high-alloy steel provides a reliable cut and consistent, round holes.
- Black oxide finish reduces cutting friction and prevents corrosion.
- Can be used wet or dry – water spray or immersion will increase tool life, reduce dust and debris, and create a more quiet cut.
- For use on ceramic, porcelain, granite, slate, marble, glass, fiber cement board, laminates and more.
- 1-1/8" depth of cut.
- Made in the USA.


Up to 20x More  
Holes than Standard  
Diamond Hole  
Saw Bits.

**UP TO**  
**20x**  
**MORE**

**MADE IN**  
  
**USA**

  
**DIAMOND EDGE**

Diamond Abrasive Provides  
Long Tool Life and Clean Cuts



Diameters:

- 3/16"
- 1/4"
- 5/16"
- 3/8"
- 1/2"
- 5/8"
- 3/4"
- 1"
- 1-1/4"
- 1-3/8"

Also  
Available  
in a Set

← Up to 1-1/8" Depth of Cut. →

Up to 10x Faster  
than Standard  
Glass and  
Tile Bits.

**UP TO**  
**10x**  
**FASTER**



SPEED HEX

1/4" Speed Hex  
Won't Slip in the  
Chuck

## CUTTING COMPARISON CHART – BEST BETTER GOOD

	Material	TCT	Tarantula™	Bi-Metal	Diamond
WOOD	Soft Wood	●	●	●	
	Hard Wood	●	●	●	
	Wood & Nails		●	●	
	Particle Board	●	●	●	
	Plywood	●	●	●	
	MDF	●	●	●	
	Laminated Wood	●	●	●	
STEEL	Steel		●	●	
	Carbon Steel		●	●	
	Stainless Steel		●	●	
	Thin Sheet Metal		●	●	
	Metal Pipe		●	●	
	Copper / Brass		●	●	
	Aluminum		●	●	
ABRASIVE	Masonry	●			●
	Plasterboard	●	●		●
	Fiber Cement	●	●		●
	Soft Stone	●			●
	Gypsum	●	●		●
	Soft Wall Tiles	●			●
	Concrete Blocks	●			●
	Brick	●			●
	Marble / Granite	●			●
	Floor Tile				●
	Hard Porcelains				●
	Concrete				●
	Glass Tile				●
PLASTIC	PVC Plastic	●	●	●	
	Acrylic	●	●	●	
	Fiberglass	●	●	●	
	Carbon Fiber		●		
	Reinforced Plastic	●	●		

LEGEND ● Best ● Better ● Good



# TARANTULA™ CARBIDE TIPPED

Tungsten Carbide Tipped for  
Extended Life in Tough Materials.  
See page 10.

## CARBIDE TIPPED

Tungsten Carbide Tipped for  
Extended Life and Clean Cuts.  
See page 8 and page 16.



**SPYDER® HOLE SAW SYSTEMS  
...EVERYTHING YOU NEED  
TO GET THE JOB DONE!**



## BI-METAL

Variable Tooth Pitch  
Guarantees a Fast and Clean Cut.  
See page 12.




## DIAMOND EDGE

Diamond Abrasive Provides Long  
Tool Life and Clean Cuts.  
See page 18 and page 20.







**STINGER**  
Non-Clogging, Auto-Feed  
Tip Technology



# STINGER™ SPADE BITS

Won't Clog, Won't Wander and Drills Faster than the Competition

- Up to 20x faster than conventional spade bits.
- Up to 10x more holes than conventional spade bits.
- Automatically engages the work surface for no-thrust drilling.
- Features innovative non-clogging, automatic-feeding precision tip for optimal speed and accuracy.
- Unlike other spade bits with a self-feeding thread point, this patent pending tip won't clog, won't wander, and drills faster than the competition.
- Impact rated for use in battery-powered impacting tools.
- 1/4" speed hex won't slip in the chuck and fits quick-change impact drivers.



Non-Clogging, Auto-Feed  
Tip Technology



Patent Pending  
Tip Won't Clog,  
Won't Wander.



6" Length  
Diameters:

- 1/4"
- 5/16"
- 3/8"
- 7/16"
- 1/2"
- 9/16"
- 5/8"
- 11/16"
- 3/4"
- 13/16"
- 7/8"
- 15/16"
- 1"
- 1-1/8"
- 1-1/4"
- 1-3/8"
- 1-1/2"

Also  
Available  
in Kits and  
a Set

16" Length  
Diameters:

- 3/8"
- 1/2"
- 5/8"
- 3/4"
- 7/8"
- 1"



SPEED HEX

1/4" Speed Hex  
Won't Slip in the  
Chuck, Fits  
Quick-Change  
Impact Drivers.


UP TO  
**20x**  
FASTER



UP TO  
**10x**  
MORE









# STINGER™ AUGER BITS

Vibrates Less, Making it Easier to Control – Even in Nail-Embedded Wood


- Up to 20x faster than conventional auger bits.
- Up to 10x more holes than conventional auger bits.
- Automatically engages the work surface for no-thrust drilling.
- Features innovative non-clogging, automatic-feeding precision tip for optimal speed and accuracy.
- Unlike other auger bits with a self-feeding thread point, this patent pending tip won't clog, won't wander, and drills faster than the competition.
- Hardened cutting edges power through nail-embedded wood.
- Impact rated for use in battery-powered impacting tools.
- Two flute design provides optimal chip flow and reduced cutting friction.
- 7/16" speed hex won't slip in the chuck and fits quick change tools.
- Black oxide finish provides increased durability and lubricity.

**STINGER™**  
Non-Clogging, Auto-Feed  
Tip Technology

6-1/2" and  
18" Length  
Diameters:

- 3/8"
- 7/16"
- 1/2"
- 5/8"
- 11/16"
- 3/4"
- 13/16"
- 7/8"
- 15/16"
- 1"
- 1-1/16"
- 1-1/8"
- 1-1/4"
- 1-3/8"
- 1-1/2"

Also  
Available  
in a Set



Two Flute Design Provides Optimal  
Chip Flow and Reduced Friction.




Self Feeding Thread Point  
Won't Clog, Won't Wander,  
and Drills Faster.



SPEED HEX  
Speed Hex  
Won't Slip in  
the Chuck, Fits  
Quick Change  
Tools.

**UP TO**  
**20x**  
**FASTER**  
Up to 20x Faster  
than Conventional  
Spade Bits.


**UP TO**  
**10x**  
**MORE**  
Up to 10x More Holes  
than Conventional  
Spade Bits.







**STINGER**  
Non-Clogging, Fast-Feed  
Tip Technology





# STINGER™ POWER BITS™

Bores Faster with Less Torque, Excellent for Fast, Clean, Precise Applications

- Up to 40x faster than conventional spade bits
- Up to 25x more holes per charge than conventional spade bits.
- Create extremely clean entry and exit holes.
- Up to 50% less drilling torque than other threaded wood boring bits.
- Use on high or low torque drills – drill more holes, save battery power.
- Impact ready with 1/4" speed hex.
- Ideal for use on soft and hard woods, laminated wood and particle boards.

**STINGER™**  
**Non-Clogging, Fast-Feed  
 Tip Technology**



Extremely Clean  
Entry and Exit Holes.



6-1/2" Length  
Diameters:

- 1/2"
- 5/8"
- 3/4"
- 7/8"
- 1"
- 1-1/4"

Also  
Available  
in Sets

16" Length  
Diameters:

- 1/2"
- 5/8"
- 3/4"



Up to 50%  
Less Drilling  
Torque.

**UP TO  
50%  
LESS**

**UP TO  
40x  
FASTER** Up to 40x Faster  
than Conventional  
Power Bits.

**UP TO  
25x  
MORE** Up to 25x More Holes  
than Conventional  
Power Bits.

**POWER BIT FAST•CLEAN™**





**STINGER™**



## STINGER™ BRAD POINT DRILL BITS

Drills More Holes, Cooler and Cleaner

- Up to 10x longer life than conventional brad point bits.
- Up to 6x faster than conventional brad point bits.
- Up to 30% longer battery life of cordless tools.
- Patented tip geometry drills faster, virtually eliminates chip burn and produces cleaner entry/exit holes.
- Dual flute lands accurately guide the drill through deep holes, and greatly reduce cutting friction and heat build-up.
- Ideal for drilling precise holes in soft and hard woods.

Up to 30% Longer  
Cordless Battery  
Life.

UP TO  
**30%**  
LONGER

# STINGER™



Patented Tip Drills Faster,  
Produces Cleaner Entry/Exit.

Diameters:

- 1/8"
- 3/16"
- 1/4"
- 5/16"
- 3/8"
- 1/2"

Available  
as a Set

Dual Flute Reduces  
Cutting Friction.


Up to 10x  
Longer Life than  
Conventional Brad  
Point Bits.

UP TO  
**10x**  
LONGER

Up to 6x Faster than  
Conventional Brad  
Point Bits.


UP TO  
**6x**  
FASTER





**Mach-Blue Goo™**  
Metal Cutting Lubricant

*See page 36 for more information.*



**STINGER™**



# STINGER™ MACH-BLUE™ HIGH SPEED STEEL (HSS) DRILL BITS

High Performance Metal and Wood Drilling Bits for Demanding Applications

- Up to 100x more holes than titanium or black oxide drill bits.
- Up to 8x faster than titanium or black oxide drill bits.
- Proprietary Mach-Blue™ Armor Plating is a super hard surface that retains sharper cutting edges, and reduces heat build-up and cutting friction – resulting in faster cuts and exceptionally long drill life.
- Impact rated 1/4" speed hex won't slip in conventional 3-jaw chucks and ideal for use in quick change impacting power tools.
- Optimized 137° self-centering split point cutting geometry won't walk or wander – even on pre-hardened or curved surfaces.
- Advanced M-Series alloy tool steel construction and proprietary heat treatment increase drill bit durability, rigidity and breakage resistance.
- Ideal for drilling wood with nails, stainless steel, mild steel, aluminum, stacked materials and other tough-to-drill alloys.
- Made in the USA.




Proprietary Hard Surface  
Retains Cutting Edges,  
Reduces Heat and Friction.


Up to 100x More Holes  
than Titanium or Black  
Oxide.

UP TO  
**100x**  
MORE

**STINGER™**



137° Split Point  
Geometry Won't  
Walk or Wander.



MADE IN  
**USA**




Diameters:

- 1/16"
- 5/64"
- 3/32"
- 7/64"
- 1/8"
- 9/64"
- 5/32"
- 11/64"
- 3/16"
- 13/64"
- 7/32"
- 15/64"
- 1/4"
- 5/16"
- 3/8"
- 7/16"
- 1/2"

Also  
Available  
in a Kit

Up to 8x Faster  
than Titanium or  
Black Oxide.

UP TO  
**8x**  
FASTER




Impact Ready  
1/4" Speed Hex.

M-Series Alloy Tool Steel Construction.



**STINGER™**

**Mach-Blue Goo™**  
Metal Cutting Lubricant  
See page 36 for more information.





# STINGER™ MACH-BLUE™ STEP DRILL BITS

Consistently Drill a Wide Range of Holes with a Single Drill Bit

- Up to 50x more holes than titanium or black oxide drill bits.
- Up to 2x faster than titanium or black oxide drill bits.
- Proprietary Mach-Blue™ Armor Plating is a super hard surface that retains sharper cutting edges, and reduces heat build-up and cutting friction – resulting in faster cuts and exceptionally long drill life.
- Impact rated 1/4" speed hex won't slip in conventional 3-jaw chucks and ideal for use in quick change impacting power tools.
- Optimized 135° self-centering split point cutting geometry won't walk or wander – even on pre-hardened or curved surfaces.
- Advanced M-Series alloy tool steel construction and proprietary heat treatment increase drill bit durability, rigidity and breakage resistance.
- Ideal for drilling wood with nails, stainless steel, mild steel, aluminum, stacked materials and other tough-to-drill alloys.
- Made in the USA.

## STINGER™




Up to 50x More Holes than Titanium or Black Oxide Coated Step Drill Bits.

UP TO  
**50x**  
MORE

**Mach-Blue™**  
Armor Plated

Proprietary Hard Surface  
Retains Cutting Edges,  
Reduces Heat and Friction.

135° Split Point  
Geometry Won't  
Walk or Wander.



MADE IN  
  
USA



Diameters:

- 1/8 - 1/2" 13 Steps
- 3/16 - 1/2" 6 Steps
- 1/4 - 3/4" 9 Steps
- 3/16 - 7/8" 12 Steps
- 1/4 - 1" 8 Steps
- 3/16 - 1-1/8" 16 Steps
- 1/4 - 1-3/8" 10 Steps

Also Available in a Set



Impact Ready  
1/4" Speed Hex.

Up to 2x Faster than  
Titanium or Black  
Oxide Coated Step  
Drill Bits.

UP TO  
**2x**  
FASTER





# MACH-BLUE™ GOO

High Performance Metal Cutting Lubricant Extends Tool Life in Tough Metal-Working Operations

- Up to 5x more holes than dry drilling.
- Up to 2x faster than dry drilling.
- Extends the life of expensive, professional cutting tools.
- Water-based and non-toxic, Mach-Blue™ Goo allows for easy clean-up by wiping down with water.
- Thick paste doesn't drip – sticks to cutting tools and vertical / overhead surfaces.
- Ideal lubricant for drilling, tapping, sawing, milling, threading, engraving, punch press work and more.
- For use on steel, stainless steel, aluminum, high-carbon, nickel-chrome, heat treated steels and a wide range of exotic alloys.
- Made in the USA.



Up to 5x More Holes than Dry Drilling. **UP TO 5x MORE**



Application Tip Accurately Directs and Dispenses Thick, No-Drip Goo.




Extends Tool Life.

Up to 2x Faster than Dry Drilling. **UP TO 2x FASTER**

Easy-Squeeze Bottle Allows for Increase or Decrease in Pressure to Change Flow Rate.



Water-Based for Easy Clean-Up





# MACH-BLUE™ IMPACT RATED DRIVER BITS

High-Performance Bits for Demanding Fastener Applications

- Up to 70x longer life than standard impact rated driver bits.
- Up to 33% stronger IMPACTive™ alloy steel extends tool life in high-torque impact applications.
- Mach-Blue™ Tough Tip Technology
  - Proprietary plating strengthens tip surfaces for increased wear and extreme corrosion resistance.
  - Precision Fitting Tips are machined to resist cam-out, twisting and breaking.
- Progressive Torsion Zone actively flexes to dissipate peak impact forces preventing fastener recess damage and tip breakage.
- Multi-stage heat treatment process provides an optimal blend of bit hardness and durability.
- Impact rated 1/4" speed hex is ideal for use in high-torque impact drivers and conventional rotary drills.

Up to 70x Longer Life than Standard Impact Rated Driver Bits

**UP TO**  
**70x**  
**LONGER**



## TOUGH TIP TECHNOLOGY



Precision Fitting Tips Resist Cam-Out, Twisting and Breaking. IMPACTive™ Alloy Steel Extends Tool Life.

**UP TO**  
**33%**  
**STRONGER**

## PROGRESSIVE TORSION ZONE

Actively Flexes to Dissipate Peak Impact Forces



Impact Rated 1/4" Speed Hex

	SL6-8	PH1	PH2	PH3	SQ1	SQ2	SQ3	T10	T15	T20	T25	T30	T35	T40
1"	•	•	•	•	•	•	•	•	•	•	•	•	•	•
2"		•	•	•	•	•	•	•	•	•	•	•		•
3-1/2"			•			•				•	•			
6"			•			•					•			

Available in Sets and in Kits







# BIT HOLDERS


A Complete Spyder® System

- The 3", 6" and 12" Spyder® Torsion Magnetic Bit Holder Extensions feature one-piece tool steel design engineered with a progressive torsion zone that actively flexes to dissipate peak impact forces, preventing fastener recess damage and tip breakage. The low-profile design is ideal for confined-area use, and powerful magnets hold fasteners for easy one-handed applications.
- Our Spyder® 3" Magnetic Bit Holder Extension retains driver bits for enhanced driving accuracy and changing ease.
- The 3", 6" and 12" Spyder® Quick Change Bit Extensions feature a quick-change connector that securely holds driver bits, drill bits and extensions for enhanced driving accuracy and one-handed ease of use. Spring eject and knurled collar make bit changes easy.
- All Spyder® bit holders are rated for demanding, high-torque applications for use with impact drivers or standard rotary drills with a 3-jaw chuck.



## 3", 6" AND 12" TORSION MAGNETIC STEEL BIT HOLDERS

3" available in Driver Kits



Powerful Magnet Holds Drivers and Fasteners

## 3" MAGNETIC BIT HOLDER

Also available in Driver Kits



Powerful Magnet Holds Drivers



Impact Rated 1/4" Speed Hex

## 3", 6" AND 12" QUICK CHANGE BIT HOLDERS

Spring Eject Collar Makes Bit and Extension Changes Easy



Spring Eject Collar Makes Bit and Extension Changes Easy




Impact Rated 3/8" Hex or 1/4" Auto-Lock Hex (shown at far right)

## PROGRESSIVE TORSION ZONE

Actively Flexes to Dissipate Peak Impact Forces



Impact Rated 1/4" Speed Hex





## NUT DRIVERS

One-Piece Tool Steel Magnetic Nut Drivers

- Powerful magnets hold nuts and fasteners for easy one-handed applications.
- Impact rated for demanding, high-torque applications.
- Engineered with a low-profile design, making them ideal for confined-area use.
- Use with impact drivers or standard rotary drills with a 3-jaw chuck.



## SOCKET ADAPTERS

Socket Adapters Engineered to Exceed the Demands of the Professional Tradesperson.

- Spring ball securely holds sockets in place.
- Impact rated for demanding, high-torque applications.
- Use with impact drivers or standard rotary drills with a 3-jaw chuck.

### 1/4" SOCKET ADAPTERS



Square Sizes:

- 1/4"
- 3/8"
- 1/2"

Also Available in a Set



Impact Rated  
1/4" Speed Hex

### UNIVERSAL WING NUT DRIVER



Impact Rated  
1/4" Speed Hex






CARBIDE TIPPED  
**SPYDER**  
TARANTULA™



# TARANTULA™ CIRCULAR SAW BLADES

NiCo (Nickel Cobalt) Teeth Provide Clean Cuts and Exceptionally Long Life

- Lasts up to 6x longer than conventional blades.
- Alternating tooth bevel (ATB) and ultra tough NiCo (nickel cobalt) cutting teeth are sharpened 3x for exceptionally clean cuts.
- Interfused anti-friction coating protects against heat, gumming and corrosion.
- Polymer stabilization vents reduce noise and vibrations.



Lasts Up to 6x Longer than Conventional Blades.

**UP TO**  
**6x**  
**LONGER**



Polymer Stabilization Vents

Ultra Tough NiCo (Nickel Cobalt) Cutting Teeth



### Diameters and Applications:

- 5-1/2" - 18T Framing
- 6-1/2" - 18T Fast Framing, 24T Framing, 48T Ultra Fine
- 7-1/4" - 24T Framing, 40T Fine, 44T Composite Decking, 60T Ultra Fine, 60T Laminated Wood
- 8-1/4" - 24T Framing, 40T Fine, 60T Framing






CARBIDE TIPPED  
**SPYDER**  
TARANTULA™



# TARANTULA™ LARGE DIAMETER CIRCULAR SAW BLADES

NiCo (Nickel Cobalt) Teeth Provide Clean Cuts and Exceptionally Long Life

- Lasts up to 6x longer than conventional blades.
- Alternating tooth bevel (ATB), alternating tooth bevel with raker (ATB-R) and ultra tough NiCo (nickel cobalt) cutting teeth are sharpened 3x for exceptionally clean cuts.
- Interfused anti-friction coating protects against heat, gumming and corrosion.
- Polymer stabilization vents reduce noise and vibrations.
- Framing / construction blade is up to 3x stronger for reduced blade binding.



WOOD

ALTERNATING TOOTH BEVEL (ATB) TEETH

ALTERNATING TOOTH BEVEL WITH RAKER (ATB-R) TEETH

NiCo CARBIDE TEETH

Lasts Up to 6x Longer than Conventional Blades.

**UP TO 6x LONGER**



CARBIDE TIPPED  
**SPYDER**  
TARANTULA™

ULTRA TOUGH  
**NiCo** NICKEL COBALT

UP TO  
**6x LONGER LASTING**  
THAN REGULAR BLADES

POLYMER STABILIZATION VENTS

INTERFUSED ANTI-FRICTION COATING

ROTATION

**12" | 100**  
305mm | TOOTH  
1" (25mm) ARBOR / MAX RPM: 6,000

**ULTRA FINE FINISH**



Read warnings included on blade or visit [SpyderProducts.com](http://SpyderProducts.com) | call 888-471-2289

**WARNING:** TO REDUCE THE RISK OF SERIOUS INJURY, ALWAYS WEAR PROPER EYE AND RESPIRATORY PROTECTION. CARBIDE IS A HARD BUT BRITTLE MATERIAL. FOREIGN OBJECTS IN THE WORKPIECE SUCH AS WIRE OR NAILS CAN CAUSE TIPS TO CRACK OR BREAK. ONLY OPERATE SAW MACHINE WHEN PROPER SAW BLADE GUARD IS IN PLACE. MOUNT BLADE SECURELY IN PROPER ROTATION BEFORE USING. AND ALWAYS USE A CLEAN, SHARP BLADE.

**SAFETY INSTRUCCIONES:** Important instructions and warnings are contained in the tool owners manual. Please refer to the manual before using tool with this blade. Failure to heed all safety instructions and warnings regarding the use of the products could result in serious bodily injury. Visually examine blade for damage. Do not use if damage is suspected.

**ADVERTENCIA:** PARA REDUCIR EL RIESGO DE LESIONES, LLEVE SIEMPRE LENTES PROTECTORAS Y PROTECCION RESPIRATORIA ADECUADAS. EL CARBURO ES UN MATERIAL DURO, PERO QUEBRADIZO. EL IMPACTO DE OBJETOS EXTRAÑOS EN LA PIEZA, TALES COMO ALAMBRE O CLAVOS, PUEDE PROVOCAR QUE LAS PUNTAS SE ROMPAN O SE CUARTEEEN. OPERE LA SIERRA SOLO SI LA GUARDA DE LA HOJA DE SIERRA ESTA EN SU LUGAR. MONTE LA HOJA FIRMEMENTE EN LA ROTACION ADECUADA ANTES DE USAR Y SIEMPRE USE UNA HOJA LIMPA Y AFILADA.

**INSTRUCCIONES DE SEGURIDAD:** En el manual del propietario de la herramienta encontrara instrucciones y advertencias importantes. Consulte el manual antes de usar la herramienta con esta hoja. No respetar las instrucciones y advertencias respecto del uso de este producto puede ser causa de lesiones corporales graves. Compare que la hoja no presente danos. No use la hoja si sospecha que puede estar danada.

Ultra Tough NiCo (Nickel Cobalt) Cutting Teeth.



### Diameters and Applications:

- 10" - 40T Framing, 50T Combo, 60T Fine, 80T Ultra Fine
- 12" - 40T Fast Framing, 60T Framing, 60T Combo, 80T Fine, 100T Ultra Fine







CARBIDE TIPPED  
**SPYDER**  
TARANTULA



# TARANTULA™ DEMOLITION CIRCULAR SAW BLADES

NiCo (Nickel Cobalt) DEMO DRIVE Teeth Power through Nail-Embedded Wood


- Lasts up to 10x longer than conventional blades.
- Blade features DEMO DRIVE teeth that are sharpened 4x to provide exceptionally clean cuts to power through nail-embedded wood.
- Interfused anti-friction coating protects against heat, gumming and corrosion.
- Alternating tooth bevel (ATB) provides exceptionally smooth cuts.
- Polymer stabilization vents reduce noise and vibrations.



Alternating Tooth Bevel Separated with our DEMO DRIVE Center Point Tooth for Extra Cutting Accuracy and Power.

Lasts up to 10x Longer than Conventional Blades.

**UP TO 10x LONGER**



Polymer Stabilization Vents

Ultra Tough NiCo (Nickel Cobalt) Cutting Teeth



Diameters and Applications:

- 6-1/2" - 24T Demolition
- 7-1/4" - 24T Demolition



CARBIDE TIPPED  
**SPYDER**  
TARANTULA™






# TARANTULA™ DADO CIRCULAR SAW BLADES

Oversized, Ultra Tough NiCo (Nickel Cobalt) Teeth Cut Exceptionally Clean Grooves from 1/4" to 13/16"

- Lasts up to 6x longer than conventional blades.
- Alternating tooth bevel (ATB) profile on the outer scoring blades and re-sharpenable, oversized ultra tough NiCo (nickel cobalt) cutting teeth are sharpened 3x for exceptionally clean cuts.
- Flat top grind (FTG) chippers cleanly remove material for ultimate cut joints.
- Interfused anti-friction coating protects against heat, gumming and corrosion.
- Cuts grooves from 1/4" to 13/16" in soft and hard woods, plywood and melamine.
- Each set includes 2 blades, 3 chippers, 3 spacers and 8 width alignment shims.



Lasts Up to 6x Longer than Conventional Blades.

**UP TO 6x LONGER**

3 Spacers



8 Width Alignment Shims  
0.1mm [5]  
0.2mm [1]  
0.3mm [1]  
0.5mm [1]



**ULTRA TOUGH NiCo NICKEL COBALT**

Oversized, Ultra Tough NiCo (Nickel Cobalt) Cutting Teeth

Diameters:  
• 6" - 12T  
• 8" - 12T

Available in Sets

	1/4"	9/32"	5/16"	11/32"	3/8"	13/32"	7/16"	15/32"	1/2"	17/32"	9/16"	19/32"	5/8"	21/32"	11/16"	23/32"	3/4"	12/32"	13/16"
Chipper	1				1	1	1	1	2	2	2	2	3	3	3	3	3	3	3
Spacer			1	1			1	1			1	1			1	1	2	2	3
.5mm Shim		1		1		1		1		1		1		1		1		1	
.3mm Shim		1		1		1		1		1		1		1		1		1	

Chart shows blades needed to gut grooves in various sizes. Each includes both outer scoring blades.



  
**POLYCRYSTALLINE**  
**DIAMOND TIPPED**



# TARANTULA™ PCD CIRCULAR SAW BLADE

PCD (Polycrystalline Diamond Tipped) Blade, the Professional's Choice for Fiber Cement Applications

- Lasts up to 60x longer than carbide blades in tough fiber cement cutting applications.
- Interfused anti-friction coating protects against heat, gumming and corrosion.
- Flat top grind (FTG) teeth reliably cut abrasive materials.
- Polymer stabilization vents reduce noise and vibrations.
- Durable blade tracks straight with reduced friction, heat and noise.
- Ideal for cutting exterior fiber cement board panels, interior cement backer board, laminate flooring and other softer, abrasive materials.

Lasts Up to  
60x Longer than  
Carbide  
Blades.

**UP TO  
60x  
LONGER**

Flat Top Grind Teeth



**POLYCRYSTALLINE  
DIAMOND TIPPED**



FIBER CEMENT  
BOARD

FLAT TOP  
GRIND  
(FTG) TEETH

POLYCRYSTALLINE  
DIAMOND  
TIPPED



Polymer  
Stabilization  
Vents

Diameter and Application:

- 7-1/4" PCD - 4T Fiber Cement Board



**DIAMOND BITE™**  
CUTTING BLADE

#### 4" DIAMOND BITE™ GRINDING CUP

Complex Diamond Matrix Grinding Cup for Concrete and Masonry Materials

- Blade constructed with a high concentration of premium industrial diamonds bonded in a complex diamond matrix.
- Grinds cooler, quicker, cleaner and longer than standard diamond blades.
- Grind wet or dry for increased versatility.
- Ideal for grinding concrete, pavers and masonry.
- Use with angle grinder.
- 5/8"-11 arbor.

**DIAMOND BITE™**



High Concentration of Premium Industrial Diamonds Bonded in a Complex Diamond Matrix



*See page 90 for specifications and ordering information.*



## DIAMOND BITE™ CUTTING BLADES

Complex Diamond Matrix Continuous Rim, Continuous Turbo Rim and Segmented Rimmed Blades are the Professional's Choice for Masonry and Tile

- Use the Continuous Rim for ultra clean cutting, Continuous Turbo Rim for fast and clean cutting and Segmented Rim for fast cutting.
- Lasts up to 5x longer than standard diamond blades.
- Up to 33% faster and cleaner than standard diamond blades.
- Cuts cooler, quicker, cleaner and longer than standard diamond blades.
- Cut wet or dry for increased versatility.
- Ideal for fast cutting applications including masonry, pavers, concrete and tile.

# DIAMOND BITE™


High Concentration of Premium Industrial Diamonds Bonded in a Complex Diamond Matrix



**SEGMENTED  
FAST**

**CONTINUOUS  
TURBO  
FAST & CLEAN**

**CONTINUOUS  
ULTRA CLEAN**



Up to 33% Faster and Cleaner than Standard Diamond Blades.


**UP TO  
33%  
FASTER**

Lasts Up to 5x Longer than Standard Diamond Blades.

**UP TO  
5x  
LONGER**

Diameter, Application and Size:

- Continuous Rim - Ultra Clean: 4" and 4-1/2"
- Continuous Turbo Rim - Fast and Clean: 4", 4-1/2", 7" and 10"
- Segmented Rim - Fast: 4-1/2", 7" and 14"










## DIAMOND EDGE UNIVERSAL CUT-OFF WHEELS

Long Lasting Diamond Abrasive Powers through Almost any Material

- Lasts up to 100x longer than conventional cut-off wheels.
- Cuts almost any material – steel, stainless steel, cast iron, rebar, masonry, ceramic tile, composites and more.
- Safer, shatter-resistant steel core won't blow apart like conventional bonded abrasive wheels.
- Lowest cost per cut wheel – spend less time and cost replacing wheels, and more time working.
- Uniform wheel diameter provides a consistent cut.
- Reduced dust and debris during use.



**UP TO**  
**100x**  
**LONGER**

Lasts Up to 100x Longer than Conventional Cut-Off Wheels.



Shatter-Resistant Steel Core


Uniform Diameter Provides Consistent Cuts.



Diameters:

- 3"
- 4"
- 4-1/2"
- 5"
- 7"
- 14"





DOUBLE-SIDED





CRV / BIM / HSS



# CHROME VANADIUM (CrV) JIG SAW BLADES

Chrome Vanadium Blades for Fast and Clean Cuts through Wood

- **Skeleton™** open framework design creates exceptionally straight cuts and blades dissipate frictional heat for extreme durability.
- **Double-Sided** blades cut forwards, cut backwards and pivot like a scroll saw to make tight curve cuts.
- Blade types include: Fast Straight, Clean Straight, Clean Straight Down, Fast Curve and Clean Curve.
- Blade lengths include: 3-1/2", 4 and 4-1/2".
- Made in Germany.




**Skeleton™** Open Framework Design Creates Exceptionally Straight Cuts.

**Double-Sided** Blades Create Precise, Small Curve Cuts.

Down Cut Creates Cleaner Top Cuts.

## CHROME VANADIUM

For Fast and Clean Cuts Through Soft and Hard Wood.



Curve Wood Cutting:

- 4-1/2", **8/10 TPI**, Fast, Curve, **Double-Sided**, Soft Wood
- 4", **17/19 TPI**, Clean, Curve, **Double-Sided**, Hard Wood
- 3-1/2", **19 TPI**, Clean, Curve, Hard Wood
- 4", **6 TPI**, Fast, Curve, Soft Wood

Straight Wood Cutting:

- 4", **10 TPI**, Fast, Straight, **Skeleton™**, Soft Wood
- 4", **17 TPI**, Clean, Straight, **Skeleton™**, Hard Wood
- 4", **6 TPI**, Fast, Straight, Soft Wood
- 4", **10 TPI**, Clean, Straight, Soft Wood
- 4", **10 TPI**, Clean, Straight, Down, Soft Wood




Available in Kits and Sets



# BI-METAL (BiM) JIG SAW BLADES

8% Cobalt Bi-Metal Steel Blades for Tough Cuts

- Highly heat resistant.
- Cuts hard wood, plywood, laminated wood, all plastics, steel, stainless steel, aluminum and wood with nails.
- Blade types include: Fast Straight, Clean Straight, Double Clean Straight and Clean Curve.
- Blade lengths include: 4 and 5-1/8".
- Made in Germany.



Cuts All Plastics.



Double Clean Creates Clean Top & Bottom Cuts.



Cuts Medium Metal and Stacked Materials.

BiM Blades are Highly Heat Resistant.

## BI-METAL 8% Cobalt Blades Better for Cutting Hard Wood, Thin & Thick Metal.



Metal Cutting:

- 4", **21 TPI**, Medium Metal <1/8"
- 4", **12 TPI**, Thick Metal <1/4"

Laminated Wood Cutting:

- 4", **16 TPI**, Clean, Curve
- 4", **17 TPI**, Clean, Straight (All Plastics)
- 5-1/8", **12 TPI**, Double Clean, Straight

Wood & Metal Cutting:

- 5-1/8", **6-10 TPI**, Fast, Straight



Available in Kits and Sets


See page 91 and page 92 for specifications and ordering information.



## HIGH SPEED STEEL (HSS) JIG SAW BLADES


High Speed Steel for Cutting Metal

- High Speed Steel, good for cutting wood with nails.
- Blade lengths include: 3 and 3-5/8".
- Made in Germany.



## HIGH SPEED STEEL

High Speed Steel for Cutting Metal



Metal Cutting:

- 3", **28 TPI**, HSS, Thin Metal <1/16"
- 3-5/8", **18-23 TPI**, HSS, Medium Metal <1/8"
- 3-5/8", **11-13 TPI**, HSS, Thick Metal <1/4"

Available in Kits

See page 92 for specifications and ordering information.







**3X3**  
STRENGTH • VERSATILITY • DURABILITY



# 3X3™ DOUBLE-SIDED RECIPROCATING SAW BLADES


Blades Cut in Any Direction

- Double-edged blade cuts in both directions without needing to flip the saw over.
- Rounded tip plunge cuts with ease – no pilot hole needed.
- Two-sided blades last up to 20x longer than conventional single sided blades.
- Shatter resistant 8% cobalt Bi-Metal blade.
- Cuts wood, pipe, sheet metal, plastic, fiberglass and more.
- Cost effective – 2 blades for the price of one!
- Made in Germany.



Plunge Cut with Ease.

Shatter Resistant  
8% Cobalt  
Bi-Metal  
Blade.



Two-Sided Blades Last up to 20x  
Longer than Conventional  
One Sided Blades.

UP TO **2x10x** LONGER 

Length, TPI and Applications:

- 6" - 10/6 TPI - Wood, Drywall and Laminates
- 6" - 14/10-14 TPI - Demolition and Metal
- 6" - 18/14 TPI - Metal, Nail-Embedded Wood and Fiberglass
- 8" - 10/6 TPI - Wood, Drywall and Laminated Wood
- 8" - 10/8-12 TPI - Advanced Demolition
- 8" - 14/10 TPI - Demolition and Metal
- 8" - 14/10-14 TPI - Extreme Metal, Nail-Embedded Wood and Fiberglass
- 10" - 10/8-12 TPI - Advanced Demolition
- 10" - 14/10-14 TPI - Extreme Metal, Nail-Embedded Wood and Fiberglass

Available in Bulk and as a Set





## MACH-BLUE™ RECIPROCATING SAW BLADES

MachBlue™ Plating and 8% Cobalt Bi-metal Construction for Increased Durability in Tough Applications

- Up to 20x longer lasting than conventional bi-metal blades.
- Super hard proprietary Mach-Blue™ plating retains sharper cutting edges for fast and accurate cutting.
- 8% cobalt for added durability reduces heat build-up and friction in the toughest cutting applications.
- Shatter-resistant bi-metal blade is designed to bend and flex for added safety.
- Variable tooth pitch guarantees fast and clean cuts through a wide variety of materials.
- Extreme value when compared to drastically more expensive carbide tipped reciprocating saw blades.
- Cuts wood with nails, steel, stainless steel, PVC and more.
- Made in Germany.



Proprietary Hard Surface Retains Cutting Edges, Reduces Heat and Friction.



WOOD/NAILS

METAL

Shatter-Resistant and Durable

8% Cobalt for Added Durability

UP TO  
**20x**  
LONGER

Up to 20x Longer Lasting than Conventional Bi-metal Blades.



Length, TPI and Applications:

- 9" and 12" - **6 TPI** - Nail-Embedded Wood and Plywood, Fast and Smooth
- 6", 9" and 12" - **10-14 TPI** - Nail-Embedded Wood, Steel and Stainless Steel, Fast and Clean
- 6" - **18 TPI** - Thin and Thick Metals, Fast and Smooth





**BLACK SERIES™**  
Bi-Metal Reciprocating Blades



# BLACK SERIES™ RECIPROCATING SAW BLADES

Variable Tooth Pitch Guarantees Fast and Clean Cuts through Various Material Thicknesses

- Up to 10x longer lasting than conventional bi-metal blades.
- Up to 3x faster than conventional bi-metal blades.
- 8% cobalt teeth provide exceptionally long cutting durability and heat resistance.
- Shatter-resistant and durable for the toughest cutting applications.
- Cuts steel, stainless steel, aluminum, wood with nails, PVC and more.
- Made in the USA.

UP TO  
**10x**  
LONGER

UP TO  
**3x**  
FASTER

Lasts Up to 10x Longer and Up to 3x Faster than Conventional Bi-Metal Blades.

## BLACK SERIES™ Bi-Metal Reciprocating Blades



Shatter-Resistant and Durable



8% Cobalt Teeth



Length, TPI and Applications:

- 6", 9" and 12" - **6 TPI** - Nail-Embedded Wood, Drywall and Timber, Fast and Smooth
- 6", 8", 9" and 12" - **10-14 TPI** - Wood and Metals, Fast and Clean
- 6" - **18 TPI** - Thin and Thick Metals, Fast and Smooth
- 8" - **14 TPI** - Thin Metals, Fast and Clean

Also Available as a Set




**CARBIDE TIPPED**



## TUNGSTEN CARBIDE TIPPED (TCT) RECIPROCATING SAW BLADES

Cuts with Significantly Less Dust & Debris than Conventional Rotary Cutting Wheels

- Quickly cuts through concrete block, brick, masonry and timber.
- Creates less dust & debris than conventional rotary wheels.
- Tungsten carbide tipped blade provides extended tool life.
- Make square & flush cuts.
- Access hard-to-reach areas.
- 9", 12" and 18" lengths.
- Made in Germany.



Lengths:  
9", 12" and 18"



### **CARBIDE TIPPED**

Tungsten Carbide Tipped Blade for Extended Tool Life.










## SPYDER® SCRAPER™ RECIPROCATING BLADES

Finish the Job in a Fraction of the Time with a Fraction of the Effort

- Easily remove tile, linoleum flooring, mastics and more.
- Quenched and tempered high-carbon spring steel retains edge sharpness.
- Re-sharpenable blade extends tool life.
- Multiple applications.
- Fits all reciprocating saws.
- Made in the USA.



Fits all  
Reciprocating Saws.

Widths:  
2", 4" and 6"

Re-sharpenable  
High-Carbon Spring  
Steel Blade.

### Widths and Applications:

- 2" - Ceramic & Vinyl Tile Adhesive, Thin-Set, Linoleum, Tough Glue and Drywall Mud
- 4" - Linoleum, Tough Glue and Drywall Mud
- 6" - Paint, Rubber-Backed Carpet and Wall Paper

*Also Available in Bulk or as a Set*





## CARBON STEEL WIRE RECIPROCATING BRUSH

Fits Where Many Rotary Brushes Cannot


- Use on metals, concrete, stone and wood surfaces.
- Tough carbon steel bristles remove the toughest contaminants.
- Removes flaking paint, rust, scratches, dirt and small imperfections.
- Fits all reciprocating saws.

## NYLON RECIPROCATING BRUSH

Makes Clean-Up and Surface Prep a Snap


- Use on grout, carpet, tile, laminates, rubber, concrete, brick and more.
- Nylon bristles provide tough cleaning power without scratching surfaces.
- Makes quick work of stubborn layers of grime.
- Fits all reciprocating saws.

Fits all  
Reciprocating Saws.



Available in Bulk

Fits all  
Reciprocating Saws.



Nylon Bristles




## GROUT-OUT™ RECIPROCATING BLADES

Provides Both Speed and Precision to Make Your Job Easy

- Up to 10x faster than hand removal.
- Vacuum-braided tungsten carbide grit quickly removes grout.
- Power through any grout in a fraction of the time – including urethane and epoxy.
- Fits all reciprocating saws.



**UP TO**  
**10x**  
**FASTER** Up to 10x Faster than  
Removal by Hand.



2 Widths

Narrow 1/16"	For joints 1/16" - 3/16"
Wide 3/16"	For joints 3/16" - 3/4"


Available in Bulk or as a Set



## SANDER

Tight Spaces, Curved Surfaces and Hard-to-Reach Corners

- Quickly sand tight spaces, curved surfaces and outside and inside corners.
- Tough insert-molded attachment blade provides maximum durability.
- Hook-and-loop sandpaper is quick and easy to replace.
- 3 piece sandpaper set included.
- Compatible with Mouse™ sandpaper.
- Fits all reciprocating saws.







## SHOP STOOL

### Retro Vinyl Padded Stool

- Constructed with heavy-duty steel & high grade vinyl for durability.
- Industrial quality stool supports up to 300 lbs.
- Chrome-plated legs are equipped with anti-slip protective caps.
- Perfect for any shop, garage or home.





**SPYDER® PATENTED Hex8 AND Hex10 HSS AND TCT RAPID CORE EJECT™ ARBOR SYSTEM**

UP TO  
**5x**  
FASTER



**Spyder® Patented Hex8 and Hex10 HSS and TCT Rapid Core Eject™ Arbor System**


Description	Arbor Hex†	Arbor Thread	Pieces	RCE Pilot Bit	RCE Arbor Adapter	RCE Arbor Complete
<b>HSS</b> For Metal and Wood	8	1/2" - 20	1	<b>600648P</b>	<b>600868P</b>	<b>600637P</b>
	8	1/2" - 20	10	<b>600648-10</b>	<b>600868-10</b>	
	10	5/8" - 18	1	<b>600645P</b>	<b>600869P</b>	<b>600634P</b>
	10	5/8" - 18	10	<b>600645-10</b>	<b>600869-10</b>	
<b>TCT</b> For Masonry and Wood	8	1/2" - 20	1	<b>600649P</b>	<b>600868P</b>	<b>600638P</b>
	8	1/2" - 20	10	<b>600649-10</b>	<b>600868-10</b>	
	10	5/8" - 18	1	<b>600646P</b>	<b>600869P</b>	<b>600635P</b>
	10	5/8" - 18	10	<b>600646-10</b>	<b>600869-10</b>	
Hex8/Hex10 Locking Extensions			6" Length: <b>600951</b>		12" Length: <b>600952</b>	

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.



**TUNGSTEN CARBIDE TIPPED (TCT) RAPID CORE EJECT™ HOLE SAWS**  
2-3/8" DEPTH OF CUT

**CARBIDE TIPPED**



UP TO  
**10x**  
MORE

UP TO  
**5x**  
FASTER



**Tungsten Carbide Tipped Hole Saw Kits and Set with Rapid Core Eject™ Arbor(s). Kits in Carry Case, 6 Piece Set in Blister**

Item #	Pieces	Arbor Hex†	Pilots	Saw Diameters
<b>600880</b>	14	Hex10	Hex10 HSS, Hex10 TCT	1-3/8, 1-1/2, 1-3/4, 2, 2-1/2, 2-3/4, 3, 3-1/2, 4, 4-1/4, 4-1/2"
<b>600938</b>	18	Hex8, Hex10	Hex8 HSS, Hex8 TCT, Hex10 HSS, Hex10 TCT	3/4, 7/8, 1-1/8, 1-3/8, 1-3/4, 2, 2-1/2, 2-5/8, 3, 3-5/8, 4-1/8, 4-1/2"

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.

**Tungsten Carbide Tipped Hole Saws**

Item #	Diameter	Arbor Hex†	# / Pack
<b>600002CF</b>	3/4"	8	1 / Crimp Foil
<b>600005CF</b>	7/8"	8	1 / Crimp Foil
<b>600007CF</b>	1"	8	1 / Crimp Foil
<b>600009CF</b>	1-1/8"	8	1 / Crimp Foil
<b>600011CF</b>	1-1/4"	10	1 / Crimp Foil
<b>600013CF</b>	1-3/8"	10	1 / Crimp Foil
<b>600015CF</b>	1-1/2"	10	1 / Crimp Foil
<b>600017CF</b>	1-5/8"	10	1 / Crimp Foil
<b>600019CF</b>	1-3/4"	10	1 / Crimp Foil
<b>600021CF</b>	1-7/8"	10	1 / Crimp Foil
<b>600022CF</b>	2"	10	1 / Crimp Foil
<b>600024CF</b>	2-1/8"	10	1 / Crimp Foil

**Tungsten Carbide Tipped Hole Saws**

Item #	Diameter	Arbor Hex†	# / Pack
<b>600025CF</b>	2-1/4"	10	1 / Crimp Foil
<b>600027CF</b>	2-3/8"	10	1 / Crimp Foil
<b>600028CF</b>	2-1/2"	10	1 / Crimp Foil
<b>600029CF</b>	2-9/16"	10	1 / Crimp Foil
<b>600030CF</b>	2-5/8"	10	1 / Crimp Foil
<b>600032CF</b>	2-3/4"	10	1 / Crimp Foil
<b>600034CF</b>	3"	10	1 / Crimp Foil
<b>600036CF</b>	3-1/4"	10	1 / Crimp Foil
<b>600038CF</b>	3-1/2"	10	1 / Crimp Foil
<b>600039CF</b>	3-5/8"	10	1 / Crimp Foil
<b>600041CF</b>	3-3/4"	10	1 / Crimp Foil
<b>600042CF</b>	4"	10	1 / Crimp Foil

**Tungsten Carbide Tipped Hole Saws**

Item #	Diameter	Arbor Hex†	# / Pack
<b>600043CF</b>	4-1/8"	10	1 / Crimp Foil
<b>600044CF</b>	4-1/4"	10	1 / Crimp Foil
<b>600046CF</b>	4-1/2"	10	1 / Crimp Foil
<b>600055CF</b>	4-5/8"	10	1 / Crimp Foil
<b>600047CF</b>	4-3/4"	10	1 / Crimp Foil
<b>600048CF</b>	5"	10	1 / Crimp Foil
<b>600050CF</b>	5-1/2"	10	1 / Crimp Foil
<b>600116CF</b>	5-3/4"	10	1 / Crimp Foil
<b>600052CF</b>	6"	10	1 / Crimp Foil
<b>600051CF</b>	6-1/4"	10	1 / Crimp Foil
<b>600117CF</b>	6-3/8"	10	1 / Crimp Foil
<b>600054CF</b>	6-5/8"	10	1 / Crimp Foil


†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.





**TARANTULA™ RAPID CORE EJECT™  
HOLE SAWS**  
2-3/8" DEPTH OF CUT

**CARBIDE TIPPED**



UP TO  
**50x**  
MORE

UP TO  
**10x**  
FASTER



**Tarantula™ Hole Saw Kit and Set with Rapid Core Eject™ Arbor(s). Kit in Carry Case, 6 Piece Set in Blister**

Item #	Pieces	Arbor Hex†	Pilots	Saw Diameters
600925	9	Hex8, Hex10	Hex8 HSS, Hex10 HSS	1, 1-1/8, 1-3/8, 1-1/2, 2"

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.

**Tarantula™ Hole Saws**

Item #	Diameter	Arbor Hex†	# / Pack
600895CF	7/8"	8	1 / Crimp Foil
600896CF	1"	8	1 / Crimp Foil
600897CF	1-1/16"	8	1 / Crimp Foil
600898CF	1-1/8"	8	1 / Crimp Foil
600899CF	1-1/4"	10	1 / Crimp Foil
600900CF	1-3/8"	10	1 / Crimp Foil
600901CF	1-1/2"	10	1 / Crimp Foil
600902CF	1-5/8"	10	1 / Crimp Foil

**Tarantula™ Hole Saws**

Item #	Diameter	Arbor Hex†	# / Pack
600903CF	1-3/4"	10	1 / Crimp Foil
600904CF	1-7/8"	10	1 / Crimp Foil
600905CF	2"	10	1 / Crimp Foil
600906CF	2-1/8"	10	1 / Crimp Foil
600907CF	2-1/4"	10	1 / Crimp Foil
600908CF	2-3/8"	10	1 / Crimp Foil
600909CF	2-1/2"	10	1 / Crimp Foil
600910CF	2-9/16"	10	1 / Crimp Foil

**Tarantula™ Hole Saws**

Item #	Diameter	Arbor Hex†	# / Pack
600911CF	2-5/8"	10	1 / Crimp Foil
600912CF	2-3/4"	10	1 / Crimp Foil
600913CF	3"	10	1 / Crimp Foil
600914CF	3-1/2"	10	1 / Crimp Foil
600927CF	3-5/8"	10	1 / Crimp Foil
600915CF	4"	10	1 / Crimp Foil
600916CF	4-1/4"	10	1 / Crimp Foil
600917CF	4-1/2"	10	1 / Crimp Foil

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.



**BI-METAL RAPID CORE EJECT™ HOLE SAWS**  
1-7/8" DEPTH OF CUT

**BI-METAL**



**Bi-Metal Hole Saw Kits and Set with Rapid Core Eject™ Arbor(s). Kits in Carry Case**

Item #	Pieces	Arbor Hex†	Pilots	Saw Diameters
600886	11	Hex8, Hex10	Hex8 HSS, Hex10 HSS	3/4, 7/8, 1-1/8, 1-1/2, 2, 2-1/8, 2-1/2"
600887	13	Hex8, Hex10	Hex8 HSS, Hex10 HSS	3/4, 7/8, 1-1/8, 1-3/8, 1-1/2, 2, 2-1/8, 2-1/4, 2-1/2"

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.

**Bi-Metal Hole Saws**

Item #	Diameter	Arbor Hex†	# / Pack
600061CF	3/4"	8	1 / Crimp Foil
600064CF	7/8"	8	1 / Crimp Foil
600066CF	1"	8	1 / Crimp Foil
600068CF	1-1/8"	8	1 / Crimp Foil
600070CF	1-1/4"	10	1 / Crimp Foil
600072CF	1-3/8"	10	1 / Crimp Foil
600074CF	1-1/2"	10	1 / Crimp Foil
600076CF	1-5/8"	10	1 / Crimp Foil
600078CF	1-3/4"	10	1 / Crimp Foil
600080CF	1-7/8"	10	1 / Crimp Foil
600081CF	2"	10	1 / Crimp Foil

**Bi-Metal Hole Saws**

Item #	Diameter	Arbor Hex†	# / Pack
600083CF	2-1/8"	10	1 / Crimp Foil
600084CF	2-1/4"	10	1 / Crimp Foil
600086CF	2-3/8"	10	1 / Crimp Foil
600087CF	2-1/2"	10	1 / Crimp Foil
600089CF	2-5/8"	10	1 / Crimp Foil
600091CF	2-3/4"	10	1 / Crimp Foil
600093CF	3"	10	1 / Crimp Foil
600095CF	3-1/4"	10	1 / Crimp Foil
600097CF	3-1/2"	10	1 / Crimp Foil
600098CF	3-5/8"	10	1 / Crimp Foil
600101CF	4"	10	1 / Crimp Foil

**Bi-Metal Hole Saws**

Item #	Diameter	Arbor Hex†	# / Pack
600102CF	4-1/8"	10	1 / Crimp Foil
600103CF	4-1/4"	10	1 / Crimp Foil
600105CF	4-1/2"	10	1 / Crimp Foil
600106CF	4-5/8"	10	1 / Crimp Foil
600100CF	4-3/4"	10	1 / Crimp Foil
600107CF	5"	10	1 / Crimp Foil
600109CF	5-1/2"	10	1 / Crimp Foil
600110CF	5-3/4"	10	1 / Crimp Foil
600111CF	6"	10	1 / Crimp Foil
600928CF	6-3/8"	10	1 / Crimp Foil
600113CF	6-5/8"	10	1 / Crimp Foil

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.



**PRO PACK RAPID  
CORE EJECT™ HOLE  
SAW KIT BI-METAL  
& TCT HOLE SAWS**

**BI-METAL**



WOOD/NAILS

PLASTIC/PVC

STEEL/METAL

NON-FERROUS  
METAL

FIBER CEMENT  
BOARD

CONCRETE  
BLOCK

BRICK

**CARBIDE TIPPED**

UP TO  
**10x**  
MORE

UP TO  
**5x**  
FASTER



**Pro Pack Hole Saw Kit with Rapid Core Eject™ Arbors in Two Carry Cases.**

Item #	Pieces	Arbor Hex†	Pilots	Saw Diameters
600939	27	Hex8, Hex10 [2x]	Hex8 HSS, Hex10 HSS [2x], Hex10 TCT	11 TCT Saws - 2-3/8" Depth of Cut: 1-3/8, 1-1/2, 1-3/4, 2, 2-1/2, 2-3/4, 3, 3-1/2, 4, 4-1/4, 4-1/2"
				9 Bi-Metal Saws - 1-7/8" Depth of Cut: 3/4, 7/8, 1-1/8, 1-3/8, 1-1/2, 2, 2-1/8, 2-1/4, 2-1/2"

†Hex8 fits 3/8" and 1/2" drill chucks. Hex10 fits 1/2" drill chucks.








**TUNGSTEN CARBIDE TIPPED (TCT) DEEP CUT  
Hex11 HOLE SAW SYSTEM**  
6-1/4" DEPTH OF CUT

**CARBIDE TIPPED**



**UP TO  
10x  
MORE**

Tungsten Carbide Tipped Deep Hole Saws			
Item #	Diameter	Arbor Hex†	# / Pack
600825	1-1/4"	11	1 / Box
600826	1-3/4"	11	1 / Box
600827	2"	11	1 / Box
600828	2-3/8"	11	1 / Box
600829	2-9/16"	11	1 / Box

Tungsten Carbide Tipped Deep Hole Saws			
Item #	Diameter	Arbor Hex†	# / Pack
600830	3"	11	1 / Box
600831	3-3/8"	11	1 / Box
600832	3-5/8"	11	1 / Box
600833	4"	11	1 / Box
600834	4-1/8"	11	1 / Box

Tungsten Carbide Tipped Deep Hole Saws			
Item #	Diameter	Arbor Hex†	# / Pack
600835	4-3/8"	11	1 / Box
600836	4-3/4"	11	1 / Box
600837	5-1/4"	11	1 / Box
600838	6"	11	1 / Box


†Hex11 fits 1/2" drill chucks.

Hex11 Deep Cut Arbor Completes and Pilot Bits				
Description	Arbor Hex†	Arbor Thread	Deep Cut Pilot Bit	Hex11 Deep Cut Arbor Complete
HSS For Metal and Wood	11	5/8" - 18	600841	600839
TCT For Masonry and Wood	11	5/8" - 18	600842	600840

†Hex11 fits 1/2" drill chucks.



**DIAMOND EDGE  
HOLE SAWS**  
1-1/2" DEPTH OF CUT



**UP TO  
20x  
MORE** **UP TO  
10x  
FASTER**

Diamond Edge Hole Saws		
Item #	Diameter	# / Pack
600857	1-1/4"	1 / Clam
600858	1-3/8"	1 / Clam


Diamond Edge Hole Saws		
Item #	Diameter	# / Pack
600859	1-1/2"	1 / Clam
600860	2"	1 / Clam

Diamond Edge Hole Saws		
Item #	Diameter	# / Pack
600861	2-1/2"	1 / Clam

Carbide Tipped Pilot Bit/Arbor			
Item #	Arbor Thread	# / Pack	Description
600862	5/8" - 18	1 / Clam	3/8" auto-guide carbide tipped pilot bit / arbor for use in 3-jaw chuck.



**DIAMOND EDGE  
HOLE SAW BITS**  
1-1/8" DEPTH OF CUT



**UP TO  
20x  
MORE** **UP TO  
10x  
FASTER**

Diamond Edge Hole Saw Bit Set		
Item #	Pieces	Saw Bit Diameters
600950	3	3/16, 1/4, 1/2"

Diamond Edge Hole Saw Bits			
Item #	Diameter	Speed Hex	# / Pack
600846	3/16"	1/4"	1 / Clam
600847	1/4"	1/4"	1 / Clam
600848	5/16"	1/4"	1 / Clam
600849	3/8"	1/4"	1 / Clam

Diamond Edge Hole Saw Bits			
Item #	Diameter	Speed Hex	# / Pack
600850	1/2"	1/4"	1 / Clam
600851	5/8"	1/4"	1 / Clam
600852	3/4"	1/4"	1 / Clam
600853	1"	1/4"	1 / Clam

Diamond Edge Hole Saw Bits			
Item #	Diameter	Speed Hex	# / Pack
600854	1-1/4"	1/4"	1 / Clam
600855	1-3/8"	1/4"	1 / Clam

## NOMINAL HOLE DIMENSION CHART

Hole Saw Diameter	TCT 2-3/8" Depth of Cut	Tarantula™ 2-3/8" Depth of Cut	Bi-Metal 1-7/8" Depth of Cut	Deep TCT 6-1/4" Depth of Cut	Nominal Dimension Size†
3/4"	600002CF		600061CF		3/8" Metal Conduit, 1/2" Metal Conduit, 1/2" PEX, 5/8" PEX, 3/8" Black Pipe
7/8"	600005CF	600895CF	600064CF		1/2" PVC, 5/8" PEX, 3/4" PEX, 1/2" Black Pipe
1"	600007CF	600896CF	600066CF		1/2" PVC, 3/4" Metal Conduit, 3/4" PEX, Door Lock
1-1/16"		600897CF			
1-1/8"	600009CF	600898CF	600068CF		3/4" Pipe, 3/4" PVC, 1" PEX, 3/4" Black Pipe
1-1/4"	600011CF	600899CF	600070CF	600825	3/4" Pipe, 1" PEX
1-3/8"	600013CF	600900CF	600072CF		1" Pipe, 1" PVC, 1" Black Pipe
1-1/2"	600015CF	600901CF	600074CF		
1-5/8"	600017CF	600902CF	600076CF		
1-3/4"	600019CF	600903CF	600078CF	600826	1-1/4" Pipe, 1-1/4" PVC, 1-1/2" Metal Conduit, 1-1/4" Black Pipe
1-7/8"	600021CF	600904CF	600080CF		1-1/2" Pipe
2"	600022CF	600905CF	600081CF	600827	1-1/2" Pipe, 1-1/2" PVC, 1-1/2" Black Pipe
2-1/8"	600024CF	600906CF	600083CF		Door Lock
2-1/4"	600025CF	600907CF	600084CF		2" Metal Conduit
2-3/8"	600027CF	600908CF	600086CF	600828	2" Pipe, 2" PVC, 2" Black Pipe
2-1/2"	600028CF	600909CF	600087CF		2" Pipe, 2" PVC
2-9/16"	600029CF	600910CF		600829	
2-5/8"	600030CF	600911CF	600089CF		2-1/2" clearance size
2-3/4"	600032CF	600912CF	600091CF		Recessed Lighting
3"	600034CF	600913CF	600093CF	600830	2-1/2" Metal Conduit, 2-1/2" Black Pipe
3-1/4"	600036CF		600095CF		
3-3/8"				600831	
3-1/2"	600038CF	600914CF	600097CF		3" PVC, 3" Metal Conduit, 3" Black Pipe
3-5/8"	600039CF	600927CF	600098CF	600832	3" PVC, 3" Metal Conduit, 3" Black Pipe, Old Work Electrical Box
3-3/4"	600041CF				Recessed Lighting
4"	600042CF	600915CF	600101CF	600833	3-1/2" Metal Conduit, 3-1/2" Black Pipe, 4" Ducting
4-1/8"	600043CF		600102CF	600834	3-1/2" Metal Conduit, 3-1/2" Black Pipe, 4" Ducting, Old Work Electrical Box, Dryer/Bath Vents
4-1/4"	600044CF	600916CF	600103CF		Recessed Lighting
4-3/8"				600835	
4-1/2"	600046CF	600917CF	600105CF		4" PVC, 4" Metal Conduit, 4" Black Pipe
4-5/8"	600055CF				4" PVC, 4" Metal Conduit, 4" Black Pipe
4-3/4"	600047CF			600836	
5"	600048CF		600107CF		5" Ducting
5-1/4"				600837	
5-1/2"	600050CF				
5-3/4"	600116CF				
6"	600052CF		600111CF	600838	5" PVC, 5" Black Pipe, 6" Ducting, Bag Toss
6-1/4"	600051CF				Recessed Lighting
6-3/8"	600117CF		600928CF		Recessed Lighting
6-5/8"	600054CF		600113CF		6" PVC, 6" Black Pipe

† Suggested size only, measure for true accuracy.



Spyder® Product	Best Application
Stinger™ Spade Bits	Auto-feed holes in wood
Stinger™ Auger Bits	Wood w/nails & deep hole boring
Stinger™ Power Bits	Fastest drilling, clean entrance/exit and long battery life



### STINGER™ SPADE BITS



**STINGER™**  
Non-Clogging, Auto-Feed  
Tip Technology

UP TO  
**20x**  
FASTER

UP TO  
**10x**  
MORE


Stinger™ Spade Bit Kits and Set				
Item #	Length	Speed Hex	Pieces	Contents
11001	6"	1/4"	14	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/8"; with Nylon Woven Pouch
11026	6"	1/4"	8	3/8, 1/2, 5/8, 3/4, 7/8, 1, 1-1/8, 1-1/2"; with Flip Case
11002	6"	1/4"	6	3/8, 1/2, 5/8, 3/4, 7/8, 1" in Clamshell

Stinger™ Spade Bits			
Item #	Length & [#]	Speed Hex	Diameter
11003	6" [1]	1/4"	1/4"
11004	6" [1]	1/4"	5/16"
11005	6" [1]	1/4"	3/8"
11006	6" [1]	1/4"	7/16"
11007	6" [1]	1/4"	1/2"
11008	6" [1]	1/4"	9/16"
11009	6" [1]	1/4"	5/8"


Stinger™ Spade Bits			
Item #	Length & [#]	Speed Hex	Diameter
11010	6" [1]	1/4"	11/16"
11011	6" [1]	1/4"	3/4"
11012	6" [1]	1/4"	13/16"
11013	6" [1]	1/4"	7/8"
11014	6" [1]	1/4"	15/16"
11015	6" [1]	1/4"	1"
11016	6" [1]	1/4"	1-1/8"

Stinger™ Spade Bits			
Item #	Length & [#]	Speed Hex	Diameter
11017	6" [1]	1/4"	1-1/4"
11018	6" [1]	1/4"	1-3/8"
11019	6" [1]	1/4"	1-1/2"
11029	6" [2]	1/4"	1/2"
11030	6" [2]	1/4"	5/8"
11031	6" [2]	1/4"	3/4"
11033	6" [2]	1/4"	1"

Stinger™ Spade Bits			
Item #	Length & [#]	Speed Hex	Diameter
11020	16" [1]	1/4"	3/8"
11021	16" [1]	1/4"	1/2"
11022	16" [1]	1/4"	5/8"
11023	16" [1]	1/4"	3/4"
11024	16" [1]	1/4"	7/8"
11025	16" [1]	1/4"	1"



### STINGER™ AUGER BITS



**STINGER™**  
Non-Clogging, Auto-Feed  
Tip Technology

UP TO  
**20x**  
FASTER

UP TO  
**10x**  
MORE


Stinger™ Auger Bit Set				
Item #	Length	Speed Hex	Pieces	Contents
12001	6-1/2"	7/16"	3	1/2, 3/4, 1"

Stinger™ Auger Bits			
Item #	Length	Speed Hex	Diameter
12002	6-1/2"	3/8"	3/8"
12031	6-1/2"	3/8"	7/16"
12003	6-1/2"	7/16"	1/2"
12004	6-1/2"	7/16"	5/8"
12005	6-1/2"	7/16"	11/16"
12006	6-1/2"	7/16"	3/4"
12007	6-1/2"	7/16"	13/16"
12008	6-1/2"	7/16"	7/8"

Stinger™ Auger Bits			
Item #	Length	Speed Hex	Diameter
12009	6-1/2"	7/16"	15/16"
12010	6-1/2"	7/16"	1"
12011	6-1/2"	7/16"	1-1/16"
12012	6-1/2"	7/16"	1-1/8"
12013	6-1/2"	7/16"	1-1/4"
12014	6-1/2"	7/16"	1-3/8"
12015	6-1/2"	7/16"	1-1/2"

Stinger™ Auger Bits			
Item #	Length	Speed Hex	Diameter
12016	18"	1/4"	3/8"
12024	18"	1/4"	7/16"
12017	18"	7/16"	1/2"
12018	18"	7/16"	5/8"
12025	18"	7/16"	11/16"
12019	18"	7/16"	3/4"
12026	18"	7/16"	13/16"
12020	18"	7/16"	7/8"

Stinger™ Auger Bits			
Item #	Length	Speed Hex	Diameter
12027	18"	7/16"	15/16"
12021	18"	7/16"	1"
12028	18"	7/16"	1-1/16"
12029	18"	7/16"	1-1/8"
12022	18"	7/16"	1-1/4"
12030	18"	7/16"	1-3/8"
12023	18"	7/16"	1-1/2"



## STINGER™ POWER BITS™



**POWER BIT FAST\*CLEAN**  
 UP TO **40x** FASTER  
 UP TO **25x** MORE  
 UP TO **50%** LESS

Stinger™ Power Bit™ Sets				
Item #	Length	Speed Hex	Pieces	Contents
15001	6-1/2"	1/4"	4	1/2, 5/8, 3/4, 1"
15003	6-1/2"	1/4"	6	1/2, 5/8, 3/4, 7/8, 1, 1-1/4"

Stinger™ Power Bits™			
Item #	Length	Speed Hex	Diameter
15004	6-1/2"	1/4"	1/2"
15005	6-1/2"	1/4"	5/8"
15006	6-1/2"	1/4"	3/4"

Stinger™ Power Bits™			
Item #	Length	Speed Hex	Diameter
15007	6-1/2"	1/4"	7/8"
15008	6-1/2"	1/4"	1"
15012	6-1/2"	1/4"	1-1/4"

Stinger™ Power Bits™			
Item #	Length	Speed Hex	Diameter
15009	16"	1/4"	1/2"
15010	16"	1/4"	5/8"
15011	16"	1/4"	3/4"



## STINGER™ BRAD POINT DRILL BITS



UP TO **10x** LONGER  
 UP TO **6x** FASTER  
 UP TO **30%** LONGER

Stinger™ Brad Point Drill Bit Set		
Item #	Pieces	Contents
11035	6	1/8, 3/16, 1/4, 5/16, 3/8, 1/2"



## STINGER™ MACH-BLUE™ HIGH SPEED STEEL (HSS) DRILL BITS



MADE IN USA  
 UP TO **100x** MORE  
 UP TO **8x** FASTER

Stinger™ Mach-Blue™ HSS Drill Bit Kit			
Item #	Speed Hex	Pieces	Contents
19017	1/4"	10	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8"

Stinger™ Mach-Blue™ HSS Drill Bits		
Item #	Speed Hex	Diameter
19000	1/4"	1/16"
19001	1/4"	5/64"
19002	1/4"	3/32"
19003	1/4"	7/64"
19004	1/4"	1/8"
19005	1/4"	9/64"

Stinger™ Mach-Blue™ HSS Drill Bits		
Item #	Speed Hex	Diameter
19006	1/4"	5/32"
19007	1/4"	11/64"
19008	1/4"	3/16"
19009	1/4"	13/64"
19010	1/4"	7/32"
19011	1/4"	15/64"

Stinger™ Mach-Blue™ HSS Drill Bits		
Item #	Speed Hex	Diameter
19012	1/4"	1/4"
19013	1/4"	5/16"
19014	1/4"	3/8"
19015	1/4"	7/16"
19016	1/4"	1/2"





## STINGER™ MACH-BLUE™ STEP DRILL BITS



**STINGER™**

**Mach-Blue™**  
Armor Plated

UP TO  
**50x**  
MORE

UP TO  
**2x**  
FASTER

MADE IN  
USA

### Stinger™ Mach-Blue™ Step Drill Bit Set

Item #	Impact Hex	Pieces	Contents
19025	1/4"	2	1/8 - 1/2" 13 Steps, 3/16 - 7/8" 12 Steps

Item #	Impact Hex	Diameter	Steps
19019	1/4"	1/8 - 1/2"	13
19020	1/4"	3/16 - 1/2"	6
19021	1/4"	1/4 - 3/4"	9

Item #	Impact Hex	Diameter	Steps
19022	1/4"	3/16 - 7/8"	12
19071	1/4"	1/4 - 1"	8
19023	1/4"	3/16 - 1-1/8"	16

Item #	Impact Hex	Diameter	Steps
19024	1/4"	1/4 - 1-3/8"	10



## NEW MACH-BLUE GOO™ METAL CUTTING LUBRICANT



**Mach-Blue Goo™**  
Metal Cutting Lubricant

UP TO  
**5x**  
MORE


UP TO  
**2x**  
FASTER

MADE IN  
USA

### Mach-Blue Goo™ Metal Cutting Tool Lubricant

Item #	Weight	Pieces	Description
900709	6 fl oz	1 / Bottle	Metal Cutting Tool Lubricant that Extends Tool Life





# MACH-BLUE™ IMPACT RATED DRIVER BITS



UP TO  
**70x**  
LONGER

UP TO  
**33%**  
STRONGER

## Mach-Blue™ Driver Bit Kits

Item#	Pieces	Description
19027	8 in Pocket Case	1" – PH1, PH2, SQ1, SQ2, T20, T25[2], and 3" Magnetic Bit Holder
19028	7 in Pocket Case	2" – PH1, PH2, SQ1, SQ2, T20, and T25[2]
19075	15 in Mini Case	2" – PH2
19076	15 in Mini Case	2" – SQ2
19077	15 in Mini Case	2" – T25
19072	25 in Mini Case	1" – PH2
19073	25 in Mini Case	1" – SQ2
19074	25 in Mini Case	1" – T25
19029	25 in Display Case	1" – T15, T20[2], T25[2], SQ1, SQ2[2], SQ3, SL6-8, PH1, PH2[3] 2" – T15, T20, T25[2], SQ1, SQ2, PH1[2], PH2[2] 3" Magnetic Bit Holder
19030	30 in Display Case	1" – T15, T20[2], T25[3], T30, SQ1, SQ2[2], SQ3, SL6-8, PH1[2], PH2[4], PH3 2" – T15, T20, T25, SQ1, SQ2, PH1, PH2[2] 3" Magnetic Bit Holder and 1 each of 1/4" and 5/16" Magnetic Nut Drivers
19078	28 in Display Case	1" – T15, T20[2], T25[2], SQ1, SQ2, SQ3, SL6-8, PH1, PH2[3], PH3 2" – T15, T20[2], T25, SQ1, SQ2, PH1, PH2[2] 3" Magnetic Bit Holder and 1 each of 1/4", 5/16", 3/8", and 7/16" Magnetic Nut Drivers
19079	34 in Display Case	1" – T10, T15, T20[2], T25[3], T30, T35, T40, SQ1[2], SQ2[3], SQ3, SL6-8, PH1[2], PH2[4], PH3 2" – T20, T25, SQ2, PH1, PH2 3-1/2" – T20, T25, SQ2, PH2 3" Magnetic Bit Holder

## Stinger™ Mach-Blue™ High Speed Steel (HSS) Drill Bit and Mach-Blue™ Driver Bit Kits

Item#	Pieces	Description
19031	15 in Display Case	Hex Shank Drill Bits – 3/32, 1/8, 5/32, 3/16, 1/4" 2" Driver Bits – T15, T20, T25[2], SQ1, SQ2, PH1, PH2[2], PH3
19032	30 in Display Case	Hex Shank Drill Bits – 3/32, 1/8, 5/32, 3/16, 1/4" 1" Driver Bits – T15, T20, T25[2], T30, SQ1, SQ2[2], SL6-8, PH1[2], PH2[3], PH3 2" Driver Bits – T20, T25[2], SQ2, PH1, PH2[2] 3" Magnetic Bit Holder and 1/4 and 5/16" Magnetic Nut Drivers

## Mach-Blue™ Driver Bit Combo Sets on Rails

Item#	Pieces	Description
19065	7	1" SAE Hex – 3/32, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4"
19066	7	1" Metric Hex – 2, 2.5, 3, 4, 5, 5.5, 6mm
19067	7	1" T-Drive – T10, T15, T20, T25, T30, T35, T40

### Mach-Blue™ Driver Bits and Sets

Item#	Length	Description	Pieces
19033	1"	PH1	2
19034	1"	PH2	2
19035	1"	PH3	2
19036	1"	SQ1	2
19037	1"	SQ2	2
19038	1"	SQ3	2
19039	1"	T10	2
19040	1"	T15	2
19041	1"	T20	2

### Mach-Blue™ Driver Bits and Sets

Item#	Length	Description	Pieces
19042	1"	T25	2
19043	1"	T30	2
19044	1"	T40	2
19084	1"	PH2	5
19085	1"	SQ2	5
19086	1"	T25	5
19045	2"	PH1	2
19046	2"	PH2	2
19047	2"	PH3	2

### Mach-Blue™ Driver Bits and Sets

Item#	Length	Description	Pieces
19048	2"	SQ1	2
19049	2"	SQ2	2
19050	2"	SQ3	2
19051	2"	T10	2
19052	2"	T15	2
19053	2"	T20	2
19054	2"	T25	2
19055	2"	T30	2
19056	2"	T40	2

### Mach-Blue™ Driver Bits and Sets

Item#	Length	Description	Pieces
19087	2"	PH2	5
19088	2"	SQ2	5
19089	2"	T25	5
19057	3-1/2"	PH2	2
19058	3-1/2"	SQ2	2
19059	3-1/2"	T25	2
19060	6"	PH2	1
19061	6"	SQ2	1
19062	6"	T25	1





## BIT HOLDERS



## NUT DRIVERS AND SOCKET ADAPTERS



### 1/4" Hex Quick Change Bit Holders

Item#	Length	Male Hex	Description
19070	2-3/4"	3/8"	Spring Eject
19082	6"	1/4"	Auto-Locking
19083	12"	1/4"	Auto-Locking

### 1/4" Hex Magnetic Bit Holders

Item#	Length	Description
19068	3"	Torsion with Magnetic Fastener Retention
19080	6"	Torsion with Magnetic Fastener Retention
19081	12"	Torsion with Magnetic Fastener Retention
19069	3"	

### 1/4" Hex Socket Adapter Set

Item#	Pieces	Description
19064	Set of 3	1/4, 3/8, 1/2"

### 1/4" Hex Socket Adapters

Item#	Description
19096	1/4" Square
19097	3/8" Square
19098	1/2" Square

### 1/4" Hex Impact Wing Nut Driver

Item#	Description
19128	Universal

### 1/4" Magnetic Nut Driver Set

Item#	Pieces	Description
19063	Set of 4	1/4, 5/16, 3/8, 7/16"

### 1/4" Magnetic Nut Drivers

Item#	Description
19090	1/4" Hex
19091	5/16" Hex
19092	3/8" Hex
19093	7/16" Hex
19094	1/4" Hex, Deep Socket
19095	5/16" Hex, Deep Socket



## TARANTULA™ CIRCULAR SAW BLADES

## CARBIDE TIPPED SPYDER TARANTULA™



### Tarantula™ Circular Saw Blades


Item #	# / Pack	Diameter	# of Teeth	Application	Arbor Diameter	Grind†	Kerf		Hook	Plate		Max RPM
13029	1 / Ring	5-1/2"	18	Framing	5/8" with Diamond Knockout	ATB	0.060"	1.5mm	15°	1mm	0.040"	10,000
13030	1 / Ring	6-1/2"	18	Fast Framing		ATB	0.060"	1.5mm	18°	1mm	0.040"	10,000
13004	1 / Ring	6-1/2"	24	Framing		ATB	0.060"	1.5mm	15°	1mm	0.040"	10,000
13025	1 / Ring	6-1/2"	48	Ultra Fine		ATB	0.060"	1.5mm	15°	1mm	0.040"	10,000
13001	1 / Ring	7-1/4"	24	Framing		ATB	0.060"	1.5mm	18°	1mm	0.040"	10,000
13050	3 / Shrink					ATB	0.060"	1.5mm	18°	1mm	0.040"	10,000
13017	10 / Box					ATB	0.060"	1.5mm	18°	1mm	0.040"	10,000
13007	1 / Ring	7-1/4"	40	Fine Finish		ATB	0.060"	1.5mm	15°	1mm	0.040"	10,000
13018	1 / Ring	7-1/4"	60	Ultra Fine		ATB	0.060"	1.5mm	15°	1mm	0.040"	10,000
13019	1 / Ring	7-1/4"	44	Composite/Decking		TCG	0.067"	1.7mm	0°	1.2mm	0.050"	10,000
13020	1 / Ring	7-1/4"	60	Laminated Wood		TCG	0.110"	2.8mm	-5°	1.8mm	0.070"	10,000
13031	1 / Ring	8-1/4"	24	Framing		ATB	0.063"	1.6mm	18°	1.2mm	0.040"	10,000
13069	1 / Clam					ATB	0.063"	1.6mm	18°	1.2mm	0.040"	10,000
13058	1 / Ring	8-1/4"	40	Fine Finish		ATB	0.063"	1.6mm	15°	1.2mm	0.040"	10,000
13044	1 / Clam					ATB	0.063"	1.6mm	15°	1.2mm	0.040"	10,000
13068	1 / Clam	8-1/4"	60	Ultra Fine		ATB	0.063"	1.6mm	15°	1.2mm	0.040"	10,000

† ATB - Alternating Tooth Bevel TCG - Triple Chip Grind



**TARANTULA™ LARGE DIAMETER CIRCULAR SAW BLADES**

**CARBIDE TIPPED SPYDER TARANTULA™**



**ULTRA TOUGH NiCo NICKEL COBALT**

**UP TO 6x LONGER**


Tarantula™ Large Diameter Circular Saw Blades												
Item #	# / Pack	Diameter	# of Teeth	Application	Arbor Diameter	Grind†	Kerf		Hook	Plate		Max RPM
13056	1 / Ring	10"	40	Framing	5/8"	ATB	0.118"	3.0mm	18°	2.2mm	0.087"	7,000
13032	1 / Clam											
13021	1 / Ring	10"	50	Combo		ATB-R	0.091"	2.3mm	10°	1.8mm	0.070"	6,000
13063	1 / Clam											
13053	1 / Ring	10"	60	Fine		HIATB	0.091"	2.3mm	15°	1.8mm	0.070"	7,000
13012	1 / Clam											
13066	1 / Clam	10"	40	Framing		ATB	0.118"	3.0mm	18°	2.2mm	0.087"	7,000
		10"	60	Fine								
13055	1 / Ring	10"	80	Ultra Fine		HIATB	0.091"	2.3mm	7°	1.8mm	0.070"	7,000
13026	1 / Clam											
13059	1 / Ring	12"	40	Fast Framing	1"	ATB	0.118"	3.0mm	12°	2.2mm	0.087"	7,800
13049	1 / Clam											
13022	1 / Ring	12"	60	Combo		ATB-R	0.091"	2.3mm	10°	1.8mm	0.070"	6,000
13057	1 / Ring	12"	60	Framing		ATB	0.118"	3.0mm	18°	2.2mm	0.087"	6,000
13033	1 / Clam											
13054	1 / Ring	12"	80	Fine		HIATB	0.090"	2.3mm	15°	1.8mm	0.070"	6,000
13015	1 / Clam											
13067	1 / Clam	12"	40	Fast Framing		ATB	0.118"	3.0mm	12°	2.2mm	0.087"	7,800
		12"	80	Fine								
13027	1 / Ring	12"	100	Ultra Fine		HIATB	0.091"	2.3mm	15°	1.8mm	0.070"	6,000
13064	1 / Clam											

† ATB - Alternating Tooth Bevel    HIATB - High Alternative Top Bevel    ATB-R - Alternating Tooth Bevel with Raker



**TARANTULA™ DEMOLITION CIRCULAR SAW BLADES**

**CARBIDE TIPPED SPYDER TARANTULA™**



**ULTRA TOUGH NiCo NICKEL COBALT**

**UP TO 10x LONGER**

Tarantula™ Demolition Circular Saw Blades												
Item #	#/Pack	Diameter	# of Teeth	Application	Arbor Diameter	Grind†	Kerf		Hook	Plate		Max RPM
13041	1 / Ring	6-1/2"	24	Wood with Nails	5/8" with Diamond Knockout	ATB+DD	0.060"	1.5mm	15°	1mm	0.040"	10,000
13006	1 / Ring	7-1/4"	24	Wood with Nails	5/8" with Diamond Knockout	ATB+DD	0.060"	1.5mm	15°	1mm	0.040"	10,000


† ATB+DD - Alternating Tooth Bevel + Demo Drive





**TARANTULA™  
DADO CIRCULAR  
SAW BLADES**

**CARBIDE TIPPED  
SPYDER  
TARANTULA™**



**UP TO  
6x  
LONGER**

Tarantula™ DADO Circular Saw Blades														
Item #	# / Pack	Diameter	# of Teeth	Spacers	Shims	Application	Arbor Diameter	Grind†	Kerf		Hook	Plate		Max RPM
13023	1 / Ring	6"	Chipper: 3PCS x 2T	1.6mm [3]	0.1mm [5] 0.2mm [1] 0.3mm [1] 0.5mm [1]	DADO Groove Cutting	5/8"	FTG	0.276"	7.0mm	-10°	3.2mm	0.040"	9,000
			Blade: 2PCS x 12T					ATB+F	0.197"	5.0mm	-10°	2.5mm	0.098"	
13024	1 / Ring	8"	Chipper: 3PCS x 2T	1.6mm [3]	0.1mm [5] 0.2mm [1] 0.3mm [1] 0.5mm [1]	DADO Groove Cutting	5/8"	FTG	0.276"	7.0mm	-10°	3.2mm	0.040"	9,000
			Blade: 2PCS x 12T					ATB+F	0.197"	5.0mm	-10°	2.5mm	0.098"	

† FTG - Flat Top Grind ATB+F - Alternating Tooth Bevel + Flat Top Raker


**Tarantula™ DADO Groove Cutting Chart — Each Groove Utilizes Both Outer Scoring Blades.**

Groove Sizes	1/4"	9/32"	5/16"	11/32"	3/8"	13/32"	7/16"	15/32"	1/2"	17/32"	9/16"	19/32"	5/8"	21/32"	11/16"	23/32"	3/4"	25/32"	13/16"
Chipper	1				1	1	1	1	2	2	2	2	3	3	3	3	3	3	3
Spacer			1	1			1	1			1	1			1	1	2	2	3
.5mm Shim		1		1		1		1		1		1		1		1		1	
.3mm Shim		1		1		1		1		1		1		1		1		1	



**TARANTULA™  
PCD CIRCULAR  
SAW BLADES**

**POLYCRYSTALLINE  
DIAMOND TIPPED**



**UP TO  
60x  
LONGER**



Tarantula™ PCD Circular Saw Blades												
Item #	#/Pack	Diameter	# of Teeth	Application	Arbor Diameter	Grind†	Kerf		Hook	Plate		Max RPM
13028	1 / Ring	7-1/4"	4 PCD	Fiber Cement Board	5/8" w/Diamond Knockout	FTG	0.063"	1.6mm	18°	1.2mm	0.063"	10,000

† FTG - Flat Top Grind





## NEW DIAMOND BITE™ CUTTING BLADES AND GRINDING CUP



UP TO  
**5x**  
LONGER

UP TO  
**33%**  
FASTER

### Diamond Bite™ Cutting Blades

Item #	Pieces	Diameter	Arbor Size	Bushing†	Max RPM	Rim	Type of Cut	Application	Power Tool / Saw
14100	1	4"	7/8"	5/8"	15,300	Continuous	Ultra Clean	Masonry, Pavers, Tile	Angle Grinder, Tile
14101	1	4-1/2"	7/8"	5/8"	13,300	Continuous	Ultra Clean		Angle Grinder, Tile
14115	1	4"	7/8"	5/8"	15,300	Continuous Turbo	Fast & Clean	Masonry, Pavers, Concrete, Roofing Tile	Angle Grinder, Handheld
14116	1	4-1/2"	7/8"	5/8"	13,300	Continuous Turbo	Fast & Clean		Angle Grinder, Handheld
14117	1	7"	7/8" ◆	5/8"	8,500	Continuous Turbo	Fast & Clean		Angle Grinder, Table, Circular
14118	1	10"	7/8" ◆	5/8"	6,150	Continuous Turbo	Fast & Clean		Table, Circular, Gas Powered
14120	1	4-1/2"	7/8"	5/8"	13,300	Segmented	Fast	Masonry, Pavers, Concrete, Roofing Tile	Angle Grinder, Handheld
14121	1	7"	7/8"	5/8"	8,500	Segmented	Fast		Angle Grinder, Handheld
14126	1	14"	1"	20mm	5,500	Segmented	Fast	Masonry, Pavers, Block, Concrete	Table, Gas Powered

### Diamond Bite™ Grinding Cup

14131	1	4"	5/8" - 11	—	15,300	Grinding Cup	Fast & Clean	Masonry, Pavers & Concrete	Angle Grinder
-------	---	----	-----------	---	--------	--------------	--------------	----------------------------	---------------

† Cutting blades packaged with a bushing. ◆ Diamond Arbor




## DIAMOND EDGE UNIVERSAL CUT-OFF WHEEL



UP TO  
**100x**  
LONGER

### Diamond Edge Universal Cut-Off Wheels

Item #	Pieces	Diameter	Arbor Size	Max RPM	Application	Power Tool / Saw	Other
14003	1	3"	3/8"	20,300	Steel, Stainless Steel, Cast Iron, Rebar, Masonry, Ceramic Tile and Composites	Angle Grinder	1/4" Bushing Included
14004	1	4"	5/8"	15,200		Angle Grinder	3/8" Bushing Included
14001	1	4-1/2"	7/8"	13,000		Angle Grinder	
14002	2	4-1/2"	7/8"	13,000		Angle Grinder	
14005	1	5"	7/8"	12,000		Angle Grinder	
14007	1	7"	7/8"	8,400		Angle Grinder, Circular	5/8" Bushing Included
14008	1	14"	1"	4,300		Chop, Portable	20mm Bushing Included




### Spyder® Jig Saw Blade

### Best Application


Chrome Vanadium	For Cutting Wood
Bi-Metal	For Cutting Wood and Thin / Thick Metal
High Speed Steel	For Cutting Metal

## CHROME VANADIUM (CrV) JIG SAW BLADE SETS AND KITS



### CHROME VANADIUM

For Fast and Clean Cuts Through Soft and Hard Wood



### Chrome Vanadium Single-Sided, Double-Sided and Skeleton™ T-Shank Jig Saw Blade Sets and Kits

Item #	Pieces	Length	TPI	Type	Application
300002 or 300099	2	4-1/2"	8 Front/Long 10 Short/Back	Double-Sided	Fast Curve, Soft Wood
300004 or 300100	2	4"	17 Front/Long 19 Short/Back	Double-Sided	Clean Curve, Hard Wood



### Chrome Vanadium Single-Sided, Double-Sided and Skeleton™ T-Shank Jig Saw Blade Sets and Kits

Item #	Pieces	Length	TPI	Type	Application
300009	2	4-1/2" [1]	8 Front/Long 10 Short/Back	Double-Sided	Fast Curve, Soft Wood
		4" [1]	17 Front/Long 19 Short/Back	Double-Sided	Clean Curve, Hard Wood
300012 or 300101	2	4"	10	Skeleton™	Fast Straight, Soft Wood
300022 or 300102	2	4"	17	Skeleton™	Clean Straight, Hard Wood
300020	2	4" [1]	10	Skeleton™	Fast Straight, Soft Wood
		4" [1]	17	Skeleton™	Clean Straight, Hard Wood
300037	Combo Set of 8	4-1/2" [2]	8 Front/Long 10 Short/Back	Double-Sided	Fast Curve, Soft Wood
		4" [2]	17 Front/Long 19 Short/Back	Double-Sided	Clean Curve, Hard Wood
		4" [2]	10	Skeleton™	Fast Straight, Soft Wood
		4" [2]	17	Skeleton™	Clean Straight, Hard Wood
300061	Combo Kit of 5 in Pocket Case	3-1/2" [1]	19	Single-Sided	Clean Curve, Hard Wood
		4" [1]	17 Front/Long 19 Short/Back	Double-Sided	Clean Curve, Hard Wood
		4" [2]	10	Single-Sided	Clean Straight, Soft Wood
		4" [1]	6	Single-Sided	Fast Straight, Soft Wood
300097	Combo Set of 8	4-1/2" [1]	8 Front/Long 10 Short/Back	Double-Sided	Fast Curve, Soft Wood
		4" [1]	17 Front/Long 19 Short/Back	Double-Sided	Clean Curve, Hard Wood
		3-1/2" [1]	19	Single-Sided	Clean Curve, Hard Wood
		4" [1]	10	Skeleton™	Fast Straight, Soft Wood
		4" [1]	17	Skeleton™	Clean Straight, Hard Wood
		4" [1]	10	Single-Sided	Clean Straight, Down, Soft Wood
		4" [1]	6	Single-Sided	Fast Straight, Soft Wood
		4" [1]	10	Single-Sided	Clean Straight, Soft Wood

### BI-METAL JIG SAW BLADE SETS AND KITS



### BI-METAL

8% Cobalt Blades Better for Cutting Hard Wood, Thin & Thick Metal


**DOUBLE CLEAN**  
TOP & BOTTOM



### Bi-Metal Single-Sided T-Shank Jig Saw Blade Sets and Kits

Item #	Pieces	Length	TPI	Type	Application
300098	3	5-1/8"	6-10	Single-Sided	Fast Straight, Wood with Nails, Medium Metal <1/8", Stacked Materials
300088	Laminated Wood Cutting Set of 5	4" [1]	16	Single-Sided	Clean Curve, Laminated Wood
		4" [2]	17	Single-Sided	Clean Straight, Down, Laminated Wood, All Plastics
		5-1/8" [2]	12	Single-Sided	Double Clean, Straight, Laminated Wood
300063	Kit of 5 in Pocket Case	4" [3]	21	Single Sided	Medium Metal <1/8"
		4" [2]	12	Single Sided	Thick Metal <1/4"

# MULTI-MATERIAL JIG SAW BLADE SET AND KITS



**CHROME VANADIUM / BI-METAL / HIGH SPEED STEEL**

Multi-Material Jig Saw Blade Kits and Set					
Item #	Pieces	Length	TPI	Type	Application
300062	Combo Kit of 5 in Pocket Case	4" [1]	21	Bi-Metal - Single Sided	Medium Metal <1/8"
		4" [1]	12	Bi-Metal - Single Sided	Thick Metal <1/4"
		4" [1]	6	Chrome Vanadium - Single-Sided	Fast Curve, Soft Wood
		4" [1]	6	Chrome Vanadium - Single-Sided	Fast Straight, Soft Wood
		4" [1]	10	Chrome Vanadium - Single-Sided	Clean Straight, Soft Wood
300064	Combo Kit of 10 in Pocket Case	4" [2]	21	Bi-Metal - Single Sided	Medium Metal <1/8"
		4" [1]	12	Bi-Metal - Single Sided	Thick Metal <1/4"
		4" [1]	17	CrV Skeleton™ - Single-Sided	Clean Straight, Hard Wood
		4" [1]	17 Front/Long 19 Short/Back	Chrome Vanadium - Double-Sided	Clean Curve, Hard Wood
		4" [2]	6	Chrome Vanadium - Single-Sided	Fast Curve, Soft Wood
		4" [2]	6	Chrome Vanadium - Single-Sided	Fast Straight, Soft Wood
		4" [1]	10	Chrome Vanadium - Single-Sided	Clean Straight, Soft Wood
300065	Combo Kit of 12 in Snap Case	4" [2]	21	Bi-Metal - Single Sided	Medium Metal <1/8"
		4" [1]	12	Bi-Metal - Single Sided	Thick Metal <1/4"
		4" [2]	17	CrV Skeleton™ - Single-Sided	Clean Straight, Hard Wood
		4" [2]	6	Chrome Vanadium - Single-Sided	Fast Curve, Soft Wood
		4" [2]	6	Chrome Vanadium - Single-Sided	Fast Straight, Soft Wood
		4" [1]	17 Front/Long 19 Short/Back	Chrome Vanadium - Double-Sided	Clean Curve, Hard Wood
		4-1/2" [2]	8 Front/Long 10 Short/Back	Chrome Vanadium - Double-Sided	Fast Curve, Soft Wood
300089	Combo Set of 5	4" [1]	17 Front/Long 19 Short/Back	Chrome Vanadium - Double-Sided	Clean Curve, Hard Wood
		4" [1]	10	CrV Skeleton™ - Single-Sided	Fast Straight, Soft Wood
		4" [1]	6	Chrome Vanadium - Single-Sided	Fast Straight, Soft Wood
		4" [1]	10	Chrome Vanadium - Single-Sided	Clean Straight, Down, Soft Wood
		3-5/8" [1]	18-23	High Speed Steel - Single-Sided	Medium Metal <1/8"
300090	Combo Kit of 10 in Display Case	4-1/2" [1]	8 Front/Long 10 Short/Back	Chrome Vanadium - Double-Sided	Fast Curve, Soft Wood
		4" [1]	17 Front/Long 19 Short/Back	Chrome Vanadium - Double-Sided	Clean Curve, Hard Wood
		3-1/2" [1]	19	Chrome Vanadium - Single-Sided	Clean Curve, Hard Wood
		4" [1]	10	CrV Skeleton™ - Single-Sided	Fast Straight, Soft Wood
		4" [1]	6	Chrome Vanadium - Single-Sided	Fast Straight, Soft Wood
		4" [1]	10	Chrome Vanadium - Single-Sided	Clean Straight, Soft Wood
		4" [1]	10	Chrome Vanadium - Single-Sided	Clean Straight, Down, Soft Wood
		5-1/8" [1]	6-10	Bi-Metal - Single Sided	Fast Straight, Medium Metal <1/8", Stacked Materials
		4" [1]	21	Bi-Metal - Single Sided	Medium Metal <1/8"
4" [1]	12	Bi-Metal - Single Sided	Thick Metal <1/4"		



### Multi-Material Jig Saw Blade Kits and Set

Item #	Pieces	Length	TPI	Type	Application
300091	Combo Kit of 20 in Display Case	4-1/2" [1]	8 Front/Long 10 Short/Back	Chrome Vanadium - Double-Sided	Fast Curve, Soft Wood
		4" [1]	17 Front/Long 19 Short/Back	Chrome Vanadium - Double-Sided	Clean Curve, Hard Wood
		3-1/2" [2]	19	Chrome Vanadium - Single-Sided	Clean Curve, Hard Wood
		4" [1]	10	CrV Skeleton™ - Single-Sided	Fast Straight, Soft Wood
		4" [1]	17	CrV Skeleton™ - Single-Sided	Clean Straight, Hard Wood
		4" [2]	6	Chrome Vanadium - Single-Sided	Fast Straight, Soft Wood
		4" [1]	10	Chrome Vanadium - Single-Sided	Clean Straight, Down, Soft Wood
		4" [2]	10	Chrome Vanadium - Single-Sided	Clean Straight, Soft Wood
		3" [2]	28	High Speed Steel - Single-Sided	Thin Metal <1/16"
		3-5/8" [2]	18-23	High Speed Steel - Single-Sided	Medium Metal <1/8"
		3-5/8" [2]	11-13	High Speed Steel - Single-Sided	Thick Metal <1/4"
		5-1/8" [1]	12	Bi-Metal - Single Sided	Double Clean, Straight, Laminated Wood
		5-1/8" [2]	6-10	Bi-Metal - Single Sided	Fast Straight, Medium Metal <1/8", Stacked Materials



### 3X3™ DOUBLE-SIDED RECIPROCATING SAW BLADES



UP TO **2x10x** LONGER



### 3x3™ Double-Sided Reciprocating Saw Blade Set

Item #	Pieces	Contents
200228	5	200176 [1x], 200203 [2x], 200180 [1x], 200177 [1x]

### 3x3™ Double-Sided Reciprocating Saw Blades

Item #	#/Pack	Length	TPI			Application
			Top	Bottom	Nose	
200176	10 / Bulk with UPC	6"	10	6	10	Wood, Drywall and Laminates
200203	10 / Bulk with UPC	6"	14	10-14	10	Demolition and Metal
200180	10 / Bulk with UPC	6"	18	14	10	Metal, Nail-Embedded Wood and Fiberglass
200177	10 / Bulk with UPC	8"	10	6	6	Wood, Drywall and Laminated Wood
200206	10 / Bulk with UPC	8"	10	8-12	10	Advanced Demolition
200179	10 / Bulk with UPC	8"	14	10	10	Demolition and Metal
200205	10 / Bulk with UPC	8"	14	10-14	10	Extreme Metal, Nail-Embedded Wood and Fiberglass
200207	10 / Bulk with UPC	10"	10	8-12	10	Advanced Demolition
200204	10 / Bulk with UPC	10"	14	10-14	10	Extreme Metal, Nail-Embedded Wood and Fiberglass



## NEW MACH-BLUE™ RECIPROCATING SAW BLADES




UP TO  
**20x**  
LONGER




### Mach-Blue™ Reciprocating Saw Blades

Item #	Pieces	Length	TPI	Application
200319	1	6"	10-14	Fast and Clean Cut through Nail-Embedded Wood, Steel and Stainless Steel
200320	1	6"	18	Fast and Smooth Cut through Thin and Thick Metals
200321	1	9"	6	Fast and Smooth Cut through Nail-Embedded Wood and Plywood
200322	1	9"	10-14	Fast and Clean Cut through Nail-Embedded Wood, Steel and Stainless Steel
200323	1	12"	6	Fast and Smooth Cut through Nail-Embedded Wood and Plywood
200324	1	12"	10-14	Fast and Clean Cut through Nail-Embedded Wood, Steel and Stainless Steel



## BLACK SERIES™ RECIPROCATING SAW BLADES



UP TO  
**10x**  
LONGER

UP TO  
**3x**  
FASTER




### Black Series™ Reciprocating Saw Blade Sets and Kit

Item #	Pieces	Length	TPI	Application
200302	5	6"	10-14	Demolition - Fast and Clean Cut through Wood and Metal
200303	5	6"	18	Fast and Smooth Cut through Thin and Thick Metals
200304	5	9"	6	Fast and Smooth Cut through Nail-Embedded Wood, Drywall and Timber
200305	5	9"	10-14	Demolition - Fast and Clean Cut through Wood and Metal
200306	3	12"	6	Fast and Smooth Cut through Nail-Embedded Wood, Drywall and Timber
200307	3	12"	10-14	Demolition - Fast and Clean Cut through Wood and Metal
200308	14	various	various	6" [4x] 18 TPI, 6" [2x] 10/14 TPI, 6" [3x] 6 TPI, 8" [2x] 14 TPI, 8" [1x] 10/14 TPI, and 9" [2x] 6 TPI with Storage Tube



## TUNGSTEN CARBIDE TIPPED (TCT) MASONRY RECIPROCATING SAW BLADES



### Tungsten Carbide Tipped (TCT) Masonry Reciprocating Saw Blades

Item #	Length	Application
200209	9"	Concrete Block, Brick and Masonry
200210	12"	Concrete Block, Brick and Masonry
200211	18"	Concrete Block, Brick and Masonry





# SPYDER® SCRAPER™ RECIPROCATING BLADES



## Spyder® Scraper™ Reciprocating Blade Set

Item #	Pieces	Contents	Application
00243	3	[1] each of 2", 4" and 6"	Ceramic & Vinyl Tile Adhesive, Thin-Set, Linoleum, Tough Glue, Drywall Mud, Paint, Rubber-Backed Carpet, & Wallpaper


## Spyder® Scraper™ Reciprocating Blades

Item #	Pieces	Width	Application
00138	1	2"	Ceramic & Vinyl Tile Adhesive, Thin-Set, Linoleum, Tough Glue and Drywall Mud
00108	1	4"	Linoleum, Tough Glue and Drywall Mud
00137	1	6"	Paint, Rubber-Backed Carpet and Wallpaper
00319	6 / Bulk with UPC	2"	Ceramic & Vinyl Tile Adhesive, Thin-Set, Linoleum, Tough Glue and Drywall Mud
00320	6 / Bulk with UPC	4"	Linoleum, Tough Glue and Drywall Mud
00321	6 / Bulk with UPC	6"	Paint, Rubber-Backed Carpet and Wallpaper




## RECIPROCATING BRUSHES

### WIRE



### NYLON



## Reciprocating Brushes

Item #	Pieces	Brush	Application
400005	6 / Bulk with UPC	Carbon Steel Wire	Removes Flaking Paint, Rust, Scratches, Dirt and Small Imperfections
400006	6 / Bulk with UPC	Nylon	Removes Layers of Grime



## GROUT-OUT™ RECIPROCATING BLADES



UP TO  
**10x**  
FASTER



## RECIPROCATING SANDER WITH SANDPAPER SET



## Spyder® Grout-Out™ Reciprocating Blade Set

Item #	Pieces	Contents	Application
100234	2	[1] Narrow	Joints 1/16" - 3/16" in width
		[1] Wide	Joints 3/16" - 3/4" in width

## Reciprocating Sander with Sandpaper Set

Item #	Contents	Application
500010	Sander with 3pc Sandpaper Set (80, 120, 220 Grit)	Sand Tight Spaces, Curved Surfaces and the Inside and Outside of Corners.

## Spyder® Grout-Out™ Reciprocating Blades

Item #	Pieces	Width	Application
100263	6 / Bulk with UPC	Narrow	Joints 1/16" - 3/16" in width
100264	6 / Bulk with UPC	Wide	Joints 3/16" - 3/4" in width



## SHOP STOOL

### Shop Stool

Item #	Contents / Description
900532	Industrial Quality, Chrome-Plated Steel and High-Grade Padded Vinyl Shop Stool Supports Up to 300 lbs. - 14" x 14" x 29" Tall



The Spyder Rapid Core Eject™ Hole Saw System is patented in the US and Canada, US Patent no. 7,934,893 and Canada Patent no. 2,589,999. © 2023 SM Products, LLC. The Spyder logo, Rapid Core Eject, Skeleton, Mach-Blue, Stinger, Tarantula, Power Bits, 3x3, Diamond Bite, Spyder Scraper, Black Series, and Grout-Out are trademarks of SM Products, LLC. All rights reserved.

SM Products, LLC • 1-888-471-2239 • [info@spyderproducts.com](mailto:info@spyderproducts.com)

[www.spyderproducts.com](http://www.spyderproducts.com)

